

PART III: EXHIBITS

State Timber Sale Contract
No. 341-08-93
Blastoria Salvage

EXHIBIT B

Page 1 of 3
629-Form 341-203
Revised 06/97

OREGON DEPARTMENT OF FORESTRY

TIMBER SALE OPERATIONS PLAN

(See Page 2 for instructions)

Date Received by STATE: _____

(5) State Brand Information (complete):



(1) Contract No.: 341-08-93

(2) Sale Name: Blastoria Salvage

(3) Contract Expiration Date: March 31, 2010

Project Completion Dates: N/A

(4) Purchaser: _____

(6) Purchaser Representatives:

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

(7) State Representatives:

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

Logging: _____

Phone: _____

Cell/Other

Phone: _____

Home: _____

(8) Name of Subcontractors & Starting Dates:

Logging: Felling _____

Date: _____

Phone: _____

Yarding: _____

Date: _____

Phone: _____

(9) Comments: _____

(10) Operations Map: Attach a copy of timber sale Exhibit A or other suitable map which plainly shows the items listed on the instruction sheet.

EXHIBIT B

INSTRUCTION SHEET FOR OPERATIONS PLAN

SUBMIT ONE COPY OF PLAN TO STATE

Operations shall be limited to the work shown in the plan until a revised plan or supplemental plan is submitted covering additional work. Compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act. If STATE has prepared a required Forest Practices Act (FPA) "Written Plan" for operations, PURCHASER shall comply with all provisions of the Written Plan.

Explanation of Item No. (from Page 1)

- (5) All sales require you to use a brand furnished by STATE. If the State brand has not been assigned when the plan is submitted, it will be furnished and assigned later. Complete drawing. If more than one brand is assigned to the sale, complete both drawings.
- (6) The contract requires you to have a designated representative available on the sale area or work location who is authorized to receive in your behalf any notice or instruction given by STATE and to take action in regard to performance under the contract. If logging and project work is widely separated, a representative is required for each.
- (7) The STATE representative will be designated when your plan is approved and is the person who will inspect and issue instructions regarding performance.
- (8) Show names of subcontractors to be used for any or all phases of the operations. If subcontractors are not known, or are changed later, give notification to the STATE representative prior to commencement of work by subcontractor.

Show projected dates for commencement of both projects and logging. If projected dates need to be changed at a later date, notification must be given to the STATE representative by supplemental plan or otherwise, prior to commencement of such operations.

- (10) The STATE representative will furnish extra copies of Exhibit A of the contract for your use in preparing the operations map. The map shall use the following legend and show:
 1. Landing locations, approximate setting boundaries, and probable sequence of logging the settings. Number the settings in sequence.
 2. Locations of spur roads planned for construction, other than those required by the timber sale contract. Provide spur road specifications.
 3. Location of proposed tractor yarding roads. Show if and how marked on the ground.
 4. Location of temporary stream crossings.
 5. List the sequence of performing project work.
 6. Location of rock sources - attach pit development plans.








	Cable landing, with numbers for sequence.
	Tractor landing with alphabetical sequence.
	Approximate setting boundary.
	Spur truck roads.
	Tractor yarding roads.
	Temporary stream crossings.

EXHIBIT B
OPERATIONS PLAN


Completion Timeline

Indicate on the appropriate timeline below, the dates by which you plan to complete the work as required under this contract. The purpose of this section is to develop a plan that will ensure you complete the work as required, and meet the interim completion date(s) and contract expiration date. This plan is incorporated and made a part of the contract. When, in the opinion of STATE, operations are not commencing in a manner that meets the intent of this plan, you may be placed in violation of contract and your operations suspended until an amended plan is submitted and approved by STATE.


Harvest & Other Requirements



Harvest & Other Requirements



Harvest & Other Requirements



The Federal Endangered Species Act (ESA) prohibits a person from taking any federally listed threatened or endangered species. Taking under the federal ESA may include alteration of habitat. STATE's approval of this plan does not certify that PURCHASER's operation under the plan is lawful under the federal ESA. As provided in the timber sale contract, PURCHASERS must comply with all applicable state, federal, and local laws.

PURCHASER's compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act.

APPROVED: Date: _____

SUBMITTED BY:
PURCHASER

STATE OF OREGON - DEPARTMENT OF FORESTRY

Title _____

Title _____

Original: Salem
cc: District File
Purchaser

EXHIBIT C

SCALING INSTRUCTIONS -- LOCATION APPROVAL -- BRAND INFORMATION

(1) ORIGINAL REGISTRATION ☐ Date _____
REVISION NUMBER _____ ☐ Date _____
CANCELLATION ☐ Date _____

(2) TO: _____
(Third Party Scaling Organization)

(3) FROM: Astoria (04) Phone (503) 325-5451
(State Forestry District)
Address 92219 Hwy. 202, Astoria, OR 97103

(4) PURCHASER: _____
Address _____

(5) MINIMUM SCALING SPECIFICATIONS			CLASS		
SPECIES	SCALING DIAMETER INCHES	*NET SCALE VOLUME	PER MBF	** SUM	SUB
All Conifers	--	Measure by weight			
All Hardwoods	--	Measure by weight			

* Apply minimum volume test to whole logs over 40' Westside; 20' Eastside.
** Sum (if indicated): see instructions and explain in Item (20).

(6) WESTSIDE SCALE: YES NO
Actual taper all logs over 40' scaling length ☐ ☒
(7) EASTSIDE SCALE: ☐ ☒
*Actual taper butt logs over 40' scaling length ☐ ☒
(8) PENCIL BUCK ☐ ☒
back to Minimum Scaling Diameter _____
(9) ADD-BACK VOLUME -- ☐ ☒
Deductions due to delay


(10) APPROVED SCALING LOCATIONS	Species	Yard	Truck

(11) NOTICE OF CANCELLATION OF BRAND:
Effective Date: _____

State Forester's Representative

(12) SALE NAME Blastoria Salvage
COUNTY Clatsop
(13) STATE CONTRACT NUMBER 341-08-93
(14) SCALE: westside ☒ eastside ☐ cubic foot ☐
(15) STATE BRAND REGISTRATION NUMBER _____
(16) BUREAU BRAND CODE NUMBER _____
(17) STATE BRAND INFORMATION:

(COMPLETE)



(18) PAINT REQUIRED: YES ☒
COLOR Orange

(19) SPECIAL SCALES

PEELABLE CULL (all species)
UTILITY/PULP (all species)
NO DEDUCTIONS ALLOWED FOR MECHANICAL DAMAGE
OTHER: _____
OTHER: _____

(20) **REMARKS:** Weight Sale (Tonnage). All logs shall be weighed in lieu of scaling. Tons shall be short tons or 2,000 lbs. (1) Weigher will attach a machine printed weight ticket to the STATE Scale Ticket and mail them weekly to the approved Third Party Scaling Organization (TPSO). (2) The TPSO shall notify the Astoria District Office at (503)325-5451, immediately if the above requirements are not being met.

Operator's Name (Optional inclusion by District): _____

(21) SIGNATURES:

Purchaser or Authorized Representative Date

State Forester Representative Date

Notify the District within one hour when branding or painting is inadequate for quick identification, the receipts are missing, not correctly or completely filled out, and/or when logs presented for weighing are impossible to weigh accurately.

Distribution: ORIGINAL: Salem / COPIES: TPSO (4), Purchaser, District, Mgmt. Unit

EXHIBIT C

INSTRUCTIONS FOR FORM 343-307 (rev. 5/01)

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires Item (21). Complete date.
- (2) Designate Third Party Scaling Organization (TPSO). Send 4 copies to TPSO, 1 to purchaser, 1 to Salem, and keep such copies as to district needs.
- (3) State District office, address and phone.
- (4) Enter Purchaser's business name and address as it appears on the Contract.
- (5) Minimum Scaling Specifications. Review Section 2040 or 2045, "Log Removal," of the Contract. Species, or combined species can be separate entries. Information serves as a basis for scaling (see also Items (13) thru (17)), and is required to show existence on the sale. **PerM** (per MBF). **SUM** (lump sum material). **SUB** (submerchantable material). SUB, as used by the State, references that material containing at least 10 bf (net) but less than the lower merchantable net volume limit or grade requirements for other merchantable (PerM) entries. PerM, SUM, and Sub must be indicated by checking the appropriate column. Species with the same specifications and value are combined into one entry. PerM and Sub require scaling therefore complete specifications. SUM need not be scaled, hence no specifications. Loads containing only SUM are to be ticketed if so instructed in Item (19). Mixed loads of SUM, PERM and/or subspecies will always be scaled.
- (6) Westside -- actual taper segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs -- All Species -- State Forestry Department Scaling Practices (Westside).
- (7) Eastside -- actual taper/taper table segment scale. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs -- All Species -- State Forestry Department Scaling Practices (Northwest Log Rules Eastside). Items with * follow U.S. Forest Service Eastside rules.
- (8) Pencil Buck. Check NO if a westside sale, optional for eastside sales.
- (9) Add-Back Volume. Add-Back is normally checked YES. Scaler records deductions (sap rot, weather checks, etc.) caused by an abnormal delay in removal. Enter separately on scale ticket. TPSO provides State with summaries that include this as a net volume by species. Salvage sales and certain other circumstances may require that "NO" be checked.
- (10) Show scaling locations only applicable to TPSO. Not necessary to list markets. If all species are scaled at same location, enter "ALL."
- (11) When logging is complete, recall branding hammers, date and sign where indicated, check CANCELLATION box at top of form, and send to TPSO.
- (12) Enter sale name and county.
- (13) Enter sale Contract number.
- (14) Check Westside or Eastside log scale. Cubic foot refers to Northwest Log Rules Cubic Foot Scale.
- (15) Oregon Forest Products Brand Registry Number (optional).
- (16) DO NOT USE -- TPSO will fill in when applicable.
- (17) Show one brand only. Complete drawing. If more than one brand is assigned to the sale, (1) make separate form for each brand, and (2) on each form, explain and show other brand(s) under REMARKS, Item 19.
- (18) Check YES and designate orange.
- (19) Special Scales. These are the Special Scales that will be applied. If "Other" is indicated, please describe. Give comments in Item (19).
- (20) Use this space to designate weight conversion factors, or any other explanations to clarify scaling requirements. If additional scaling locations are approved, prepare another form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as indicated.
- (21) Require purchaser to sign and date completed form.

EXHIBIT D

GRADING, PROCESSING, AND COMPACTION REQUIREMENTS

PROCESSING REQUIREMENTS:

- (a) Cut out all potholes and/or washboard sections from the existing surfacing.
- (b) Apply required patching and leveling rock, as directed by STATE.
- (c) Process (grade and mix) the existing surface and added base rock. Provide for a crown of ½-inch per foot in road width (4 to 6 percent), and compact in accordance to Exhibit D.

COMPACTION REQUIREMENTS:

Crushed Rock. The rock shall be uniformly mixed and spread in layers on the approved roadbed. Each layer of crushed rock shall be moistened or dried to uniform moisture content suitable for maximum compaction and compacted in layers not to exceed 6 inches in depth. When more than 1 layer is required, each shall be shaped and compacted before the succeeding layer is placed. Any irregularities or depressions that develop during compaction of the top layer shall be corrected by loosening the material at these places and adding or removing material until the surface is smooth and uniform. Each layer shall be compacted with a minimum of 3 passes over the entire width and length of the road. A pass is defined as traveling a road section in one direction and then back over that same section again. Compaction shall be accomplished by using one or more of the approved equipment options listed below:

Rock shall be compacted and processed during the same project period it is spread, unless otherwise approved in writing by STATE.


Rock shall be crowned at 4 to 6 percent unless otherwise specified.

ROAD SEGMENT	COMPACTION EQUIPMENT OPTIONS
All crushed rock roads used for log hauling, unless determined otherwise by STATE.	Vibratory Rollers

COMPACTION EQUIPMENT

Vibratory Rollers. The drum shall have a smooth surface, a diameter not less than 48 inches, a width not less than 58 inches, and a turning radius of 15 feet or less. Vibration frequency shall be regulated in steps to 1400, 1500, and 1600 VPM, corresponding to engine speeds of 1575, 1690, and 1800 RPM. The centrifugal force developed shall be 7 tons at 1600 VPM. It shall be activated by a power unit of not less than 25 horsepower. The vibratory roller shall be self-propelled and operated at speeds ranging from 0.9 mile to 1.8 miles per hour, as directed by STATE.

EXHIBIT E
 WATERBAR SPECIFICATIONS



**WATERBAR SPECIFICATIONS
 FOR CROSS DITCHING #298**

EXHIBIT F

SPECIFICATIONS FOR BRUSH AND SLASH SHOVEL PILING

Description of Work to be Done

Areas designated for work under the contract shall be treated according to the specifications given below:

Clearing - Brush, logging Slash, and other debris shall be cleared from planting sites and piled in windrows or piled so that 80 percent or more of the soil organic layer is exposed. All woody vegetation (other than conifer trees) is defined as brush in this exhibit.

Piles - shall be located at least 75 feet apart and shall be no more than 75 feet long. Piles shall be located inside the project area designated for piling and shall be more than 75 feet from any edge or standing conifer tree. Piles shall be built to a height of 3 to 4 feet and then covered to prevent water from reaching the Slash. STATE shall supply the materials used for covering the Slash. Additional woody debris shall be piled on top of the covered piles to complete the piling, as directed by STATE. Logs and chunks which are suitable for firewood shall be piled separately from Slash, near roads and Landings and alongside the road in locations designated by STATE.

Conifer Trees - shall be saved, unless otherwise directed by STATE.

Skid Trails - shall be ripped to a depth of 12 inches.

Residual Logs – An average of 900 cubic feet of hard conifer logs per acre within Riparian Management Areas and 600 cubic feet of hard conifer logs per acre within sale areas outside of Riparian Management Areas. Log shall contain a minimum of 10 cubic feet of volume and be no shorter than 6 feet in length. Two logs per acre shall be at least 24 inches in diameter, on the large end, where available. Hard conifer logs must be in decay class one or two as indicated by intact bark and original wood color. Trees or logs shall be left well distributed across the unit.

Protective Measures - shall comply with Oregon Forest Practice Rules issued per ORS 527.610 to 527.992. Examples of protective measures are: (1) waterbarring tractor trails where necessary to prevent runoff toward streams; (2) not windrowing in streams or streamways; and (3) leaving stream buffers along designated streams.

Work specifications may be modified or waived only upon written notice from STATE.

EXHIBIT F

SPECIFICATIONS FOR BRUSH AND SLASH SHOVEL PILING

Equipment Type, Equipment Operation, and Conduct of Work

The specifications given below are requirements for equipment type, equipment operation, and conduct of work under the contract.

Shovel - shall be a track-mounted machine with a ground-pressure rating of not more than 6.8 PSI and a net horsepower of 85 or more. The machine shall be capable of a minimum horizontal reach of 26 feet and a minimum vertical reach of 16 feet.

- Excavator-shovel: Bucket shall be a hydraulically controlled, 4 to 5-foot wide, "clamshell-style bucket with rake arms," with a 360-degree continuous rotation, and tooth length on rake arm shall be greater than 14 inches long, unless otherwise approved in writing by STATE. "Clamshell-style bucket with rake arms" shall be hydraulically controlled to operate bucket in a horizontal position (**fixed position: positive control**) for piling Slash.
- Log Loader – shovel: Bucket shall be a hydraulically controlled, 4 to 5 foot wide, "clamshell-style bucket with rake arms," with a 360-degree continuous rotation, and tooth length on rake arm shall be greater than 14 inches long, unless other wise approved in writing by STATE. "Clamshell-style bucket with rake arms" shall be hydraulically controlled to operate bucket in a vertical position (**free swinging**) for piling Slash.

During Harvesting (in Unit Piling)

Equipment	Rate	Hours	Appraised Value
Log Loader	\$ 87.50 / hour	55	\$4,812.50

Post Harvest

Equipment	Rate	Hours	Appraised Value
Excavator	\$ 120.00 / hour	100	\$12,000.00
or Log Loader	\$ 87.50 / hour	137.1	\$12,000.00
Total			\$12,000.00

Operator - must be experienced in operating similar equipment on land clearing operations, be able to operate the equipment proficiently, and pile the debris on the area as directed by STATE.

Support - including transport, other equipment, replacements, supplies, maintenance, and repairs shall be furnished as required to complete work; and shall be furnished without cost to STATE, other than as agreed under the contract terms.

Work Scheduling - work shall be accomplished only during dry weather conditions, and started within 14 calendar days after completion of yarding activities on Areas 1, 2, 3, 5 through 15 and Areas C through M and N through U. Operations shall provide for continual operation until contract work is completed, unless interrupted by poor weather, fire closures, or other uncontrollable circumstances. Equipment breakdowns shall be repaired without undue delay, and provision shall be made for replacement of equipment to prevent prolonged delays. Piling operation shall not be allowed when operations might damage sites or affect stream flows. Any exception to these instructions must be authorized in writing by STATE.

STATE Representative - shall provide directions for the conduct of work according to specifications.

PART IV: OTHER INFORMATION

State Timber Sale Contract
No. 341-08-93
Blastoria Salvage

FOREST PRACTICES ACT "WRITTEN PLAN" For Alternate Practice Blastoria Salvage Timber Sale

**Located in Sections 14, 15, 21, 22, 23, 25, and 27, T8N, R9W, W.M.,
Clatsop County, Oregon.**

Plan for Alternate Practice

A variance from the FPA, per OAR 629-605-0175 (7) and 527.740 (4), is requested to exceed the clear-cut limitation of 120 acres. Due to severe windstorms encountered in December 2007, approximately 764.5 acres of timber was blown-down, broken off, or root sprung within the harvest units of the Astoria Basin Thinning timber sale (341-04-54), which were thinned approximately four years ago, and portions of the Jackpipe timber sale (341-07-67), which were planned to be thinned prior to the December 2007 storm events. Most timber is wind thrown or root sprung, therefore not meeting the stocking standards of 80 square feet of basal area per acre. In their current condition these stands are both a fire hazard liability and pose a problem for potential insect infestation. In addition, these stands cannot be replanted effectively due to the down trees. As proposed, the blown down, leaning, and scattered standing timber will be harvested. The land will then be replanted and restored to productivity. This salvage operation will link several areas together resulting in harvest units larger than 120 acres.

These areas are:

Area 1 – Astoria Basin Thinning and Jackpipe: 625.5 acres that will be located adjacent to two previous modified clearcut areas (25.2 and 10.9 acres) resulting a total of 661.6 acres. Within the parameters of Area 1, five salvage-only Green Tree Retention areas (Areas G-K), totaling 101.5 acres, add some retention and habitat structure. The previously harvested modified clearcuts have been planted but have not had time to allow for "green up".

Area 2 – Astoria Basin Thinning: 139 acres that will be located adjacent to two previous modified clearcut areas (36.9 and 35.1 acres) resulting a total of 211 acres. Within the parameters of Area 2, two salvage-only Green Tree Retention areas (Areas L and M), totaling 50 acres, add some retention and habitat structure. The previously harvested modified clearcuts were harvested recently with the Jackpipe timber sale and have not been planted.

I, the undersigned, submit this written plan in compliance with the requirements in the Forest Practices Act regarding the operations when harvesting an area greater than 120 contiguous of clear-cut. I agree to the measures listed on this plan:

Submitted: _____ Date: _____
Purchaser/Operator Contract Representative

Original: Salem
Copies: Purchaser, Operator, District File, Sunset Unit

Attachments: Logging Plan Maps

**FOREST PRACTICES ACT “WRITTEN PLAN”
For Operating within 100 Feet of Type F Streams
Blastoria Salvage Timber Sale**

Located in portions of Sections 11, 14, 15, 16, 21, 22, 23, 25, 27, and 28, T8N, R9W, W. M., Clatsop County, Oregon.

Landowner: Oregon Department of Forestry
92219 Highway 202
Astoria, Oregon 97103
Phone: (503) 325-5451

Protected Resources:

1. Headwaters of Crosel Creek.
2. Unnamed tributary of Crosel Creek.
3. Brown Creek.
4. Headwaters of Jack Creek.
5. Headwaters of the South Fork of Jack Creek.
6. Unnamed tributary of the John Day River.

Specific Site Characteristics:

1. Headwaters of Crosel Creek (Small, Type F) – This stream flows through the northwest portion of Area 1 for approximately 1,240 feet. The stream channel has moderate side slopes with a low gradient stream channel.
2. Unnamed tributary of Crosel Creek (Small, Type F) – This stream flows south through the middle of Area B for approximately 3,730 feet. The stream channel has moderate side slopes with a low gradient stream channel.
3. Brown Creek (Small, Type F) – This stream flows outside the boundary of Area A for approximately 2,200 feet. The stream channel has moderate side slopes with a low gradient stream channel.
4. Headwaters of Jack Creek (Small Type F) – This stream flows through the northeast portion of Area 1 for approximately 440 feet. The stream channel has moderately steep side slopes with a low gradient stream channel.
5. Headwaters of the South Fork of Jack Creek (Small Type F) – This stream flows through the northeast portion of Area 1 for approximately 2,260 feet. The stream channel has moderately steep side slopes with a low gradient stream channel.
6. Unnamed tributary of the John Day River (Medium, Type F) – This stream flows outside the eastern boundary of Area 2 for approximately 1,200 feet. The stream channel has moderate side slopes with a low gradient stream channel.

Tree and Vegetation Retention:

Vegetation within the buffers consists of a combination of conifers, hardwoods, and shrubs.

AREA 1 (MODIFIED CLEARCUT): The Type F buffers along this stream are approximately 100 feet. Trees within the RMA will be retained. Cable Corridors will pass through the RMA.

AREA 2 (MODIFIED CLEARCUT): Medium Type F stream is outside of the harvest area but cable lines will pass over the stream to reach tailholds.

AREA A (SALVAGE HARVEST): Small Type F stream is outside of the harvest area but cable lines will pass over the stream to reach tailholds.

AREA B (SALVAGE HARVEST): The Type F buffers along this stream are approximately 100 feet. Trees within the RMA will be retained. Cable Corridors will pass through the RMA.

Resource Protection Practices:

Along the above mentioned streams, as well as any Live Streams, the following practices are required, under the timber sale contract, to protect the streams and streamside areas:

- No trees will be felled within Type F stream buffers (RMA's).
- Trees that fall or slide into Type F RMA's shall not be removed without prior approval from STATE.
- Logging debris shall be removed daily from Type F streams.
- Trees adjacent to the posted stream buffers (RMA's) will be felled away from or parallel to the streams to prevent trees from entering the aquatic areas.
- Logs shall be fully suspended if yarded through the stream buffers (RMA's).
- Cable corridors shall be at least 100 feet apart where they extend over a Type F stream, and cables shall only be lowered in to the stream when changing corridors.
- Cables will be pulled out of (RMA's) prior to rigging for next corridor.
- Logging equipment is not allowed within 100 feet of a Type F Stream.

I, the undersigned, submit this written plan in compliance with the requirements in the Forest Practice Act regarding the operations conducted within 100 feet of streams. I agree to the protection measures listed in this plan.

Submitted by: _____ Date: _____
Operator/PURCHASER

Attachments: Logging Plan Maps (4 Pages)

FOREST PRACTICES ACT "WRITTEN PLAN"
For Operating within 300 Feet of a Great Blue Heron Nesting Site
Blastoria Salvage Timber Sale

Located in portions of Sections 11, 14, 15, 16, 21, 22, 23, 25, 27, and 28, T8N, R9W, W. M., Clatsop County, Oregon.

Landowner: Oregon Department of Forestry
92219 Hwy 202
Astoria, OR 97103
(503) 325-5451

Operation Type: Salvage

Situation:

The "Coastal gale" storm of December 2007, has blown-down entire stands of timber within the proposed salvage timber sale. Within the proposed timber sale are remnants of a Great Blue Heron nesting site. Few trees with the characteristics for nesting remain.

Harvest Plans:

In consultation with the Oregon Department of Fish and Wildlife, the Oregon Department of Forestry plans to salvage the blown-down timber within 300 feet of suitable nesting trees. All remaining suitable nesting trees will be reserved from harvest. No operations will be permitted within one-quarter mile of suitable nesting trees from February 15 through July 31.

I, the undersigned, submit this written plan in compliance with the requirements in the Forest Practice Act regarding the operations when harvesting an area greater than 120 contiguous acres of clear-cut. I agree to the measures listed in this plan.

Submitted by: _____ Date: _____
Operator/PURCHASER

Attachments: **Logging Plan Map**

OREGON DEPARTMENT of FISH and WILDLIFE

FISH SCREENING PROGRAM

SMALL PUMP SCREEN SELF CERTIFICATION

The Oregon Water Resources Department in coordination and cooperation with the Oregon Department of Fish and Wildlife includes screen requirements on pumps to protect fish as a condition of many surface water and/or reservoir water right permits. This is done in accordance with ORS 537.153.

The Oregon Department of Fish and Wildlife does not usually inspect small pump screens at pumped diversions less than 225 GPM (Gallons per Minute), but furnishes the following fish screening criteria information to the water right permit tee:

Screen material open area must be at least 27% of the total wetted screen area.

Perforated plate: Openings shall not exceed 3/32 or 0.0938 inches (2.38 mm).

Mesh/Woven wire screen: Square openings shall not exceed 3/32 or 0.0938 inches (2.38mm) in the narrow direction, e.g., 3/32 inch x 3/32 inch open mesh.

Profile bar screen/Wedge wire: Openings shall not exceed 0.0689 inches (1.75 mm) in the narrow direction.

Screen area must be large enough to cause fish impact. Wetted screen area depends on the water flow rate and the water approach velocity. **Approach velocity** is the water velocity perpendicular to and approximately three inches in front of any part of the screen face.

An Active pump screen is a self cleaning screen that has a proven cleaning system. The **screen approach velocity for active pump screens** shall not exceed 0.4 fps (feet per second) or 0.12 mps (meters per second). The wetted screen area in square feet is calculated by dividing the maximum water flow rate in cubic feet per second (1 cfs = 449 gpm) by 0.4 fps.

A Passive pump screen is a screen that has no cleaning system other than periodic manual cleaning.

Screen approach velocity for passive pump screens shall not exceed 0.2 fps or 0.06 mps. The wetted screen area in square feet is calculated by dividing the maximum water flow rate by 0.2 fps.

For further information on fish screening please contact:

Bernie Kepshire, Oregon Department of Fish and Wildlife,
7118 NE Vandenberg Avenue, Corvallis, OR 97330-9446 (541) 757-4186 x 255

As evidence of having met fish screen installation requirements, please sign the certification and send to: Oregon Water Resources Department, Water Rights Section, 725 Summer St. NE, Suite A, Salem, OR 97301-1271

Certification: I certify that my small pumped diversion of less than 225 gpm meets fish screening criteria, and that I will maintain it to comply with regulatory criteria. I also understand that should fish screening standards change, I may be required to modify my installation to meet applicable standards.

Applicant Signature: _____

Date: ____ / ____ / ____ WRD File #

Printed Name and Address:

Phone: (____) _____

Fax: (____) _____

bmK

3/11/99

PUMP CERT.doc

NB: ODFW logo is 129% of logo on HQ mail label



LOG LOAD ACCOUNTABILITY PLAN For Recovery Sales by Tonnage

Page 1 of 3

Timber Sale Name: _____

Contract No.: _____

Purchaser: _____

Termination Date: _____

1. WEIGHING LOCATION:

Name: _____

Location: _____

Mailing Address: _____

Phone: _____ Fax: _____

2. WEIGHING FACILITY:

Size: _____ Type: _____

Capacity: _____ Type of Graduation: _____

Scales sealed and certified date and expiration date: _____

Weigh Master Representative and phone number who shall oversee identification and weight of each load: _____

3. THIRD PARTY SCALING ORGANIZATION:

Name: _____

Address: _____

Phone: _____ Fax: _____

4. WEIGHING PROCEDURES:

- a) All log loads shall be weighed, prior to unloading any logs, by an approved, weight facility, using STATE certified and sealed scales.
- b) Every load shall be weighed and gross weight established.
- c) Tare weights are required for every load, with truck name/number, and license plate number recorded on weight slip, truck driver and rider(s) shall remain outside the truck during weighing.

OPTIONS: Written approval to weigh tare weights on a daily or weekly basis may be granted. A written request for weighing tare weights on a daily or weekly basis is required prior to any consideration of approval. Choose one.



LOG LOAD ACCOUNTABILITY PLAN For Recovery Sales by Tonnage

Page 2 of 3

WEIGHING PROCEDURES: (Continued)

c) Continued

Option A) Daily Weighing of Tare Weights **Approval Initials:** _____

For the first load of the day for each truck, a tare weight shall be established and used for the remainder of the day. Daily tare weights (with truck name and license plate number) shall be forwarded to STATE.

Option B) Weekly Weighing of Tare Weights **Approval Initials:** _____

For the first load of the calendar week for each truck, a tare weight shall be established and used for the remainder of the week. Weekly tare weights (with truck name and license plate number) shall be forwarded to STATE

- d) Both gross and tare weights shall be electronically recorded on the weight certificates.
- e) When a tare weight is missing STATE shall use the lightest tare weight recorded to-date.
- f) The Weigh Master shall remove the weight scale receipt and staple it to the weight certificate, and mail to the Third Party Scaling Organization daily.
- g) The Weigh Master shall sign the original weight certificate with a legible signature showing on all copies
- h) The PURCHASER shall require the third-party organization to furnish copies of all weight certifications showing: gross, tare and net weights; log species; and truck name/number and license plate number.

The format shall be compatible with STATE's electronic data transfer system. The weigh slips and trip tickets shall be forwarded to STATE.
- i) There shall not be any mixing of species on sales with multiple species prices, without prior written approval by STATE. Mixed species loads hauled for scale or weighed without prior written approval by STATE shall be paid for at the highest species price.

Indicate single or multiple species prices:

Single:

☐

Multiple:

☐

- j) Logs shall be hauled and weighed within 96 hours of yarding, unless otherwise approved in writing by STATE.

Contact all involved weighing facilities and inform them of the establishment of a Log Load Accountability Weigh Plan with the above listed procedures. All involved scaling facilities must send written confirmation of these procedures with PURCHASER to STATE at the Astoria District office prior to approval of the Weigh Plan.

Purchaser Representative:

Submitted By: _____
Title: _____
Address: _____

Date: _____
Phone: _____
FAX: _____



LOG LOAD ACCOUNTABILITY PLAN For Recovery Sales by Tonnage

Page 3 of 3

Weighing Facility Organization Concurrences:

Name: _____
Title: _____

Date: _____

State Approval:

Name: _____
Title: _____

Date: _____

Original: Salem

XC: PURCHASER, Operator, District File, Third-Party Weighing Organization, Sunset, Unit, Engineering Unit

File: C:\Docs\08-93.doc