PART III: EXHIBITS

State Timber Sale Contract No. 341-09-21 Hammerhead

EXHIBIT B

Page 1 of 3 629-Form 341-203 Revised 06/97

OREGON DEPARTMENT OF FORESTRY

TIMBER SALE OPERATIONS PLAN

(See Page 2 for instructions)

Date	Received by STATE:	(5) State Brand	Information (complete):	~~~ ~~~
(1)	Contract No.: 341-09-21			
(2)	Sale Name: Hammerhead		(
(3)	Contract Expiration Date: 10-31-2011		on Dates:	
(4)	Purchaser:	<u> </u>		
(6)	Purchaser Representatives:			
	Projects:	Phone:	Cell/Other Phone:	Home:
	Projects:	Phone:		Home:
	Projects:		Cell/Other Phone:	Home:
	Projects:	Phone:		Home:
	Logging:			Home:
	Logging:	Phone:		Home:
	Logging:	Phone:		Home:
	Logging:	Phone:	Cell/Other Phone:	Home:
(7)	State Representatives:			
	Projects:	Phone:		Home:
	Logging:	Phone:	Cell/Other Phone:	Home:
(8)	Name of Subcontractors & Starting Dates:			
	Projects: No(s) No(s) No(s) No(s)	Date:	Phone: Phone:	
	Logging: Felling	Date:		
	Yarding:	Date:	Phone:	
(9)	Comments:			

(10) Operations Map: Attach a copy of timber sale Exhibit A or other suitable map which plainly shows the items listed on the instruction sheet.

EXHIBIT B

INSTRUCTION SHEET FOR OPERATIONS PLAN

SUBMIT ONE COPY OF PLAN TO STATE

Operations shall be limited to the work shown in the plan until a revised plan or supplemental plan is submitted covering additional work. Compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act. If STATE has prepared a required Forest Practices Act (FPA) "Written Plan" for operations, PURCHASER shall comply with all provisions of the Written Plan.

Explanation of Item No. (from Page 1)

- (5) All sales require you to use a brand furnished by STATE. If the State brand has not been assigned when the plan is submitted, it will be furnished and assigned later. Complete drawing. If more than one brand is assigned to the sale, complete both drawings.
- (6) The contract requires you to have a designated representative available on the sale area or work location who is authorized to receive in your behalf any notice or instruction given by STATE and to take action in regard to performance under the contract. If logging and project work is widely separated, a representative is required for each.
- (7) The STATE representative will be designated when your plan is approved and is the person who will inspect and issue instructions regarding performance.
- (8) Show names of subcontractors to be used for any or all phases of the operations. If subcontractors are not known, or are changed later, give notification to the STATE representative prior to commencement of work by subcontractor.
 - Show projected dates for commencement of both projects and logging. If projected dates need to be changed at a later date, notification must be given to the STATE representative by supplemental plan or otherwise, prior to commencement of such operations.
- (10) The STATE representative will furnish extra copies of Exhibit A of the contract for your use in preparing the operations map. The map shall use the following legend and show:
 - 1. Landing locations, approximate setting boundaries, and probable sequence of logging the settings. Number the settings in sequence.
 - 2. Locations of spur roads planned for construction, other than those required by the timber sale contract. Provide spur road specifications.
 - 3. Location of proposed tractor yarding roads. Show if and how marked on the ground.
 - 4. Location of temporary stream crossings.
 - 5. List the sequence of performing project work.
 - 6. Location of rock sources attach pit development plans.

(1)	Cable landing, with numbers for sequence.
A	Tractor landing with alphabetical sequence.
	Approximate setting boundary.
	Spur truck roads.
~~	Tractor yarding roads.
X	Temporary stream crossings.

EXHIBIT B

OPERATIONS PLAN

Completion Timeline

Indicate on the appropriate timeline below, the dates by which you plan to complete the work as required under this contract. The purpose of this section is to develop a plan that will ensure you complete the work as required, and meet the interim completion date(s) and contract expiration date. This plan is incorporated and made a part of the contract. When, in the opinion of STATE, operations are not commencing in a manner that meets the intent of this plan, you may be placed in violation of contract and your operations suspended until an amended plan is submitted and approved by STATE.

Projects



Harvest & Other Requirements



The Federal Endangered Species Act (ESA) prohibits a person from taking any federally listed threatened or endangered species. Taking under the federal ESA may include alteration of habitat. STATE's approval of this plan does not certify that PURCHASER's operation under the plan is lawful under the federal ESA. As provided in the timber sale contract, PURCHASERS must comply with all applicable state, federal, and local laws.

PURCHASER's compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act.

APPROVED: Date: STATE OF OREGON - DEPARTMENT OF FORESTRY	SUBMITTED BY: PURCHASER
Title	Title

Original: Salem
cc: District File
Purchaser

Operations Plan.doc/Jaz B (TS)

Hammerhead 341-09-21

EXHIBIT C

SCALING INSTRUCTIONS -- LOCATION APPROVAL -- BRAND INFORMATION

(1)	ORIGINA	AL REGISTR	ATION [] Date		_	(12)	SALE NAME Hammerhead
	REVISIO	N NUMBER		Date		_		COUNTY Klamath
	CANCELLATION Date			(13)	STATE CONTRACT NUMBER 341-09-21			
(2)	TO:					(14)	SCALE: westside ☐ eastside ☐ cubic foot ☐	
(0)	(Third Party Scaling Organization)				•	(15)	STATE BRAND REGISTRATION NUMBER	
(3)	3) FROM: <u>Klamath-Lake - 10</u> Phone <u>541-883-5681</u> (State Forestry District)				883-56	(16)	BUREAU BRAND CODE NUMBER	
	Address 3200 Delap Road, Klamath Falls, OR			, ,				
	97601						(17)	STATE BRAND INFORMATION:
(4)) PURCHASER:				(COMPLETE)			
(5)	MINIMUM SCALING])		
	SPECIFI	CATIONS SCALING	<u> </u>	(CLASS	S	_	/
SI	PECIES	DIAMETER INCHES	*NET SCALE VOLUME	PER MBF	** SUM	SUB		
	onifers	6	20	Χ				
	onifers		Less than 20	 X		Х		
*	Utility Apply minimun	 n volume test to whol	e logs over 40' Westsi		side.			
**			and explain in Item (2					V
(6)	WESTSIDE SCALE: YES NO		_	(18)	PAINT REQUIRED: YES ⊠			
(7)	Actual taper all logs over 40' scaling length EASTSIDE SCALE:					COLOR <u>Orange</u>		
		er butt logs over 40's	scaling length				SPECIAL SCALES	
(8)	PENCIL		<i>(</i> 22)	Г				ELABLE CULL (all species)
(9)		nimum Scaling Diame				_		LITY/PULP (all species) DEDUCTIONS ALLOWED
(0)		due to delay	-		7	7	FOF	R MECHANICAL DAMAGE
				_			OTH	HER:
(10)	APPRO\	/ED SCALIN ONS	IG Species	Yard	Tru	ck	011	HER:
	LOOATI	0110	•				(20)	REMARKS: A taper rule of 1 inch in diameter for
								every four feet in length shall be used for pencil
								bucking if scaled on the truck.
							Opera	tor's Name (Optional inclusion by District):
							(21)	SIGNATURES:
(11)			LLATION OF	BRAND):			Purchaser or Authorized Representative Date
	Effective	Date:				_		State Forester Representative Date
	State Forester's Representative						300	

Notify the District within one hour when branding or painting is inadequate for quick identification, the receipts are missing, not correctly or completely filled out, and/or when logs presented for scaling are impossible to scale accurately.

 $\underline{\text{Distribution:}} \ \ \mathsf{ORIGINAL:} \ \ \mathsf{Salem} \ / \ \ \mathsf{COPIES:} \ \ \mathsf{TPSO} \ (4), \ \mathsf{Purchaser}, \ \mathsf{District}, \ \mathsf{Mgmt.} \ \mathsf{Unit}$

EXHIBIT C

INSTRUCTIONS FOR FORM 343-307 (rev. 5/01)

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires Item (21). Complete date.
- (2) Designate Third Party Scaling Organization (TPSO). Send 4 copies to TPSO, 1 to purchaser, 1 to Salem, and keep such copies as to district needs.
- (3) State District office, address and phone.
- (4) Enter Purchaser's business name and address as it appears on the Contract.
- (5) Minimum Scaling Specifications. Review Section 2040 or 2045, "Log Removal," of the Contract. Species, or combined species can be separate entries. Information serves as a basis for scaling (see also Items (13) thru (17)), and is required to show existence on the sale. **PerM** (per MBF). **SUM** (lump sum material). **SUB** (submerchantable material. SUB, as used by the State, references that material containing at least 10 bf (net) but less than the lower merchantable net volume limit or grade requirements for other merchantable (PerM) entries. PerM, SUM, and Sub must be indicated by checking the appropriate column. Species with the same specifications and value are combined into one entry. PerM and Sub require scaling therefore complete specifications. SUM need not be scaled, hence no specifications. Loads containing only SUM are to be ticketed if so instructed in Item (19). Mixed loads of SUM, PERM and/or subspecies will always be scaled.
- (6) Westside -- actual taper segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs -- All Species -- State Forestry Department Scaling Practices (Westside).
- (7) Eastside -- actual taper/taper table segment scale. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs -- All Species -- State Forestry Department Scaling Practices (Northwest Log Rules Eastside). Items with * follow U.S. Forest Service Eastside rules.
- (8) Pencil Buck. Check NO if a westside sale, optional for eastside sales.
- (9) Add-Back Volume. Add-Back is normally checked YES. Scaler records deductions (sap rot, weather checks, etc.) caused by an abnormal delay in removal. Enter separately on scale ticket. TPSO provides State with summaries that include this as a net volume by species. Salvage sales and certain other circumstances may require that "NO" be checked.
- (10) Show scaling locations only applicable to TPSO. Not necessary to list markets. If all species are scaled at same location, enter "ALL."
- (11) When logging is complete, recall branding hammers, date and sign where indicated, check CANCELLATION box at top of form, and send to TPSO.
- (12) Enter sale name and county.
- (13) Enter sale Contract number.
- (14) Check Westside or Eastside log scale. Cubic foot refers to Northwest Log Rules Cubic Foot Scale.
- (15) Oregon Forest Products Brand Registry Number (optional).
- (16) DO NOT USE -- TPSO will fill in when applicable.
- (17) Show one brand only. Complete drawing. If more than one brand is assigned to the sale, (1) make separate form for each brand, and (2) on each form, explain and show other brand(s) under REMARKS, Item 19.
- (18) Check YES and designate orange.
- (19) Special Scales. These are the Special Scales that will be applied. If "Other" is indicated, please describe. Give comments in Item (19).
- (20) Use this space to designate weight conversion factors, or any other explanations to clarify scaling requirements. If additional scaling locations are approved, prepare another form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as indicated.
- (21) Require purchaser to sign and date completed form.

EXHIBIT D FOREST ROAD SPECIFICATIONS

SUBGRADE WIDTH	POINT TO POINT	DRAINAGE	
14 feet	C to U	Clear / Grub / Crown	
12 feet	D to E	Open Road / Remove Brush	
12 feet	E to G Open Road / Remove Brush		
12 feet	H to I	Open Road / Remove Brush	
12 feet	J to K	Open Road / Remove Brush	
12 feet	L to M	Open Road / Remove Brush	
12 feet	P to Q	Open Road / Remove Brush	
12 feet	N to O	Open Road / Remove Brush	
12 feet	R to S	Open Road / Remove Brush	
12 feet	S to T	Open Road / Remove Brush	
12 feet	V to W	Open Road	

<u>CLEARING</u>. This work shall consist of clearing, removing, and disposing of all trees, Snags, Down Timber, brush, surface objects, and protruding obstructions within the clearing limits.

Where clearing limits have not been marked, the clearing limits shall extend 10 feet back of the top of the cutslope and 10 feet out from the toe of the fill slope, or as directed by STATE.) Clearing debris shall not be placed or permitted to remain in or under any road embankment sections. Clearing debris shall not be left lodged against standing trees.

All danger trees, leaners, and Snags outside the clearing limits which could fall and hit the road shall be felled.

GRUBBING. This work shall consist of the removal or digging out of stumps and protruding objects.

All stumps shall be completely removed within the limits of required grubbing. Stumps overhanging cutslopes shall be removed. Grubbing debris shall not be placed or permitted to remain in or under any road embankment sections. Grubbing debris shall not be left lodged against standing trees. Grubbing classifications are as follows:

New construction - From the top of the cutslope to the toe of the fill.

Improvements and reconstructions - 4 feet back from the shoulder of the subgrade or ditch, whichever is widest, or as marked in the field.

CLEARING AND GRUBBING DISPOSAL. All grubbing debris shall be end hauled to the nearest landing

State Timber Sale Contract No. 341-09-21 Hammerhead

EXHIBIT D

FOREST ROAD SPECIFICATIONS

<u>ROAD WIDTH LIMITATIONS</u>. PURCHASER shall obtain advance written approval from STATE to construct the road to a greater width than specified.

DRAINAGE DITCHES

Construct "V" ditch (2) feet wide and to a depth of 1 foot below subgrade. Subgrade shall be crowned at 4 to 6 percent. Construct ditchouts away from subgrade at locations marked in the field.

Backslopes shall not be undercut by removal operations.

Suitable material removed from the drainage ditch shall be blended into the existing road surface.

Woody debris and rock in excess of 1 foot in length and 3 inches in diameter shall be removed from the ditches and placed outside the roadway. Concentrations of any size material which may block ditches or culverts shall also be removed.

LEAD OFF DITCHES

Construct and /or improve leadoff ditches as designated in the field.

Lead off ditches shall be shaped to drain away from the traveled way.

<u>BLADE AND SHAPE EXISTING SURFACE</u> The existing road surface, including shoulders and turnouts, shall be bladed and shaped to produce a surface which is uniform, consistent to grade, and crowned to a specification of ½ inch per foot of width.


Outslope surface where a ditch is not applicable, as directed by STATE.

Surfacing material shall be thoroughly loosened to a depth of potholes or corrugations.

PURCHASER shall apply water during blading when sufficient moisture is not present to prevent segregation.

PURCHASER shall retain the surfacing on the roadbed and provide a thorough mixing of materials within the completed surface width.

EXHIBIT E
WATERBAR SPECIFICATIONS



WATERBAR SPECIFICATIONS FOR CROSS DITCHING #298

EXHIBIT F

ROAD DIP SPECIFICATIONS

