Page 1 of 4 629-Form 343-307a Revised 11/11

EXHIBIT C – SAWMILL GRADE (WESTSIDE SCALE) SCALING INSTRUCTIONS -- LOCATION APPROVAL -- BRAND INFORMATION

(1)	ORIGINAL REGISTRATION Date REVISION NUMBER Date CANCELLATION Date			(9) SALE NAME: <u>Small Fry Sorts</u> COUNTY: <u>Clatsop</u>					
(0)							(10)	STATE CONTRACT NUMBER: 341-16-32 and	
(2)	TO:(Third Party Scaling Organization)						341-16-91 through 341-16-95		
(3)	FROM: Astoria (04) Phone 503-325-5451 (State Forestry District)					(11)	STATE BRAND REGISTRATION NUMBER:		
	Address 92	219 Hwy 202, Asto	ria, OR 9	97107			(4.0)	OTATE DRANG INFORMATION (CONT.	
(4)	PURCHASER:						(12)	STATE BRAND INFORMATION (COMPLETE):	
	Mailing Address:								
	Phone Num	ber:							
(5)	MINIM	UM SCALING SPE	CIFICA	TIONS			1		
	SPECIES Conifers	MINIMUN	1 NET VOI 10	LUME			1		
	Hardwoods		10				1		
							(13)	PAINT REQUIRED: YES ☒	
	* Apply minimum vo	lume test to whole logs over 40	' Westside				(13)	COLOR: Orange	
(0)		2215		YES	NO				
(6)	WESTSIDE Use Region 6 actua	SCALE: I taper rule. Logs over 40'.		\boxtimes	Ш		(14) SPECIAL REQUESTS (Check applicable)		
							PE	EELABLE CULL (all species)	
(7)	Weight Scal	e Sample			\boxtimes		NO	D DEDUCTIONS ALLOWED FOR	
							MI	ECHANICAL DAMAGE	
							7 AE	DD-BACK VOLUME - Deductions due to delay	
(8)	(8) APPROVED SCALING			ght	0	THER:			
(as s	LOCATIO shown on the ODF Ap	DNS proved Locations web-site)	Species	Yard	Truck	Weight	-		
`		, ,	0,				(15)	REMARKS	
							1		
							<u> </u>		
							<u> </u>		
							Opera	tor's Name (Optional inclusion by District):	
							(16)	SIGNATURES:	
							_		
							_	Purchaser or Authorized Representative Date	
							_	Olds Freedon Brown and the	
								State Forester Representative Date	
							_		
								State Forester Representative PRINT NAME	

Notify the District within one hour when branding or painting is inadequate for quick identification, the receipts are missing, not correctly or completely filled out, and/or when logs presented for scaling are impossible to scale accurately.

EXHIBIT C – SAWMILL GRADE

INSTRUCTIONS FOR FORM 343-307a (rev. 11/11)

(1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers, date and sign where indicated, write diagonally across page "CANCEL", and send to TPSO.

(2) Designate Third Party Scaling Organization (TPSO).

Columbia River Log Scaling & Grading Bureau P.O. Box 7002, Eugene, OR 97401

Phone: (541) 342-6007 Fax: (541) 342-2631

Email: services@crls.com

Mountain Western Log Scaling & Grading Bureau

P.O. Box 580, Roseburg, OR 97470

Phone: (541) 673-5571 Fax: (541) 672-6381

Email: info@mwlsgb.com

Northwest Log Scalers, Inc

5526 NE 122nd Ave, Portland, OR 97230

Phone: (503) 254-0600 Fax: (503) 408-0919

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc.

8288 28th Court North East, Lacey, WA 98516 Phone: (360) 528-8710 Fax: (360) 528-8718

Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O. Box 709, Forest Grove, OR 97116

Phone: (503) 359-4474 Fax: (503) 359-4476

Email: yamhill@atglobal.net

Pacific Log Scaling & Grading Bureau, Inc. P.O. Box 23939, Portland, OR 97281

Phone: (503) 684-5599 Fax: (503) 639-4880

Email: PacLogScale@aol.com

- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Minimum Scaling Specifications.
- (6) Westside Region 6 actual taper segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs -- All Species -- State Forestry Department Scaling Practices (Westside).
- (7) Weight Scale Sample Check box if sale is to be a Weight Scale Sample. All specifics for handling, scaling and processing will be attached or explained in the Remarks section Item (15).
- (8) Show scaling locations only applicable to TPSO. Location name should appear as it does on the ODF Approved Scaling Location web site: http://www.odf.state.or.us/DIVISIONS/management/asset_management/ScalingLocation.asp Locations with scaling and processing directions specific to their location should be on a separate form. Species should be identified if not capable of receiving "all" species. Check appropriate box for either: yard, truck scale, or weight. Refer to the web site listed above for the locations approval status.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number (REQUIRED).
- (12) Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (15).
- (13) Check yes for Paint Required and designate "Orange" for color. Non required removal volumes may sometimes require blue paint.
- (14) Special Requests. These are requests that will be applied to ODF timber sales. All boxes applicable to the timber sales designated in the Exhibit C form must be "marked". If "Other" is indicated, it must contain a description and any necessary comments.
- (15) Use this space to designate any weight conversion factors, per load volumes, weight scale sample instructions or any other explanations to clarify scaling, processing and/or mailing requirements. If additional scaling locations are approved, revise original or current form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as indicated.
- (16) Require purchaser to sign and date completed form in addition to State Forester Representative, sign and print name on the form.

Page 3 of 4 629-Form 343-307b Revised 11/11

EXHIBIT C - PULP SORT

PROCESSING INSTRUCTIONS -- LOCATION APPROVAL -- BRAND INFORMATION

(1)	ORIGINAL REGISTRATION Date	(9)	SALE NAME: Small Fry Sorts		
	REVISION NUMBER Date		COUNTY: Clatsop		
(2)	TO: (Approved Pulp Processing Facility)	(10)	STATE CONTRACT NUMBER: <u>341-16-32 and 341-16-91</u> through 341-16-95		
(3)	FROM: Astoria (04) Phone 503-325-5451 (State Forestry District)	(11)	STATE BRAND REGISTRATION NUMBER		
(4)	Scaling Bureau (TPSO) Processing Weight receipts:	(12)	STATE BRAND INFORMATION: (COMPLETE BELOW)		
	Mailing Address: Phone Number:				
(6)	STATE Definition of Approved Pulp Sort:				
	 Top portion of the tree (tops). All logs with a diameter (Big End) greater than <u>8</u> inches marked with blue paint. 	(40)			
		(13)	REMARKS:		
(7)	PULP FACILITY PROCESSING INSTRUCTIONS:				
	 Pulp loads shall be weighed in lieu of scaling. One Ton = 2000 lbs (Short Ton). Pulp loads shall have a yellow Log Load Receipt attached. 	Operator's Name (Optional inclusion by District):			
	Gross weight and truck tare weight for each load				
	 shall be machine printed on the weight receipt. Weigher shall sign the weight receipt. Weigher shall record the Log Load Receipt number on the weight receipt. Weigher shall attach the Weight receipt to the 	(14)	SIGNATURES:		
	Log Load Receipt and mail them weekly to the TPSO processing the Weight receipt.		Purchaser or Authorized Representative Date		
(8)	 TPSO PROCESSING INSTRUCTIONS Mail to ODF weekly. Convert to mbf using 10 tons per mbf. 		State Forester Representative Date		
			State Forester Representative PRINT NAME		

Notify the District within one hour when branding is inadequate for quick identification, the logs are marked with orange paint, the receipts are missing, not correctly or completely filled out, and/or logs do not meet the specifications of the STATE definition of Approved Pulp Sort.

Distribution: ORIGINAL: Salem / COPIES: TPSO, Approved Pulp Processing Location, Purchaser, District, Mgmt. Unit

EXHIBIT C – PULP SORT

INSTRUCTIONS FOR FORM 343-307b (rev. 11/11)

- (1) Must Complete. Check appropriate box. REVISION NUMBER requires comments in the Remarks Section (13). CANCELLATION requires logging and hauling to be complete, recall branding hammers, date and sign where indicated, write diagonally across page "CANCEL", and send to TPSO.
- (2) **Must Complete**. Approved Pulp Processing Facility. Write in as written in the Approved Log Delivery Location http://www.odf.state.or.us/DIVISIONS/management/asset_management/ScalingLocation.asp
- (3) Must Complete. State Forestry District and District Phone Number.
- (4) Must Complete. Purchaser's business name as it appears on the Contract.
- (5) **Must Complete.** Third Party Scaling Organization that will be processing the weight tickets, mailing address, and phone number.

Columbia River Log Scaling & Grading Bureau P.O. Box 7002, Eugene, OR 97401

Phone: (541) 342-6007 Fax: (541) 342-2631

Email: services@crls.com

Mountain Western Log Scaling & Grading Bureau

P.O. Box 580, Roseburg, OR 97470

Phone: (541) 673-5571 Fax: (541) 672-6381

Email: info@mwlsgb.com

Northwest Log Scalers, Inc . 5526 NE 122nd Ave, Portland, OR 97230 Phone: (503) 254-0600 Fax: (503) 408-0919

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc. 8288 28th Court North East, Lacey, WA 98516 Phone: (360) 528-8710 Fax: (360) 528-8718

Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O. Box 709, Forest Grove, OR 97116 Phone: (503) 359-4474 Fax: (503) 359-4476

Email: yamhill@attglobal.net

Pacific Log Scaling & Grading Bureau, Inc. P.O. Box 23939, Portland, OR 97281

Phone: (503) 684-5599 Fax: (503) 639-4880

Email: PacLogScale@aol.com

- (6) **Must Complete.** Big end log not to exceed <u>8</u> inches. Big end of log is not to exceed 2 inches greater than the minimum removal specifications in the contract. Example: Minimum removal specifications 6 inches and 20 board feet, then the Big end of log not to exceed <u>8</u> inches. When conifer and hardwood removal specifications are different, use the smaller removal diameter to determine this specification.
- (9) **Must Complete**. Enter sale name and county. If more than one county write in all the counties that the sale is located in.
- (10) Must Complete. Enter sale Contract number.
- (11) Must Complete. Enter Oregon's State Brand Registry Number (REQUIRED).
- (12) **Must Complete**. Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (13).
- (13) Use this section to list any special instructions or the reason for any revisions in section item (1).
- (14) **Must Complete.** Purchaser required to sign and date completed form in addition to State Forester Representative, sign and print name on the form.

Salem Distribution Instructions: Original will be mailed to Salem after it is electronically scanned and placed in the Salem transfer drive \\WPODFFILL01\\Transfer\ScalingInstructions or e-mailed directly to scaling@odf.state.or.us. Scaling instructions for each brand should be scanned separately, for each approved TPSO.

PART IV: OTHER INFORMATION

EXHIBIT A - SOURCE OF LOGS

FOREST PRACTICES ACT "WRITTEN PLAN"

Small Fry Sorts
Operating within 100 feet
of Type F Streams

SE ¼ of Section 36, T4N, R9W, W.M., Clatsop County, Oregon.

Landowner: Oregon Department of Forestry

92219 Hwy 202

Astoria, OR 97103 (503)

325-5451

Protected Resources:

Lost Creek - Medium Type F

Specific Site Characteristics:

Lost Creek (Medium, Type F) – This stream flows along the west boundary Area 4 for approximately 1,600 feet.

Tree and Vegetation Retention:

Vegetation within the buffers consists of mature conifers, hardwoods, and shrubs.

All Type F streams are posted with a minimum of 100 foot horizontal distance buffers. If trees need to be felled within FPA defined stream buffers (RMA's) to allow for cable corridors, trees will be left. Cable lines may extend over and/or through this buffers.

Resource Protection Practices:

Along the above mentioned streams, as well as any other streams, the following practices are required under the timber sale contract, to protect the streams and streamside areas:

- No trees will be felled within stream buffers (RMA's), except when necessary in cable corridors.
- Trees that fall or slide into Type F RMA's shall not be removed without prior approval from STATE.
- Trees adjacent to the stream buffers (RMA's) will be felled away from or parallel to the streams to prevent trees from entering the aquatic areas.
- When cable logging is conducted near the RMA's, logging lines may cross, but will not be lowered into the RMA's during yarding, except during rigging. During rigging the lines must be pulled out of the RMA's when changing corridors.
- Logs shall be fully suspended when yarding across all stream buffers (RMA's).
- Minimize the number of cable corridors in the RMA, when used cable corridors must be at greater than 100 feet apart where they cross the RMA's.
- Utilize natural openings when available.
- Where available utilize lift trees to avoid crossing stream buffers (RMA's).

I, the undersigned, submit this written plan in compliance with the requirements in the Forest Practices Act
regarding the operations conducted within 100 feet of Type F streams. I agree to the protection measures listed
on this plan:

Submitted:		Date:	
_	Purchaser/Operator Contract Representative		

Attachments: Exhibit A Original:

Salem

cc: Operator, Purchaser, District file, Sunset Unit