# PART III: EXHIBITS

State Timber Sale Contract No. 341-17-02 Sterling Silver

# **EXHIBIT B**

Page 1 of 3 629-Form 341-203 Revised 06/97

# OREGON DEPARTMENT OF FORESTRY

# **TIMBER SALE OPERATIONS PLAN**

(See Page 2 for instructions)

Date	Received by STATE:	(5)	State Brand Information	n (complete):	<b>/</b> \	~~~
(1)	Contract No.: 341-17-02				\	} {
(2)	Sale Name: Sterling Silver					
(3)	Contract Expiration Date: October 31, 2018	Proje	ect Completion Dates:			
(4)	Purchaser:					
(6)	Purchaser Representatives:					
	Projects:	_ Phone: _	Cell/Oth Phone: _	ner	Home:	
	Projects:	Phone:	Cell/Oth Phone:	ner	Home:	
	Projects:		Cell/Oth		Home:	
			Cell/Oth	ner		
	Projects:	Phone:			Home:	
	Logging	Dhona	Cell/Oth Phone: _	ner	Цото	
	Logging:	_ Filolie	Fnone Cell/Oth		Home:	
	Logging:	Phone:			Home:	
		_	Cell/Oth			
	Logging:	Phone:			Home:	
			Cell/Oth			
	Logging:	Phone:	Phone: _		Home:	
(7)	State Representatives:		a 11/0.1			
	D : .	DI	Cell/Oth		11	
	Projects:	_ Pnone: _	Phone: _ Cell/Oth	ho#	Home:	
	Logging:	Phone:		liei	Home:	
(8)	Name of Subcontractors & Starting Dates:					
,	Projects: No(s)	Date:		Phone:		
	No(s)	Date:		Phone:		-
	No(s)	Date:		Phone:		
	No(s)	Date:		Phone:		
	Logging: Felling	Date:		Phone:		
	Yarding:	Date:		Phone:		
(9)	Comments					
(7)	Comments:					

(10) Operations Map: Attach a copy of timber sale Exhibit A or other suitable map which plainly shows the items listed on the instruction sheet.

#### **EXHIBIT B**

#### INSTRUCTION SHEET FOR OPERATIONS PLAN

#### SUBMIT ONE COPY OF PLAN TO STATE

Operations shall be limited to the work shown in the plan until a revised plan or supplemental plan is submitted covering additional work. Compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act. If STATE has prepared a required Forest Practices Act (FPA) "Written Plan" for operations, PURCHASER shall comply with all provisions of the Written Plan.

#### **Explanation of Item No. (from Page 1)**

- (5) All sales require you to use a brand furnished by STATE. If the State brand has not been assigned when the plan is submitted, it will be furnished and assigned later. Complete drawing. If more than one brand is assigned to the sale, complete both drawings.
- (6) The contract requires you to have a designated representative available on the sale area or work location who is authorized to receive in your behalf any notice or instruction given by STATE and to take action in regard to performance under the contract. If logging and project work is widely separated, a representative is required for each.
- (7) The STATE representative will be designated when your plan is approved and is the person who will inspect and issue instructions regarding performance.
- (8) Show names of subcontractors to be used for any or all phases of the operations. If subcontractors are not known, or are changed later, give notification to the STATE representative prior to commencement of work by subcontractor.
  - Show projected dates for commencement of both projects and logging. If projected dates need to be changed at a later date, notification must be given to the STATE representative by supplemental plan or otherwise, prior to commencement of such operations.
- (10) The STATE representative will furnish extra copies of Exhibit A of the contract for your use in preparing the operations map. The map shall use the following legend and show:
  - 1. Landing locations, approximate setting boundaries, and probable sequence of logging the settings. Number the settings in sequence.
  - 2. Locations of spur roads planned for construction, other than those required by the timber sale contract. Provide spur road specifications.
  - 3. Location of proposed tractor yarding roads. Show if and how marked on the ground.
  - 4. Location of temporary stream crossings.
  - 5. List the sequence of performing project work.
  - 6. Location of rock sources attach pit development plans.

(1)	Cable Landing, with numbers for sequence.
A	Tractor Landing with alphabetical sequence.
	Approximate setting boundary.
	Spur truck roads.
	Tractor yarding roads.
X	Temporary stream crossings.

#### **EXHIBIT B**


#### **OPERATIONS PLAN**

#### **Completion Timeline**

, ppp of tep p

Indicate on the appropriate timeline below, the dates by which you plan to complete the work as required under this contract. The purpose of this section is to develop a plan that will ensure you complete the work as required, and meet the interim completion date(s) and contract expiration date. This plan is incorporated and made a part of the contract. When, in the opinion of STATE, operations are not commencing in a manner that meets the intent of this plan, you may be placed in violation of contract and your operations suspended until an amended plan is submitted and approved by STATE.

#### **Harvest and Other Requirements**



The Federal Endangered Species Act (ESA) prohibits a person from taking any federally listed threatened or endangered species. Taking under the federal ESA may include alteration of habitat. STATE's approval of this plan does not certify that PURCHASER's operation under the plan is lawful under the federal ESA. As provided in the timber sale contract, PURCHASERS must comply with all applicable state, federal, and local laws.

PURCHASER's compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act.

APPROVI	ED: Date:	SUBMITTED BY: PURCHASER			
STATE O	F OREGON - DEPARTMENT OF FORESTRY	TORCHASER			
Title		Title			
Original: cc:	Salem District File Unit Purchaser Operator (Purchaser Representative)				
0 1 71					

OLIDA HEERED DAY

Page 1 of 4 629-Form 343-307a Revised 11/11

# EXHIBIT C – SAWMILL GRADE (WESTSIDE SCALE) SCALING INSTRUCTIONS -- LOCATION APPROVAL -- BRAND INFORMATION

(1)	ORIGINAL I	REGISTRATION	☐ Da	te		-	(9)	SALE NAME: Sterling Silver
REVISION NUMBER Date			COUNTY: Clatsop					
	CANCELLA	TION	☐ Da	te			(10)	
(2)	TO:	(Third Party Scalin				_	` ,	
							(11)	STATE BRAND REGISTRATION NUMBER:
(3)		toria (04) Pho ate Forestry District)	one <u>(503</u>	)325-5 <sub>-</sub>	<u>451</u>	-		
	•	219 Hwy. 202, Asto	ria. OR s	97103			(12)	STATE BRAND INFORMATION (COMPLETE):
(4)		ER:				•		
( ')		ress:						
		ber:						
15	\ NJINIINA	UM SCALING SPE	CIEICAT	LIONE			1	
(5	) IVIIIVIIVI	UNI SCALING SPE	CIFICA	IIUNS			-	
	SPECIES	MINIMUN	NET VOL	UME				
	Conifers		10				(13)	PAINT REQUIRED: YES 🗵
	Hardwoods		10				-	COLOR: <u>Orange</u>
<u> </u>	* Apply minimum vo	lume test to whole logs over 40	Westside				(14	4) SPECIAL REQUESTS (Check applicable)
				YES	NO			ELABLE CULL (all species)
(6) WESTSIDE SCALE:				D DEDUCTIONS ALLOWED FOR				
	Use Region 6 actua	I taper rule. Logs over 40'.						ECHANICAL DAMAGE
(7)	Weight Scal	le Sample		П	$\boxtimes$			DD-BACK VOLUME - Deductions due to delay
(1)	vveigitt ocal	ic Gampic		Ш				
							O	THER:
/0	\ ADDDOV	ED SCALING	S		J	Ħ	(15)	REMARKS
(8	LOCATION	ED SCALING	Species	Yard	Truck	Weight	(10)	
(as		proved Locations web-site)	Sp	_	F	Š		
							-	
							Onera	tor's Name (Optional inclusion by District):
							1	SIGNATURES:
							(16)	SIGNATURES.
							-	Purchaser or Authorized Representative Date
							-	
							-	State Forester Representative Date
							1	
							1	Ctata Forester Depresentative PRINT NAME
							1	State Forester Representative PRINT NAME
							1	
-							1	

Notify the District within one hour when branding or painting is inadequate for quick identification, the receipts are missing, not correctly or completely filled out, and/or when logs presented for scaling are impossible to scale accurately.

# **EXHIBIT C – SAWMILL GRADE**INSTRUCTIONS FOR FORM 343-307a (rev. 11/11)

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers, date and sign where indicated, write diagonally across page "CANCEL", and send to TPSO.
- (2) Designate Third Party Scaling Organization (TPSO).

Columbia River Log Scaling & Grading Bureau

P.O. Box 7002, Eugene, OR 97401

Phone: (541) 342-6007 Fax: (541) 342-2631

Email: services@crls.com

Mountain Western Log Scaling & Grading Bureau

P.O. Box 580, Roseburg, OR 97470

Phone: (541) 673-5571 Fax: (541) 672-6381

Email: info@mwlsgb.com

Northwest Log Scalers, Inc.

5526 NE 122<sup>nd</sup> Ave, Portland, OR 97230

Phone: (503) 254-0600 Fax: (503) 408-0919

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc.

8288 28<sup>th</sup> Court North East, Lacey, WA 98516 Phone: (360) 528-8710 Fax: (360) 528-8718

Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O. Box 709, Forest Grove, OR 97116

Phone: (503) 359-4474 Fax: (503) 359-4476

Email: yamhill@attglobal.net

Pacific Log Scaling & Grading Bureau, Inc. P.O. Box 23939, Portland, OR 97281

Phone: (503) 684-5599 Fax: (503) 639-4880

Email: PacLogScale@aol.com

- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Minimum Scaling Specifications.
- (6) Westside Region 6 actual taper segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs -- All Species -- State Forestry Department Scaling Practices (Westside).
- (7) Weight Scale Sample Check box if sale is to be a Weight Scale Sample. All specifics for handling, scaling and processing will be attached or explained in the Remarks section Item (15).
- (8) Show scaling locations only applicable to TPSO. Location name should appear as it does on the ODF Approved Scaling Location web site: http://www.odf.state.or.us/DIVISIONS/management/asset\_management/ScalingLocation.asp Locations with scaling and processing directions specific to their location should be on a separate form. Species should be identified if not capable of receiving "all" species. Check appropriate box for either: yard, truck scale, or weight. Refer to the web site listed above for the locations approval status.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number (REQUIRED).
- (12) Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (15).
- (13) Check yes for Paint Required and designate "Orange" for color. Non required removal volumes may sometimes require blue paint.
- (14) Special Requests. These are requests that will be applied to ODF timber sales. All boxes applicable to the timber sales designated in the Exhibit C form must be "marked". If "Other" is indicated, it must contain a description and any necessary comments.
- (15) Use this space to designate any weight conversion factors, per load volumes, weight scale sample instructions or any other explanations to clarify scaling, processing and/or mailing requirements. If additional scaling locations are approved, revise original or current form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as indicated.
- (16) Require purchaser to sign and date completed form in addition to State Forester Representative, sign and print name on the form.

 State Timber Sale Contract No. 341-17-02 Sterling Silver Page 3 of 4 629-Form 343-307b Revised 11/11

# **EXHIBIT C - PULP SORT**

# PROCESSING INSTRUCTIONS -- LOCATION APPROVAL -- BRAND INFORMATION

(1)	ORIGINAL REGISTRATION   Date	(9)	SALE NAME: Sterling Silver
	REVISION NUMBER Date CANCELLATION Date		COUNTY: Clatsop
(2)	TO:(Approved Pulp Processing Facility)	(10)	STATE CONTRACT NUMBER: 341-17-02
(3)	(Approved Pulp Processing Facility) FROM: Astoria (04) Phone (503)325-5451	(11)	STATE BRAND REGISTRATION NUMBER
(0)	(State Forestry District)	(12)	STATE BRAND INFORMATION: (COMPLETE BELOW)
(4)	PURCHASER:		
(5)	Scaling Bureau (TPSO) Processing Weight receipts:		
	Mailing Address: Phone Number:		
(6)	<ul> <li>STATE Definition of Approved Pulp Sort:</li> <li>Top portion of the tree (tops).</li> <li>All logs with a diameter (Big End) greater than 8 inches marked with blue paint.</li> </ul>	(13)	REMARKS:
(7)	<ul> <li>PULP FACILITY PROCESSING INSTRUCTIONS:</li> <li>Pulp loads shall be weighed in lieu of scaling.</li> <li>One Ton = 2000 lbs (Short Ton).</li> <li>Pulp loads shall have a yellow Log Load Receipt</li> </ul>	Oper	rator's Name (Optional inclusion by District):
	<ul> <li>attached.</li> <li>Gross weight and truck tare weight for each load shall be machine printed on the weight receipt.</li> <li>Weigher shall sign the weight receipt.</li> <li>Weigher shall record the Log Load Receipt</li> </ul>	(14)	SIGNATURES:
	<ul> <li>number on the weight receipt.</li> <li>Weigher shall attach the Weight receipt to the Log Load Receipt and mail them weekly to the</li> </ul>		Purchaser or Authorized Representative Date
	TPSO processing the Weight receipt.		State Forester Representative Date
(8)	<ul> <li>TPSO PROCESSING INSTRUCTIONS</li> <li>Mail to ODF weekly.</li> <li>Convert to mbf using 10 tons per mbf.</li> </ul>		State Forester Representative PRINT NAME

Notify the District within one hour when branding is inadequate for quick identification, the logs are marked with orange paint, the receipts are missing, not correctly or completely filled out, and/or logs do not meet the specifications of the STATE definition of Approved Pulp Sort.

Distribution: ORIGINAL: Salem / COPIES: TPSO, Approved Pulp Processing Location, Purchaser, District, Mgmt. Unit

#### **EXHIBIT C – PULP SORT**

INSTRUCTIONS FOR FORM 343-307b (rev. 11/11)

- (1) Must Complete. Check appropriate box. REVISION NUMBER requires comments in the Remarks Section (13). CANCELLATION requires logging and hauling to be complete, recall branding hammers, date and sign where indicated, write diagonally across page "CANCEL", and send to TPSO.
- (2) **Must Complete.** Approved Pulp Processing Facility. Write in as written in the Approved Log Delivery Location http://www.odf.state.or.us/DIVISIONS/management/asset\_management/ScalingLocation.asp
- (3) Must Complete. State Forestry District and District Phone Number.
- (4) Must Complete. Purchaser's business name as it appears on the Contract.
- (5) **Must Complete.** Third Party Scaling Organization that will be processing the weight tickets, mailing address, and phone number.

Columbia River Log Scaling & Grading Bureau

P.O. Box 7002, Eugene, OR 97401

Phone: (541) 342-6007 Fax: (541) 342-2631

Email: services@crls.com

Mountain Western Log Scaling & Grading Bureau

P.O. Box 580, Roseburg, OR 97470

Phone: (541) 673-5571 Fax: (541) 672-6381

Email Email: info@mwlsgb.com

Northwest Log Scalers, Inc

5526 NE 122<sup>nd</sup> Ave, Portland, OR 97230

Phone: (503) 254-0600 Fax: (503) 408-0919

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc.

8288 28<sup>th</sup> Court North East, Lacey, WA 98516 Phone: (360) 528-8710 Fax: (360) 528-8718

- noile. (500) 520-0710 1 ax. (500) 520

Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O. Box 709, Forest Grove, OR 97116

Phone: (503) 359-4474 Fax: (503) 359-4476

Email: yamhill@attglobal.net

Pacific Log Scaling & Grading Bureau, Inc.

P.O. Box 23939, Portland, OR 97281

Phone: (503) 684-5599 Fax: (503) 639-4880

Email: PacLogScale@aol.com

- (6) **Must Complete.** Big end log not to exceed \_\_\_\_\_ inches. Big end of log is not to exceed 2 inches greater than the minimum removal specifications in the contract. Example: Minimum removal specifications 6 inches and 20 board feet, then the Big end of log not to exceed <u>8</u> inches. When conifer and hardwood removal specifications are different, use the smaller removal diameter to determine this specification.
- (9) **Must Complete**. Enter sale name and county. If more than one county write in all the counties that the sale is located in.
- (10) Must Complete. Enter sale Contract number.
- (11) Must Complete. Enter Oregon's State Brand Registry Number (REQUIRED).
- (12) **Must Complete**. Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (13).
- (13) Use this section to list any special instructions or the reason for any revisions in section item (1).
- (14) **Must Complete.** Purchaser required to sign and date completed form in addition to State Forester Representative, sign <u>and</u> print name on the form.

**Salem Distribution Instructions:** Original will be mailed to Salem after it is electronically scanned and placed in the Salem transfer drive \\WPODFFILL01\\Transfer\ScalingInstructions or e-mailed directly to <a href="mailto:scaling@odf.state.or.us">scaling@odf.state.or.us</a>. Scaling instructions for each brand should be scanned separately, for each approved TPSO.

#### **EXHIBIT D**

#### FOREST ROAD SPECIFICATIONS

#### **DRAINAGE**

Road Grade. Rocked roads shall be crowned at 4 to 6 percent. Dirt roads shall be outsloped at 6 percent.

Ditch. Maintain "V" shaped ditch 3 feet wide and to a depth of 1 foot below subgrade.

<u>Ditchouts</u>. Maintain ditchouts to drain away from subgrade at locations marked in the field or as directed by STATE.

<u>SLOPES</u>	Back Slopes	Fill Slopes
Solid Rock	Vertical to 1/4:1	
Fractured Rock	1/2 :1	
Soil - side slopes 50% and over	<sup>3</sup> ⁄ <sub>4</sub> :1	1½:1
Soil - side slopes less than 50%	1 :1	1½:1

Top of cutslope shall be rounded.

<u>SEASONAL WINTERIZATION</u>. All unsurfaced roads or unfinished subgrades shall be waterbarred in accordance with the specifications in Exhibit I, and blocked from vehicular traffic prior to October 1, annually and as directed by STATE.

#### ROAD GRADING, SUBGRADE PREPARATION, AND APPLICATION OF MAINTENANCE ROCK.

- (a) Cut out all potholes and/or washboard sections from the existing surfacing.
- (b) Clean ditches, catch basins, rock ditch filter sumps and ditch outs of any logging debris and maintain drainage along the haul route.
- (c) Apply required patching and leveling rock, as directed by STATE.
- (d) Process (grade and mix) the existing surface and added base rock. Provide for a crown of 4 to 6 percent, and compact in accordance to the "Compaction and Processing Requirements" in this Exhibit.

#### **EXHIBIT D**

#### COMPACTION AND PROCESSING REQUIREMENTS

<u>Moisture Content</u>: Compaction must take place when moisture content of the materials being compacted is favorable for effective compaction as determined by STATE.

<u>Compaction Pass</u>: A pass is defined as traveling a road section forward and then backward over that same section.

<u>Crushed Rock</u>. The rock shall be uniformly mixed and spread in layers on the approved roadbed. Each layer of crushed rock shall be moistened or dried to uniform moisture content suitable for maximum compaction and compacted in layers not to exceed 6 inches in depth. When more than 1 layer is required, each shall be shaped and compacted before the succeeding layer is placed. Any irregularities or depressions that develop during compaction of the top layer shall be corrected by loosening the material at these places and adding or removing material until the surface is smooth and uniform. Each layer shall be compacted with a minimum of 3 passes over the entire width and length of the road until the surface is smooth and hard and visible deformation ceases. Compaction shall be accomplished by using one or more of the approved equipment options listed below:

Rock shall be compacted and processed during the same project period it is spread, unless otherwise approved in writing by STATE.


Rock shall be crowned at 4 to 6 percent as specified in the "Forest Roads Specifications" table in Exhibit D.

ROAD SEGMENT	COMPACTION EQUIPMENT OPTIONS
All road segments requiring crushed rock.	1

#### COMPACTION EQUIPMENT OPTIONS

- (1) Vibratory Rollers. The drum shall have a smooth surface, a diameter not less than 48 inches, a width not less than 58 inches, and a turning radius of 15 feet or less. Vibration frequency shall be regulated in steps to 1400, 1500, and 1600 VPM, corresponding to engine speeds of 1575, 1690, and 1800 RPM. The centrifugal force developed shall be 7 tons at 1600 VPM. It shall be activated by a power unit of not less than 25 horsepower.) The vibratory roller shall be self-propelled and operated at speeds ranging from 0.9 miles to 1.8 miles per hour, as directed by STATE.
- (2) <u>Rubber-Tired Skidders</u>. A rubber-tired skidder weighing a minimum of 20,000 pounds shall be operated over the fill layers so that the entire layered surface comes in contact with the tires. Skidders with oversized tires (high flotation) are not acceptable for compaction.
- (3) <u>Tampingfoot Compactors</u>. Tampingfoot compactors shall exert a minimum pressure of 250 pounds per square inch on the ground area in contact with the tamping feet. The compactor shall cover a minimum width of 60 inches per pass and weigh a minimum of 16,000 pounds.
- (4) <u>Vibratory Hand-Operated or Backhoe-Mounted Tamper</u>. Vibratory hand-held or hydraulic tampers shall be used for compaction of backfill materials around. The tamper shoe dimensions shall be a minimum of 10" X 13" and capable of a centrifugal force of 2,250 pounds.

EXHIBIT E
WATERBAR SPECIFICATIONS



WATERBAR SPECIFICATIONS FOR CROSS DITCHING #298

#### **EXHIBIT F**

#### SEEDING AND MULCHING

This work shall consist of preparing seedbeds and furnishing and placing required seed and straw mulch. Straw mulch shall consist of straw that is free of noxious weeds. Apply seed and straw to any bare soils within 100 feet of any streams, and any skid trails within posted stream buffers, as directed by STATE.

<u>Seeding Seasons</u>. Seeding shall be performed only from <u>March 1</u> through <u>June 15</u> and <u>August 15</u> through <u>October 31</u>. Seeding materials shall not be applied during windy weather or when the ground is excessively wet or frozen. Areas of disturbed soil shall be seeded by the end of the project period in which work was started.

# APPLICATION METHODS FOR SEED

<u>Dry Method</u>. Mechanical seeders, seed drills, landscape seeders, cultipacker seeders, or other approved mechanical seeding equipment shall be used to apply the seed in the amounts and mixtures specified. Hand-operated seeding devices may be used when seed is applied in dry form.

#### APPLICATION RATES FOR SEED

The seed mixture listed below shall be applied at 100 lbs. per acre. The seed mixture shall be comprised of the following:

SPECIES	MIXTURE	PURE LIVE SEED	GERMINATION
Annual Rye	33%	95%	>90%
Orchard Grass	33%	95%	>90%
Perennial Rye	34%	95%	>90%

Mulching Period. Straw mulch shall be applied within 24 hours of spreading grass seed and fertilizer.

#### APPLICATION RATES FOR MULCH

Place straw mulch to a reasonably uniform thickness of 1½ to 2½ inches. This rate requires between 2 and 3 tons of dry mulch per acre.

#### **Application Locations:**

Any bare soils within 100 feet of any streams shown on Exhibit A.

# PART IV: OTHER INFORMATION

# OREGON DEPARTMENT of FISH and WILDLIFE



# SMALL PUMP SCREEN SELF CERTIFICATION

The Oregon Water Resources Department in coordination and cooperation with the Oregon Department of Fish and Wildlife includes screen requirements on pumps to protect fish as a condition of many surface water and/or reservoir water right permits. This is done in accordance with ORS 537.153.

The Oregon Department of Fish and Wildlife does not usually inspect small pump screens at **pumped diversions less than 225 gpm** (gallons per minute), but furnishes the following fish screening criteria information to the water right permit holder:

**Screen material open area** must be at least 27% of the total wetted screen area.

**Perforated plate:** Openings shall not exceed 3/32 or 0.0938 inches (2.38 mm).

**Mesh/Woven wire screen:** Square openings shall not exceed 3/32 or 0.0938 inches (2.38 mm) in the narrow direction, e.g., 3/32 inch x 3/32 inch open mesh.

**Profile bar screen/Wedge wire:** Openings shall not exceed 0.0689 inches (1.75 mm) in the narrow direction.

**Screen area** must be large enough not to cause fish impact. Wetted screen area depends on the water flow rate and the water approach velocity. **Approach velocity** is the water velocity perpendicular to and approximately three inches in front of any part of the screen face.

An Active pump screen is a self-cleaning screen that has a proven cleaning system. The screen approach velocity for active pump screens shall not exceed 0.4 fps (feet per second) or 0.12 mps (meters per second). The wetted screen area in square feet is calculated by dividing the maximum water flow rate in cubic feet per second (1 cfs = 449 gpm) by 0.4 fps.

A Passive pump screen is a screen that has no cleaning system other than periodic manual cleaning. Screen approach velocity for passive pump screens shall not exceed 0.2 fps or 0.06 mps. The wetted screen area in square feet is calculated by dividing the maximum water flow rate by 0.2 fps.

For further information on fish screening please contact: Oregon Department of Fish and Wildlife, Statewide Fish Screening Coordinator: 503.947.6229 Oregon Department of Fish and Wildlife, Screening Program Administrative Specialist: 503.947.6224

As evidence of having met fish screen installation requirements, please sign the certification and send to: **Oregon Water Resources Department, Water Rights Section, 725 Summer Street NE, Suite A, Salem, OR 97301-1271.** 

**Certification:** I certify that my small pumped diversion of less than 225 gpm meets fish screening criteria, and that I will maintain it to comply with regulatory criteria. I also understand that should fish screening standards change, I may be required to modify my installation to meet applicable standards.

Applicant Signature:

Date: \_\_/ / \_WRD File #: \_\_\_\_\_\_

Printed I	Name and A	Address:	
Phone:	()	Fax: ( <u>)</u>	
bmk	10.20.2004	smallpumpscreenselfcertification.doc	