PART III: EXHIBITS

State Timber Sale Contract No. 343-14-844 Bad Water Chip Sale

EXHIBIT B

Page 1 of 3 629-Form 341-203 Revised 06/97

OREGON DEPARTMENT OF FORESTRY

TIMBER SALE OPERATIONS PLAN

(See Page 2 for instructions)

Date Received by STATE:		(5) State Brand	Information (complete):	
(1)	Contract No.: 343-14-844	<u> </u>		
(2)	Sale Name: Bad Water Chip Sale			
(3)	Contract Expiration Date: October 15, 2016	Project Completic	on Dates:	
(4)	Purchaser:			
(6)	Purchaser Representatives:		a wa .	
	Projects:	Phone:	Cell/Other Phone: Cell/Other	Home:
	Projects:	Phone:	Phone:	Home:
	Projects:	Phone:		Home:
	Projects:	Phone:		Home:
	Logging:	Phone:		Home:
	Logging:	Phone:		Home:
	Logging:	Phone:		Home:
	Logging:	Phone:	Cell/Other Phone:	Home:
(7)	State Representatives:			
	Projects:	Phone:		Home:
	Logging:	Phone:	Cell/Other Phone:	Home:
(8)	Name of Subcontractors & Starting Dates:			
	Projects: No(s)	Date: Date:	Phone: Phone:	
	Logging: FellingYarding:	Date:	Phone:Phone:	
(9)	Comments:			

(10) Operations Map: Attach a copy of timber sale Exhibit A or other suitable map which plainly shows the items listed on the instruction sheet.

EXHIBIT B

INSTRUCTION SHEET FOR OPERATIONS PLAN

SUBMIT ONE COPY OF PLAN TO STATE

Operations shall be limited to the work shown in the plan until a revised plan or supplemental plan is submitted covering additional work. Compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act. If STATE has prepared a required Forest Practices Act (FPA) "Written Plan" for operations, PURCHASER shall comply with all provisions of the Written Plan.

Explanation of Item No. (from Page 1)

- (5) All sales require you to use a brand furnished by STATE. If the State brand has not been assigned when the plan is submitted, it will be furnished and assigned later. Complete drawing. If more than one brand is assigned to the sale, complete both drawings.
- (6) The contract requires you to have a designated representative available on the sale area or work location who is authorized to receive in your behalf any notice or instruction given by STATE and to take action in regard to performance under the contract. If logging and project work is widely separated, a representative is required for each.
- (7) The STATE representative will be designated when your plan is approved and is the person who will inspect and issue instructions regarding performance.
- (8) Show names of subcontractors to be used for any or all phases of the operations. If subcontractors are not known, or are changed later, give notification to the STATE representative prior to commencement of work by subcontractor.
 - Show projected dates for commencement of both projects and logging. If projected dates need to be changed at a later date, notification must be given to the STATE representative by supplemental plan or otherwise, prior to commencement of such operations.
- (10) The STATE representative will furnish extra copies of Exhibit A of the contract for your use in preparing the operations map. The map shall use the following legend and show:
 - 1. Landing locations, approximate setting boundaries, and probable sequence of logging the settings. Number the settings in sequence.
 - 2. Locations of spur roads planned for construction, other than those required by the timber sale contract. Provide spur road specifications.
 - 3. Location of proposed tractor yarding roads. Show if and how marked on the ground.
 - 4. Location of temporary stream crossings.
 - 5. List the sequence of performing project work.
 - 6. Location of rock sources attach pit development plans.

1	Cable Landing, with numbers for sequence.
A	Tractor Landing with alphabetical sequence.
	Approximate setting boundary.
	Spur truck roads.
~~	Tractor yarding roads.
X	Temporary stream crossings.

EXHIBIT B

OPERATIONS PLAN

Completion Timeline

Indicate on the appropriate timeline below, the dates by which you plan to complete the work as required under this contract. The purpose of this section is to develop a plan that will ensure you complete the work as required, and meet the interim completion date(s) and contract expiration date. This plan is incorporated and made a part of the contract. When, in the opinion of STATE, operations are not commencing in a manner that meets the intent of this plan, you may be placed in violation of contract and your operations suspended until an amended plan is submitted and approved by STATE.

Projects



Harvest & Other Requirements



The Federal Endangered Species Act (ESA) prohibits a person from taking any federally listed threatened or endangered species. Taking under the federal ESA may include alteration of habitat. STATE's approval of this plan does not certify that PURCHASER's operation under the plan is lawful under the federal ESA. As provided in the timber sale contract, PURCHASERS must comply with all applicable state, federal, and local laws.

PURCHASER's compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act.

APPROVED: Date: STATE OF OREGON - DEPARTMENT OF FORESTRY	SUBMITTED BY: PURCHASER
Title	Title

Original: Salem cc: District File Purchaser

Operations Plan.doc/Jaz B (TS)

Page 1 of 4 629-Form 343-307a Revised 11/11

EXHIBIT C - SAWMILL GRADE (EASTSIDE SCALE)

SCALING INSTRUCTIONS -- LOCATION APPROVAL -- BRAND INFORMATION

REVISION NUMBER	(4)	NOMAL DECICEDATION	□ D . (.					
CANCELLATION Date TO: (Third Party Scaling Organization) To: (State Forester No. Hamath Falls (10) Phone (541)883-5681 (State Forester Representative Date To: (Third Party Scaling Organization) To: (State Forester Representative Date To: (Third Party Scaling Agravative Indicates the Author on the Other Agravative Indicates the Agravative Indicates the Agravation Indicates Indicate Indicate Indicates Indicated Indicated Indicates Indicated Indicated Indicates Indicated Indic	` '	•		(9)	SALE NAME: <u>Bad Water Chip Sale</u>			
To:								COUNTY: Klamath
Third Party Scaling Organization			□Date			_	(10)	STATE CONTRACT NUMBER: 343-14-844
State Forestry District Address 3200 Delap Rd Klamath Falls OR 97701	(2) TC):(Third Party Scalin	a Organizatio	ın)		_	(11)	STATE BRAND REGISTRATION NUMBER:
(State Forestry District) Address 3200 Delap Rd Klamath Falls OR 97701 4) PURCHASER: Mailing Address: Phone Number: (5) MINIMUM SCALING SPECIFICATIONS SCALING DIAMETER MINIMUM MET Confiers By weight 10 tons/mbf - Apply minimum volume lest to whole logs over 20' Eastside. YES NO (B) EASTSIDE SCALE: Use fregor 6 actual taper rule. Logs over 40'. (8) APPROVED SCALING LOCATIONS (as abrown on the OOF Approved Locations web-site) Interfor – Gilchrist OR X X X Interfor – Gilchrist OR X X X APPROVED SCALING LOCATIONS (as abrown on the OOF Approved Locations web-site) Interfor – Gilchrist OR Interfor – Gilchrist OR X X X X STATE BRAND INFORMATION (COMPLETE): (12) STATE BRAND INFORMATION (COMPLETE): (13) PAINT REQUIRED: YES \(\overline{\text{LOIS}} \) (14) SPECIAL REQUESTS (Check applicable) PELLABLE CULL (all species)	(3) FR	,	•	,	-56	R1	, ,	
Address \$200 Delap Rd Rlamath Falls OR 97/01 PURCHASER:	(3) 11	(State Forestry District)	110116(341)	1000	-500	<u>5 I</u>	(12)	STATE REAND INFORMATION (COMPLETE):
Mailing Address: Phone Number: (5) MINIMUM SCALING SPECIFICATIONS SPECIES	Ad	dress <u>3200 Delap Rd Klama</u>	th Falls Ol	R 97	701	_	(12)	STATE BRAND IN ORWATION (COMPLETE).
Mailing Address: Phone Number: (5) MINIMUM SCALING SPECIFICATIONS SPECIES	(4) PL	IRCHASER:						
(5) MINIMUM SCALING SPECIFICATIONS SPECIES SCALING DIAMETER MINIMUM NET VOLUME Conifers By weight 10 tons/mbf *Apply minimum volume test to whole logs over 20' Eastside. YES NO (6) EASTSIDE SCALE: Use Region 6 actual laper rule. Logs over 40'. Weight Scale Sample (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor — Gilchrist OR X X X APPROVED SCALING LOCATIONS Section Se	Ma	iling Address:				_		
SPECIES SCALING DIAMETER VOLUME Conifers By weight 10 tons/mbf *Apply minimum volume test to whole logs over 20 Eastside. YES NO (6) EASTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'. T) Weight Scale Sample (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor – Gilchrist OR X X X Interfor – Gilchrist OR X X X X	Ph	one Number:				_		
SPECIES SCALING DIAMETER VOLUME Conifers By weight 10 tons/mbf *Apply minimum volume test to whole logs over 20 Eastside. YES NO (6) EASTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'. T) Weight Scale Sample (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor – Gilchrist OR X X X Interfor – Gilchrist OR X X X X								
SPECIES SCALING DIAMETER WININIMUM NET VOLUME Conifers By weight 10 tons/mbf *Apply minimum volume test to whole logs over 20' Eastside. YES NO (B) EASTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'. Weight Scale Sample (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor – Gilchrist OR X X X Interfor – Gilchrist OR X X X X	(5)	MINIMUM SCALING SPEC	IFICATIO	NS				
Conifers By weight 10 tons/mbf COLOR: Orange (14) SPECIAL REQUESTS (Check applicable) PEELABLE CULL (all species)							4 >	
*Apply minimum volume test to whole logs over 20' Eastside. YES NO (B) EASTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'. (B) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor — Gilchrist OR X X X Interfor — Gilchrist OR X X X X X X X X X X		1				(13)		
*Apply minimum volume test to whole logs over 20' Eastside. YES NO Use Region 6 actual taper rule. Logs over 40'. Weight Scale Sample (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor — Gilchrist OR X X X Second S		Dy Wolgin	101	10110/1	1101			COLOR: <u>Orange</u>
*Apply minimum volume test to whole logs over 20' Eastside. YES NO Use Region 6 actual taper rule. Logs over 40'. Weight Scale Sample (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor — Gilchrist OR X X X Second S							(14)	SPECIAL REQUESTS (Check applicable)
NO DEDUCTIONS ALLOWED FOR MECHANICAL DAMAGE PENCIL BUCK ADD-BACK VOLUME - Deductions due to delay ADD-BACK VOLUME - DEDUCTIONS ALLOWED ADD-BACK VOLUME - Deductions due to delay ADD-BACK VOLUME - DEDUCTIONS ALLOWED A	* Ap	ply minimum volume test to whole logs over 20	' Eastside.					
MECHANICAL DAMAGE PENCIL BUCK ADD-BACK VOLUME - Deductions due to delay MECHANICAL DAMAGE			_		NC)		
PENCIL BUCK ADD-BACK VOLUME - Deductions due to delay DTHER: Convert weight to MBF using a factor of 10 tons per MBF. Interfor - Gilchrist OR	(-)			\boxtimes]		IV
(8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor – Gilchrist OR X X X X X X X X X X X X X	Use	Region o actual tapel rule. Logs over 40 .						
(8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) Interfor – Gilchrist OR X X X X X X X X X ADD-BACK VOLUME - Deductions due to delay	(7) We	eight Scale Sample						
(as shown on the ODF Approved Locations web-site) Interfor – Gilchrist OR X X X X X X X X X X X X X	,					_	ADI	D-BACK VOLUME - Deductions due to delay
Interfor – Gilchrist OR X X Shall be short tons or 2,000 lbs. Loads shall have a pink Load Receipt and Scaler Scale Receipted attached. Weight shall attach a machine-printed weight ticket, with the ODF load receipt number on it to the ODF Scaler Receipt and methem weekly to the approved Third-Party Scaling Organization for processing. TPSO shall convert loads in tons to loads in MBF using a conversion factor of 10 tons published. Operator's Name (Optional inclusion by District):	(O) A	DDDOVED COALING	S		,	ı		
Interfor – Gilchrist OR X X Shall be short tons or 2,000 lbs. Loads shall have a pink Load Receipt and Scaler Scale Receipted attached. Weight shall attach a machine-printed weight ticket, with the ODF load receipt number on it to the ODF Scaler Receipt and methem weekly to the approved Third-Party Scaling Organization for processing. TPSO shall convert loads in tons to loads in MBF using a conversion factor of 10 tons published. Operator's Name (Optional inclusion by District):	` '		e cie	ard	nck.	eigh	tons	s per MBF.
Interfor – Gilchrist OR X X X Shall be short tons or 2,000 lbs. Loads shall have a pink Load Receipt and Scaler Scale Receipted attached. Weight shall attach a machine-printed weight ticket, with the ODF load receipt number on it to the ODF Scaler Receipt and not them weekly to the approved Third-Party Scaling Organization for processing. TPSO shall convert loads in tons to loads in MBF using a conversion factor of 10 tons pinks. Operator's Name (Optional inclusion by District): (16) SIGNATURES: Purchaser or Authorized Representative Date			Spe	≻	ī	W	(15)	REMARKS: Loads shall be weighed in lieu of scaling.
Load Receipt and Scaler Scale Receipted attached. Weight shall attach a machine-printed weight ticket, with the ODF load receipt number on it to the ODF Scaler Receipt and in them weekly to the approved Third-Party Scaling Organization for processing. TPSO shall convert loads in tons to loads in MBF using a conversion factor of 10 tons in MBF. Operator's Name (Optional inclusion by District):	In	terfor – Gilchrist OR		х		Х	()	shall be short tons or 2,000 lbs. Loads shall have a pink
load receipt number on it to the ODF Scaler Receipt and method them weekly to the approved Third-Party Scaling Organization for processing. TPSO shall convert loads in tons to loads in MBF using a conversion factor of 10 tons made in tons to loads in MBF. Operator's Name (Optional inclusion by District): (16) SIGNATURES: Purchaser or Authorized Representative Date State Forester Representative Date	•••	torior Chormot Cit						
Organization for processing. TPSO shall convert loads in tons to loads in MBF using a conversion factor of 10 tons page 10 MBF. Operator's Name (Optional inclusion by District): (16) SIGNATURES: Purchaser or Authorized Representative Date State Forester Representative Date								load receipt number on it to the ODF Scaler Receipt and
tons to loads in MBF using a conversion factor of 10 tons page 10 mBF. Operator's Name (Optional inclusion by District): (16) SIGNATURES: Purchaser or Authorized Representative Date State Forester Representative Date								them weekly to the approved Third-Party Scaling
MBF. Operator's Name (Optional inclusion by District): (16) SIGNATURES: Purchaser or Authorized Representative Date State Forester Representative Date								
(16) SIGNATURES: Purchaser or Authorized Representative Date State Forester Representative Date								MBF.
Purchaser or Authorized Representative Date State Forester Representative Date							Opera	tor's Name (Optional inclusion by District):
State Forester Representative Date							(16)	SIGNATURES:
State Forester Representative Date								
								Purchaser or Authorized Representative Date
State Forester Representative PRINT NAME								State Forester Representative Date
State Forester Representative PRINT NAME								
								State Forester Representative PRINT NAME

Notify the District within one hour when branding or painting is inadequate for quick identification, the receipts are missing, not correctly or completely filled out, and/or when logs presented for scaling are impossible to scale accurately.

EXHIBIT C - SAWMILL GRADE INSTRUCTIONS FOR FORM 343-307a (rev. 11/11)

(1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers, date and sign where indicated, write diagonally across page "CANCEL", and send to TPSO.

Designate Third Party Scaling Organization (TPSO).

Columbia River Log Scaling & Grading Bureau P.O. Box 7002, Eugene, OR 97401

Phone: (541) 342-6007 Fax: (541) 342-2631

Email: services@crls.com

Southern Oregon Log Scaling & Grading Bureau

P.O. Box 580, Roseburg, OR 97470

Phone: (541) 673-5571 Fax: (541) 672-6381

Email: info@southernoregonlogscaling.com

Northwest Log Scalers, Inc . 5526 NE 122nd Ave, Portland, OR 97230

Phone: (503) 254-0600 Fax: (503) 408-0919

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc. 8288 28th Court North East, Lacey, WA 98516

Phone: (360) 528-8710 Fax: (360) 528-8718

Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O. Box 709, Forest Grove, OR 97116

Phone: (503) 359-4474 Fax: (503) 359-4476

Email: yamhill@attglobal.net

Pacific Log Scaling & Grading Bureau, Inc. P.O. Box 23939, Portland, OR 97281

Phone: (503) 684-5599 Fax: (503) 639-4880

Email: PacLogScale@aol.com

- State District office, address and phone.
- Enter Purchaser's business name, address, and phone number as it appears on the Contract. (4)
- (5) Minimum Scaling Specifications. Scaling diameter inches is used for pencil buck minimum diameter.
- Eastside Region 6 actual taper/taper table segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs -- All Species -- State Forestry Department Scaling Practices (Northwest Log Rules Eastside). Items with * follow U.S. Forest Service Eastside rules.
- Weight Scale Sample Check box if sale is to be a Weight Scale Sample. All specifics for handling, scaling and processing will be attached or explained in the Remarks section Item (15).
- Show scaling locations only applicable to TPSO. Location name should appear as it does on the ODF Approved Scaling Location web site: http://www.odf.state.or.us/DIVISIONS/management/asset_management/ScalingLocation.asp Locations with scaling and processing directions specific to their location should be on a separate form. Species should be identified if not capable of receiving "all" species. Check appropriate box for either: yard, truck scale, or weight. Refer to the web site listed above for the locations approval status.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number (**REQUIRED**).
- (12) Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (15).
- (13) Check yes for Paint Required and designate "Orange" for color. Non required removal volumes may sometimes require blue paint.
- (14) Special Requests. These are requests that will be applied to ODF timber sales. All boxes applicable to the timber sales designated in the Exhibit C form must be "marked". If "Other" is indicated, it must contain a description and any necessary comments.
- (15) Use this space to designate any weight conversion factors, per load volumes, weight scale sample instructions or any other explanations to clarify scaling, processing and/or mailing requirements. If additional scaling locations are approved, revise original or current form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as
- (16) Require purchaser to sign and date completed form in addition to State Forester Representative, sign and print name on the form.

Salem Distribution Instructions: Original will be mailed to Salem after it is electronically scanned and placed in the Salem transfer drive \\WPODFFILL01\Transfer\ScalingInstructions or e-mailed directly to scaling@odf.state.or.us. Scaling instructions for each brand should be scanned separately, for each approved TPSO.

State Timber Sale Contract No. 343-14-844 Bitter Water Chip Page 3 of 4 629-Form 343-307b Revised 11/11

EXHIBIT C - PULP SORT

PROCESSING INSTRUCTIONS -- LOCATION APPROVAL -- BRAND INFORMATION

(1)	ORIGINAL REGISTRATION 🛛 Date	(9)	SALE NAME: Bad Water Chip Sale
	REVISION NUMBER Date CANCELLATION Date		COUNTY: Klamath
(2)	TO:(Approved Pulp Processing Facility)	(10)	STATE CONTRACT NUMBER: 343-14-844
(3)	FROM: Klamath Falls (10) Phone (541) 883-5681 (State Forestry District)	` ,	STATE BRAND REGISTRATION NUMBER
(4)	PURCHASER:	(12)	STATE BRAND INFORMATION: (COMPLETE BELOW)
(5)	Scaling Bureau (TPSO) Processing Weight receipts: Mailing Address: Phone Number:		
(6)	STATE Definition of Approved Pulp		
(-)	 Sort: Top portion of the tree (tops). All logs with a diameter (Big End) greater than 2 inches marked with blue paint. 	(13)	REMARKS:
(7)	 PULP FACILITY PROCESSING INSTRUCTIONS: Pulp loads shall be weighed in lieu of scaling. One Ton = 2000 lbs (Short Ton). Pulp loads shall have a yellow Log Load Receipt 	Oper	rator's Name (Optional inclusion by District):
	 attached. Gross weight and truck tare weight for each load shall be machine printed on the weight receipt. Weigher shall sign the weight receipt. Weigher shall record the Log Load Receipt number on the weight receipt. Weigher shall attach the Weight receipt to the Log Load Receipt and mail them weekly to the 		SIGNATURES:
			Purchaser or Authorized Representative Date
	TPSO processing the Weight receipt.		State Forester Representative Date
(8)	 TPSO PROCESSING INSTRUCTIONS Mail to ODF weekly. Convert to mbf using 10 tons per mbf. 		State Forester Representative PRINT NAME

Notify the District within one hour when branding is inadequate for quick identification, the logs are marked with orange paint, the receipts are missing, not correctly or completely filled out, and/or logs do not meet the specifications of the STATE definition of Approved Pulp Sort.

Distribution: ORIGINAL: Salem / COPIES: TPSO, Approved Pulp Processing Location, Purchaser, District, Mgmt. Unit

EXHIBIT C - PULP SORT

INSTRUCTIONS FOR FORM 343-307b (rev. 11/11)

- (1) Must Complete. Check appropriate box. REVISION NUMBER requires comments in the Remarks Section (13). CANCELLATION requires logging and hauling to be complete, recall branding hammers, date and sign where indicated, write diagonally across page "CANCEL", and send to TPSO.
- (2) **Must Complete.** Approved Pulp Processing Facility. Write in as written in the Approved Log Delivery Location http://www.odf.state.or.us/DIVISIONS/management/asset_management/ScalingLocation.asp
- (3) Must Complete. State Forestry District and District Phone Number.
- (4) Must Complete. Purchaser's business name as it appears on the Contract.
- (5) **Must Complete.** Third Party Scaling Organization that will be processing the weight tickets, mailing address, and phone number.

Columbia River Log Scaling & Grading Bureau P.O. Box 7002, Eugene, OR 97401

Phone: (541) 342-6007 Fax: (541) 342-2631

8718

Email: services@crls.com

Southern Oregon Log Scaling & Grading Bureau

P.O. Box 580, Roseburg, OR 97470 Phone: (541) 673-5571 Fax: (541) 672-6381

4476

Email: info@southernoregonlogscaling.com

Northwest Log Scalers, Inc . 5526 NE 122nd Ave, Portland, OR 97230

5526 NE 122⁻⁻⁻ Ave, Portland, OR 97230 Phone: (503) 254-0600 Fax: (503) 408-0919

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc. 8288 28th Court North East, Lacey, WA 98516

Phone: (360) 528-8710 Fax: (360) 528-

Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O. Box 709, Forest Grove, OR 97116

Phone: (503) 359-4474 Fax: (503) 359-

Email: yamhill@attglobal.net

Pacific Log Scaling & Grading Bureau, Inc. P.O. Box 23939, Portland, OR 97281


Phone: (503) 684-5599 Fax: (503) 639-4880

Email: PacLogScale@aol.com

- (6) **Must Complete.** Big end log not to exceed_____ inches. Big end of log is not to exceed 2 inches greater than the minimum removal specifications in the contract. Example: Minimum removal specifications 6 inches and 20 board feet, then the Big end of log not to exceed <u>8</u> inches. When conifer and hardwood removal specifications are different, use the smaller removal diameter to determine this specification.
- (9) **Must Complete**. Enter sale name and county. If more than one county write in all the counties that the sale is located in.
- (10) Must Complete. Enter sale Contract number.
- (11) Must Complete. Enter Oregon's State Brand Registry Number (REQUIRED).
- (12) **Must Complete**. Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (13).
- (13) Use this section to list any special instructions or the reason for any revisions in section item (1).
- (14) **Must Complete.** Purchaser required to sign and date completed form in addition to State Forester Representative, sign and print name on the form.

Salem Distribution Instructions: Original will be mailed to Salem after it is electronically scanned and placed in the Salem transfer drive \\WPODFFILL01\\Transfer\ScalingInstructions or e-mailed directly to scaling@odf.state.or.us. Scaling instructions for each brand should be scanned separately, for each approved TPSO.

EXHIBIT D
WATERBAR SPECIFICATIONS



WATERBAR SPECIFICATIONS FOR CROSS DITCHING #298

EXHIBIT E
TANK TRAP SPECIFICATIONS





EXHIBIT F

ROAD DIP CONSTRUCTION SPECIFICATIONS



PART IV: OTHER INFORMATION

State Timber Sale Contract No. 343-14-844 Bad Water Chip Sale

NOTICE OF TRANSFER OF STATE TIMBER

Instruct	tions	629:-Form-301-010					
	ete Section 1. Mark the box which applies to signatures.	you/your company in Section 2. Complete Section 3 and					
SECTIO	ON 1						
On	, sta	ite timber sale purchaser (Transferor)					
	, sold, ex	changed or otherwise transferred to					
		, (Transferee) state timber originating from State					
Timber S	Sale Contract No. 343-14-844						
Transfer	eree hereby certifies that they:						
(a)	Will not export the unprocessed state timl	ber which is the subject of this transaction;					
(b)	(b) Will not sell, transfer, exchange or otherwise convey the unprocessed timber which is the subject of transaction to any other person without first obtaining a like certification from that person; and						
(c)	Are not prohibited by OAR's 629-31-005 through 045 from purchasing state timber or logs directly from the State Forester, or this is a sale of Western Red Cedar for domestic processing.						
SECTIO	ON 2						
	Have not exported unprocessed timber originating from private lands in Oregon in the last 24 months.						
	This is a sale of hardwood logs for domestic processing.						
	This is a sale of Western Red Cedar for domestic processing.						
	This is a sale of pulp logs or cull logs processed at domestic pulp mills, domestic chip plants or other domestic operations for the purpose of conversion of the logs into chips.						
SECTIO	ON 3						
certificat		certification, or failure to comply with the terms of this and Shortage Relief Act of 1990 and OAR Chapter 629, ontained therein.					
Transfer	eror:	Transferee:					
Signed		Signed					
Title		Title					
Dated		Dated					
[Note: F	For the purpose of this form, the definition of	unprocessed timber is the same as in OAR 629-31-005]					
Mail To:	: State Forester 2600 State Street						

Notice of Transfer of State Timber Form 301-010.doc/Jaz B (SF)

Salem, OR 97310