

#### **Oregon Department of Forestry**

2600 State St Salem OR 97310

## PART III: EXHIBITS **EXHIBIT B**

#### **TIMBER SALE OPERATIONS PLAN**

(See page 2 for instructions)

Date Received by State	:		(5) State B	rand Information ( Co	mplete)
(1) Contract Number:	AT-343-2026-V	V01308-01			
(2) Sale Name:	Rapid Salvag	е			
(3) Contract Expiration I	Date: 11/30/202	25			
(4) Purchaser Name:					
(6) State Representative	es:				
Name		Circle One	Phone No.	Cell No.	Alt Phone
	Lo	ogging Projects All			
	Lo	ogging Projects All			
	Lo	ogging Projects All			
	Lo	ogging Projects All			
(7) Purchaser Represer	ntatives:	Circle One	Phone No.	Cell No.	Alt Phone
	Lo	ogging Projects All			
	Lo	ogging Projects All			
	Lo	ogging Projects All			
		ogging Projects All			
		ogging Projects All			
		ogging Projects All			
		ogging Projects All			
<ol> <li>Name of Subcontractor</li> <li>Project No. Subcont</li> </ol>	ors and Start Date <u>ractor Name.</u>	es: <u>Start Date</u>	Completion Date	Cell No.	Alt Phone
Sub	contractor Name	<u> </u>	tart Date	Cell No.	Alt Phone
ELLING					
'ARDING					
9) Comments:					

<sup>(10)</sup> Operations Map: Attach a copy of timber sale Exhibit A or other suitable map which plainly shows the items listed on the instruction sheet.



### Oregon Department of Forestry

2600 State St Salem OR 97310 PART III: EXHIBITS

### EXHIBIT B INSTRUCTION SHEET FOR OPERATIONS PLAN

#### SUBMIT ONE COPY OF PLAN TO STATE

Operations shall be limited to the work shown in the plan until a revised plan or supplemental plan is submitted covering additional work. Compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act including without limitation PURCHASER'S independent obligation to avoid take of a T&E species and PURCHASER'S obligation to comply with terms and conditions of any incidental take Permit(s) that include required minimization and mitigation measures in any applicable Habitat Conservation Plan. If STATE has prepared a required Forest Practices Act (FPA) "Written Plan" for operations, PURCHASER shall comply with all provisions of the Written Plan.

#### **Explanation of Item No.(from Page 1)**

- (5) All sales require you to use a brand furnished by STATE. If the State brand has not been assigned when the plan is submitted, it will be furnished and assigned later. Complete drawing. If more than one brand is assigned to the sale, complete both drawings.
- (6) The contract requires you to have a designated representative available on the sale area or work location who is authorized to receive in your behalf any notice or instruction given by STATE and to take action in regard to performance under the contract. If logging and project work is widely separated, a representative is required for each.
- (7) The STATE representative will be designated when your plan is approved and is the person who will inspect and issue instructions regarding performance.
- (8) Show names of subcontractors to be used for any or all phases of the operations. If subcontractors are not Known, or are changed later, give notification to the STATE representative prior to commencement of work by subcontractor.
- (9) Show projected dates for commencement of both projects and logging. If projected dates need to be changed at a later date, notification must be given to the STATE representative by supplemental plan or otherwise, prior to commencement of such operations.
- (10) The STATE representative will furnish extra copies of Exhibit A of the contract for your use in preparing the operations map. The map shall use the following legend and show:
  - 1. Landing locations, approximate setting boundaries, and probable sequence of logging the settings. Number the settings in sequence.
  - 2. Locations of spur roads planned for construction, other than required by the timber sale contract. Provide spur road specifications
  - 3. Locations of proposed tractor yarding roads. Show if and how marked on the ground.
  - 4. Locations of temporary stream crossings.
  - 5. List the sequence of performing project work.
  - 6. Location of rock sources attach pit development plans.

Cable Landing, with numbers for sequence.

Tractor Landing with alphabetical sequence.

Approximate setting boundary.

Spur truck roads.

Tractor yarding roads.

X

Temporary stream crossings.




#### Oregon Department of Forestry 2600 State St Salem OR 97310 PART III: EXHIBITS


## EXHIBIT B OPERATIONS PLAN

#### **Completion Timeline**

Indicate on the appropriate timeline below, the dates by which you plan to complete the work as required under this contract. The purpose of this section is to develop a plan that will ensure you complete the work as required, and meet the interim completion date(s) and contract expiration date. This plan is incorporated and made a part of the contract. When, in the opinion of STATE, operations are not commencing in a manner that meets the intent of this plan, you may be placed in violation of contract and your operations suspended until an amended plan is submitted and approved by STATE.



Harvest & Other Requirements



The Federal Endangered Species Act (ESA) prohibits a person from taking any federally listed threatened or endangered species. Taking under the federal ESA may include alteration of habitat. STATE's approval of this plan does not certify that PURCHASER's operation under the plan is lawful under the federal ESA or that the plan is consistent with the terms and conditions of any applicable incidental take Permit(s) including any required minimization and mitigation measures proposed in the applicable Habitat Conservation Plan. As provided in the timber sale contract, PURCHASER's must comply with all applicable state, federal, and local laws, including without limitation any Permit(s) issued thereunder.

PURCHASER's compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act.

APPROVED; Date:	SUBMITTED BY:
STATE OF OREGON - DEPARTMENT OF FORESTRY	PURCHASER
Title	Title



## Oregon Department of Forestry EXHIBIT C - SAWMILL GRADE (WESTSIDE SCALE) SCALING INSTRUCTIONS - LOCATION APPROVAL - BRAND INFORMATION Astoria - NWOA

(1) ORIGINAL REGIST	TRATION □ Dat	e		(9) SALE NAME: Rapid Salvage
REVISION NUMBE	R 000 □ Dat	e		COUNTY: Clatsop
CANCELLATION	□ Dat	e		(10) STATE CONTRACT NUMBER:
(2) TO:				AT-343-2026-W01308-01
	nird Party Scaling Orgar	nization)		(11) STATE BRAND REGISTRATION NUMBER:
(3) FROM: Astoria	Phone (503)	325-5451		
(State Foresti	,			(12) STATE BRAND INFORMATION:
Address: 92219 H				<u> </u>
ASTOR	IA,OR 97103			
(4) PURCHASER:				. ) (
Mailing Address:				
-				
Phone Number:				- ·
-	CALING CRECIFIC	ATIONS		. (13) PAINT REQUIRED: YES ☑
(5) MINIMUM S	SCALING SPECIFICA	ATIONS		COLOR: <u>Orange</u>
SPECIES	MINIMUM NE			(14) SPECIAL REQUESTS (Check applicable)
Conifers 10			PEELABLE CULL (all species) ☑	
Hardwoods 10			NO DEDUCTIONS ALLOWED FOR	
*Analy minimum val	uma taat ta uubala laga a	vor 40' Mostsi	ida	MECHANICAL DAMAGE
	ume test to whole logs o 	ver 40 Westsi	ide	ADD-BACK VOLUME - Deductions due to delay
(6) WESTSIDE SCALE	∷ aper rule. Logs over 40'			OTHER:
ose region o actual t	YES			(45) BEMARKO
(7) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	_	NO		(15) REMARKS:
(7) Weight Scale Sam	•	<b>☑</b>		"Mule Trains"
(8) APPROVED SCAL LOCATIONS	ING S	8 명 성	ght	Loads are required to have load tickets for each set of bunks.
(as shown on the ODF Approv Locations web-site)	red S	Yard	Weight	If truck and pup are to be weighed, weigh and process
Locations web-site j	- 0			separately for gross and tare weights.  Operator's Name (Optional inclusion by District):
				(16) SIGNATURES:
				Purchaser or Authorized Representative Date
				State Forester Representative Date
				,
				State Forester Representative PRINT NAME



#### Oregon Department of Forestry EXHIBIT C - SAWMILL GRADE INSTRUCTIONS FOR EXHIBIT C Astoria - NWOA

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers.
- (2) Designate Third Party Scaling Organization (TPSO).

Columbia River Log Scaling & Grading Bureau P.O.Box 7002, Eugene, OR 97401

Phone: (541) 342-6007 Fax: (541) 342-2631

Email: services@crls.com

Mountain Western Log Scaling & Grading Bureau 2560 NW Medical Park Drive, OR 97471 Phone: (541) 673-5571 Fax: (541) 672-6381

Email: info@mwlsgb.com

Northwest Log Scalers Inc. 6137 NE 63rd St, Vancouver, WA, 98661

Phone: (360) 553-7212 ext. 4 Fax:(360) 553-7213

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc. 8288 28th Court North East, Lacey, WA 98516 Phone: (360) 528-8710 Fax: (360) 528-8718

Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O.Box 709, Forest Grove, OR 97116 Phone: (503) 359-4474 Fax: (503) 359-4476

Email: yamhilllog@frontier.com

- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Minimum Scaling Specifications.
- (6) Westside Region 6 actual taper segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs - All Species - State Forestry Department Scaling Practices (Westside).
- (7) Weight Scale Sample Check box if sale is to be a Weight Scale Sample. All specifies for handling, scaling and processing will be attached or explained in the Remarks section item (15).
- (8) Show scaling locations only applicable to TPSO. Location name should appear as it does on the ODF Approved Scaling Location web site: https://apps.odf.oregon.gov/Divisions/management/asset\_management/scalinglocation.asp\_Locations with scaling and processing directions specific to their location should be on a separate form. Species should be identified if not capable of receiving "all" species. Check appropriate box for either: yard, truck scale, or weight. Refer to the web site listed above for the locations approval status.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number (REQUIRED).
- (12) Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section item (15).
- (13) Check yes for Paint Required and designate "Orange" for color. Non required removal volumes may sometimes require blue paint.
- (14) Special Requests. These are requests that will be applied to ODF timber sales. All boxes applicable to the timber sales designated in the Exhibit C form must be "marked". If "Other" is indicated, it must contain a description and any necessary comments.
- (15) Use this space to designate any weight scale sample instructions or any other explanations to clarify scaling, processing and/or mailing requirements. If additional scaling locations are approved, revise original or current form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as indicated.
- (16) Require purchaser to sign and date completed form in addition to State Forester Representative, sign <u>and</u> print name on the form. Signatures not required on revisions.



Salem.

# Oregon Department of Forestry EXHIBIT C - PULP SORT PROCESSING INSTRUCTIONS - LOCATION APPROVAL BRAND INFORMATION

Astoria, NWOA

(1)	ORIGINAL REGISTI	RATION Date	(9)	SALE NAME:	Rapid Salvage	
	REVISION NUMBER	R Date	_	COUNTY:	Clatsop	
	CANCELLATION	□ Date	<del>-</del> (10)	STATE CONTRA	ACT NUMBER:	
(2)	TO:		<b>–</b> ` ´	AT-343-2026-W0	1308-01	
. ,	-	proved Pulp Processing Facility)	<del>-</del> (11)	STATE RRAND F	REGISTRATION NUMB	ED.
(3)	FROM: Astoria	Phone (503) 325-5451	, ,			<u></u>
(3)		orestry District)	_ (12)	STATE BRAND IN	NFORMATION:	
	•	WY 202		_		
	ASTOR	IA,OR 97103	_	7 .	· · /	
(4)	PURCHASER:	•	-	7		
(4)	_		•	(	)	
(5)	Scaling Bureau (TPS	60) Processing Weight receipts:		$\sim$	~	
	Mailing Address:		(12)	REMARKS:		
		,	(13)	REMARKS.		
	Phone Number:		"Mule Trains"			
					•	ets for each set of bunks.  d processed separately for
				gross and tar		
(6)	STATE Definition of Sort:	f Approved Pulp	Ope	rator's Name (Optic	onal inclusion by District	t):
		rae (tana)				
	<ul> <li>Top portion of the tr</li> <li>All logs with a diam</li> </ul>	ee (tops). eter (Big End) greater		0101117177		
	than <u>8</u> inches mark		(14) SIGNATURES:			
(7)		OCESSING INSTRUCTIONS:				
(7)	•		Purc	chaser or Authorize	d Representative	Date
	• One Ton = 2000 lb:	weighed in lieu of scaling.				
		,	Stat	e Forester Represe	untativo	Date
		ve a yellow Log Load Receipt attached.	Siai	e i orester iveprese	illative	Date
	<ul> <li>Gross weight and the machine printed on the machine pri</li></ul>	ruck tare weight for each load shall be he weight receipt.				
	Weigher shall sign the weight receipt.		Stat	State Forester Representative PRINT NAME		
	<ul> <li>Weigher shall recommended weight receipt.</li> </ul>	rd the Log Load Receipt number on the				
		th the Weight receipt to the Log Load m weekly to the TPSO processing the				
(8)	TPSO PROCESSIN	<u>G INSTRUCTIONS</u>				
	Submit data files d	aily (or each day of activity).				
	Mail or deliver scal	e tickets weekly to ODF Headquarters in				

Notify the District within one hour when branding is inadequate for quick identification, the logs are marked with orange paint, the receipts are missing, not correctly or completely filled out, and/or logs do not meet the specifications of the STATE definition of Approved Pulp Sort.



#### Oregon Department of Forestry EXHIBIT C - PULP SORT INSTRUCTIONS FOR EXHIBIT C

Astoria, NWOA

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers.
- (2) Approved Pulp Processing Facility. Write in as written in the Approved Log Delivery Location https://apps.odf.oregon.gov/Divisions/management/asset management/scalinglocation.asp
- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Third Party Scaling Organization that will be processing the weight tickets, mailing address, and phone number.

Columbia River Log Scaling & Grading Bureau P.O.Box 7002, Eugene, OR 97401 Phone: (541) 342-6007 Fax: (541) 342-2631 Email: <a href="mailto:services@crls.com">services@crls.com</a>

Mountain Western Log Scaling & Grading Bureau 2560 NW Medical Park Drive, Roseburg, OR 97471 Phone: (541) 673-5571 Fax: (541) 672-6381

Email: info@mwlsgb.com

Northwest Log Scalers Inc. 6137 NE 63rd St, Vancouver, WA, 98661 Phone: (360) 553-7212 ext. 4 Fax:(360) 553-7213

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc. 8288 28th Court North East, Lacey, WA 98516 Phone: (360) 528-8710 Fax: (360) 528-8718 Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O.Box 709, Forest Grove, OR 97116 Phone: (503) 359-4474 Fax: (503) 359-4476


Email: <a href="mailtog@frontier.com">yamhilllog@frontier.com</a>

- (6) Big end of log is not to exceed 2 inches greater than the minimum removal specifications in the contract. Example: Minimum removal specifications 6 inches and 20 board feet, then the Big end of log not to exceed 8 inches. When conifer and hardwood removal specifications are different, use the smaller removal diameter to determine this specification.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number (REQUIRED).
- (12) Show brand assigned to timber sale. One brand only, if more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (13).
- (13) Use this section to list any special instructions or the reason for any revisions in section item (1).
- (14) Require purchaser to sign and date completed form in addition to State Forester Representative, sign <u>and</u> print name on the form. Signatures not required on revisions.

#### **EXHIBIT D**

#### WATERBAR SPECIFICATIONS

PROFILE




SPACING OF	WATERBARS
<b>ROAD GRADE</b>	DISTANCE
< 6 %	400'
6 - 10 %	200'
11 - 15 %	150'
> 15 %	100'

#### **CROSS SECTION**

DITCHED

**OUTSLOPED** 




ROAD GRADE

BOTTOM OF WATERBAR

CONSTRUCT DITCHOUT THRU ANY EXISTING BERM. CROSS DRAINAGE GRADIENT MINIMUM 3%.

**PLAN VIEW** 



#### **OREGON DEPARTMENT of FISH and WILDLIFE**



#### **FISH SCREENING PROGRAM**

## SMALL PUMP SCREEN SELF CERTIFICATION

The Oregon Water Resources Department in coordination and cooperation with the Oregon Department of Fish and Wildlife includes screen requirements on pumps to protect fish as a condition of many surface water and/or reservoir water right permits. This is done in accordance with ORS 537.153.

The Oregon Department of Fish and Wildlife does not usually inspect small pump screens at **pumped diversions less than 225 gpm** (gallons per minute), but furnishes the following fish screening criteria information to the water right permit holder:

Screen material open area must be at least 27% of the total wetted screen area.

Perforated plate: Openings shall not exceed 3/32 or 0.0938 inches (2.38 mm).

**Mesh/Woven wire screen:** Square openings shall not exceed 3/32 or 0.0938 inches (2.38 mm) in the narrow direction, e.g., 3/32 inch x 3/32 inch open mesh.

**Profile bar screen/Wedge wire:** Openings shall not exceed 0.0689 inches (1.75 mm) in the narrow direction.

**Screen area** must be large enough not to cause fish impact. Wetted screen area depends on the water flow rate and the water approach velocity. **Approach velocity** is the water velocity perpendicular to and approximately three inches in front of any part of the screen face.

**An Active pump screen** is a self-cleaning screen that has a proven cleaning system. The **screen approach velocity for active pump screens** shall not exceed 0.4 fps (feet per second) or 0.12 mps (meters per second). The wetted screen area in square feet is calculated by dividing the maximum water flow rate in cubic feet per second (1 cfs = 449 gpm) by 0.4 fps.

A Passive pump screen is a screen that has no cleaning system other than periodic manual cleaning. Screen approach velocity for passive pump screens shall not exceed 0.2 fps or 0.06 mps. The wetted screen area in square feet is calculated by dividing the maximum water flow rate by 0.2 fps.

#### For further information on fish screening please contact:

Oregon Department of Fish and Wildlife, Statewide Fish Screening Coordinator: 503.947.6229 Oregon Department of Fish and Wildlife, Screening Program Administrative Specialist: 503.947.6224

As evidence of having met fish screen installation requirements, please sign the certification and send to: **Oregon Water Resources Department, Water Rights Section, 725 Summer Street NE, Suite A, Salem, OR 97301-1271.** 

that I will maintain it to con	t my small pumped diversion of the plant in ply with regulatory criteria. If to modify my installation to m	also understand that	t should fish screening stand	
Applicant Signature:		Date:/_/_	WRD File #:	_
Printed Name and Addres	s:			
Phone: ( )	Fax: ( )			