

#### **Oregon Department of Forestry**

2600 State St Salem OR 97310

## PART III: EXHIBITS **EXHIBIT B**

#### **TIMBER SALE OPERATIONS PLAN**

(See page 2 for instructions)

Date Received by State	:			(5) State B	rand Information ( Co	emplete)
(1) Contract Number:	FG-341-2026-W01283-01					
(2) Sale Name:	Beaver Power					
(3) Contract Expiration [	ract Expiration Date: 10/31/2028					
(4) Purchaser Name:						
(6) State Representative	es:					
Name		Circle C	<u>ne</u>	Phone No.	Cell No.	Alt Phone
		Logging Pro	ects All			
		Logging Pro	ects All			
		Logging Pro	ects All			
		Logging Pro	ects All			
(7) Purchaser Representatives:  Name		Circle One		Phone No.	Cell No.	Alt Phone
		Logging Pro	jects All			
		Logging Pro	jects All			1
		Logging Pro	jects All			
Loggin		Logging Pro	jects All			
		Logging Pro	jects All			1
		Logging Pro	jects All			1
		Logging Proje				1
8) Name of Subcontracto	ors and Start I	Dates:		J [	J [	
Project No. Subcont	ractor Name	. Start [	<u>Date</u>	Completion Date	Cell No.	Alt Phone
Sub	contractor N	ame.	<u>s</u>	start Date	Cell No.	Alt Phone
FELLING						
/ARDING						
9) Comments:						

<sup>(10)</sup> Operations Map: Attach a copy of timber sale Exhibit A or other suitable map which plainly shows the items listed on the instruction sheet.



### Oregon Department of Forestry

2600 State St Salem OR 97310 PART III: EXHIBITS

## EXHIBIT B INSTRUCTION SHEET FOR OPERATIONS PLAN

#### SUBMIT ONE COPY OF PLAN TO STATE

Operations shall be limited to the work shown in the plan until a revised plan or supplemental plan is submitted covering additional work. Compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act including without limitation PURCHASER'S independent obligation to avoid take of a T&E species and PURCHASER'S obligation to comply with terms and conditions of any incidental take Permit(s) that include required minimization and mitigation measures in any applicable Habitat Conservation Plan. If STATE has prepared a required Forest Practices Act (FPA) "Written Plan" for operations, PURCHASER shall comply with all provisions of the Written Plan.

#### **Explanation of Item No.(from Page 1)**

- (5) All sales require you to use a brand furnished by STATE. If the State brand has not been assigned when the plan is submitted, it will be furnished and assigned later. Complete drawing. If more than one brand is assigned to the sale, complete both drawings.
- (6) The contract requires you to have a designated representative available on the sale area or work location who is authorized to receive in your behalf any notice or instruction given by STATE and to take action in regard to performance under the contract. If logging and project work is widely separated, a representative is required for each.
- (7) The STATE representative will be designated when your plan is approved and is the person who will inspect and issue instructions regarding performance.
- (8) Show names of subcontractors to be used for any or all phases of the operations. If subcontractors are not Known, or are changed later, give notification to the STATE representative prior to commencement of work by subcontractor.
- (9) Show projected dates for commencement of both projects and logging. If projected dates need to be changed at a later date, notification must be given to the STATE representative by supplemental plan or otherwise, prior to commencement of such operations.
- (10) The STATE representative will furnish extra copies of Exhibit A of the contract for your use in preparing the operations map. The map shall use the following legend and show:
  - 1. Landing locations, approximate setting boundaries, and probable sequence of logging the settings. Number the settings in sequence.
  - 2. Locations of spur roads planned for construction, other than required by the timber sale contract. Provide spur road specifications
  - 3. Locations of proposed tractor yarding roads. Show if and how marked on the ground.
  - 4. Locations of temporary stream crossings.
  - 5. List the sequence of performing project work.
  - 6. Location of rock sources attach pit development plans.

Cable Landing, with numbers for sequence.

Tractor Landing with alphabetical sequence.

Approximate setting boundary.

Spur truck roads.

Tractor yarding roads.

X Temporary stream crossings.




### Oregon Department of Forestry 2600 State St Salem OR 97310


# PART III: EXHIBITS EXHIBIT B OPERATIONS PLAN

#### **Completion Timeline**

Indicate on the appropriate timeline below, the dates by which you plan to complete the work as required under this contract. The purpose of this section is to develop a plan that will ensure you complete the work as required, and meet the interim completion date(s) and contract expiration date. This plan is incorporated and made a part of the contract. When, in the opinion of STATE, operations are not commencing in a manner that meets the intent of this plan, you may be placed in violation of contract and your operations suspended until an amended plan is submitted and approved by STATE.



Harvest & Other Requirements



The Federal Endangered Species Act (ESA) prohibits a person from taking any federally listed threatened or endangered species. Taking under the federal ESA may include alteration of habitat. STATE's approval of this plan does not certify that PURCHASER's operation under the plan is lawful under the federal ESA or that the plan is consistent with the terms and conditions of any applicable incidental take Permit(s) including any required minimization and mitigation measures proposed in the applicable Habitat Conservation Plan. As provided in the timber sale contract, PURCHASER's must comply with all applicable state, federal, and local laws, including without limitation any Permit(s) issued thereunder.

PURCHASER's compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act.

APPROVED; Date:	SUBMITTED BY:
STATE OF OREGON - DEPARTMENT OF FORESTRY	PURCHASER
Title	



# Oregon Department of Forestry EXHIBIT C - SAWMILL GRADE (WESTSIDE SCALE) SCALING INSTRUCTIONS - LOCATION APPROVAL - BRAND INFORMATION Forest Grove - NWOA

REVISION NUMBER 0.00 Date CANCELLATION Date CANCELLATION Date (2) TO: (Third Party Scaling Organization) (3) FROM: Forest Grove Phone (503) 357-2191 (State Forestry District) Address: 801 GALES CRK RD FOREST GROVE, OR 97116-1199 (4) PURCHASER: Mailing Address: Phone Number: (5) MINIMUM SCALING SPECIFICATIONS SPECIES MINIMUM NET VOLUME Conifers 10 Hardwoods 10  "Apply minimum volume test to whole logs over 40" Westside (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40". YES NO (7) Weight Scale Sample Date Docations web-site) (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site) (9) APPROVED SCALING Scale Sample Date Docations web-site) (15) REMARKS: "Mule Trains" 1. Loads are required to have load tickets for each set of bounks. 2. If truck and pup are to be weighed, weigh and process separately for gross and ture weights.  Departure of Authorized Representative Date  State Forester Representative Date	(1) ORIGINAL REGISTRATION   Date				(9) SALE NAME: Beaver Power		
(2) TO: (Third Party Scaling Organization) (Third Party Scaling Organization) (Third Party Scaling Organization) (Stafe Forestry District) (Stafe Forestry District) (Stafe Forestry District) (Address: 801 GALES CKR D FOREST GROVE.OR 97116-1199 (4) PURCHASER: Mailing Address: Minimum Scaling Specifications (5) Minimum Scaling Specifications (5) Minimum Scaling Specifications (5) Minimum Scaling Specifications (6) Minimum Scaling Specifications (7) Weight Scale Sample (8) APPROVED SCALIE: Use Region 6 actual taper rule. Logs over 40'. YES NO (7) Weight Scale Sample (9) Per Scaling (1) Party Scale Scaling (1) Scale Scale Scaling (1) Scale Scaling (1) Scale Scal	REVISION NUMBER 000 □ Date				COUNTY: Tillamook		
(Third Party Scaling Organization) (State Forest Grove Phone (503) 357-2191 (State Forestry District) Address: 801 GALES CKR CD FOREST GROVE, OR 97116-1199  (4) PURCHASER: Mailing Address: Phone Number:  (5) MINIMUM SCALING SPECIFICATIONS SPECIES MINIMUM NET VOLUME Conifers 10 Hardwoods 10 Hardwoods 10  WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO (7) Weight Scale Sample	CANCELLATION   Date				(10) STATE CONTRACT NUMBER:		
(3) FROM: Forest Grove Phone (503) 357-2191 (State Forestry District) Address: 801 GALES CRK RD FOREST GROVE_OR 97116-1199 (4) PURCHASER: Mailing Address:  Phone Number:  (5) MINIMUM SCALING SPECIFICATIONS SPECIES MINIMUM NET VOLUME Conifers 10 Hardwoods 10  "Apply minimum volume test to whole logs over 40' Westside (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO (7) Weight Scale Sample   (8) APPROVED SCALING to Approved Localions web-sile )  (8) APPROVED SCALING to Approved Localions web-sile )  (9) STATE BRAND INFORMATION:  (12) STATE BRAND INFORMATION:  (13) PAINT REQUIRED: YES © COLOR: Orange  (14) SPECIAL REQUESTS (Check applicable)  PELABLE CULL (all species)	(2) TO:				` '		
(State Forestry District) Address: 801 GALES CRX RD FOREST GROVE, OR 97116-1199  (4) PURCHASER: Mailing Address:  Phone Number:  [5) MINIMUM SCALING SPECIFICATIONS  SPECIES MINIMUM NET VOLUME  Conifers 10 Hardwoods 10  *Apply minimum volume test to whole logs over 40' Westside (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample					(11) STATE BRAND REGISTRATION NUMBER:		
Address: 801 GALES CRK RD FOREST GROVE, OR 97116-1199  (4) PURCHASER: Mailing Address:  Phone Number:  (5) MINIMUM SCALING SPECIFICATIONS  SPECIES MINIMUM NET VOLUME Conifers 10 Hardwoods 10  "Apply minimum volume test to whole logs over 40" Westside (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40".  YES NO (7) Weight Scale Sample	(3) FROM: Forest Grove Phone (503) 357-2191						
FOREST GROVE, OR 97116-1199  (4) PURCHASER: Mailing Address:  Phone Number:  (5) MINIMUM SCALING SPECIFICATIONS  SPECIES MINIMUM NET VOLUME  Conifers 10  Hardwoods 10  "Apply minimum volume test to whole logs over 40" Westside (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40".  YES NO  (7) Weight Scale Sample 2  (8) APPROVED SCALING 10 2 3 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	·				(12) STATE BRAND INFORMATION:		
Apply minimum volume test to whole logs over 40' Westside					<u></u>		
Mailing Address:    Phone Number:	FORES	ST GROVE,OR 97116-1	199		-		
Phone Number:  (5) MINIMUM SCALING SPECIFICATIONS  SPECIES MINIMUM NET VOLUME  Conifers 10  Hardwoods 10  *Apply minimum volume test to whole logs over 40' Westside  (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample	(4) PURCHASER:				_ ) (		
(5) MINIMUM SCALING SPECIFICATIONS  SPECIES MINIMUM NET VOLUME  Conifers 10  Hardwoods 10  *Apply minimum volume test to whole logs over 40' Westside (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample	Mailing Address:						
(5) MINIMUM SCALING SPECIFICATIONS  SPECIES MINIMUM NET VOLUME  Conifers 10  Hardwoods 10  *Apply minimum volume test to whole logs over 40' Westside (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample							
(5) MINIMUM SCALING SPECIFICATIONS  SPECIES MINIMUM NET VOLUME  Conifers 10  Hardwoods 10  *Apply minimum volume test to whole logs over 40' Westside (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample	Phone Number				-		
SPECIES MINIMUM NET VOLUME  Conifers 10  Hardwoods 10  *Apply minimum volume test to whole logs over 40' Westside  (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample			ATIONO		(19)		
Conifers  Hardwoods  10  Hardwoods  10  Apply minimum volume test to whole logs over 40' Westside  (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (as hown on the ODF Approved Locations web-site)  (b) COPER SIGNATURES:  (15) REMARKS:  "Mule Trains"  1. Loads are required to have load tickets for each set of bunks.  2. If truck and pup are to be weighed, weigh and process something to gross and tare weights.  Operator's Name (Optional inclusion by District):  (16) SIGNATURES:  Purchaser or Authorized Representative Date		CALING SPECIFICA	ATIONS		COLOR: Orange		
Hardwoods 10  *Apply minimum volume test to whole logs over 40' Westside  (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  PEELABLE CULL (all species)		MINIMUM NET VOLUME			(14) SPECIAL REQUESTS (Check applicable)		
*Apply minimum volume test to whole logs over 40' Westside  (6) WESTSIDE SCALE:  Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (9) APPROVED SCALING (as shown on the ODF Approved Locations web-site)  (15) REMARKS:  "Mule Trains"  1. Loads are required to have load tickets for each set of bunks.  2. If truck and pup are to be weighed, weigh and process separately for gross and tare weights.  Operator's Name (Optional inclusion by District):  (16) SIGNATURES:  Purchaser or Authorized Representative Date  State Forester Representative Date					PEELABLE CULL (all species) ☑		
*Apply minimum volume test to whole logs over 40' Westside  (6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (as phown on the ODF Approved Locations web-site)  (b) WESTSIDE SCALE:  OTHER:  (15) REMARKS:  "Mule Trains"  1. Loads are required to have load tickets for each set of bunks.  2. If truck and pup are to be weighed, weigh and process separately for gross and tare weights.  Operator's Name (Optional inclusion by District):  (16) SIGNATURES:  Purchaser or Authorized Representative Date	Hardwoods	10					
(6) WESTSIDE SCALE: Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (8) STATE OF THE STANDARD LOCATIONS (AS SHOWN ON THE ODE Approved Locations web-site)  (8) APPROVED SCALING LOCATIONS (AS SHOWN ON THE ODE Approved Locations web-site)  (9) DE STATE OF THE STANDARD LOCATIONS (ADD-BACK VOLUME - Deductions due to delay  (15) REMARKS:  "Mule Trains"  1. Loads are required to have load tickets for each set of bunks.  2. If truck and pup are to be weighed, weigh and process separately for gross and tare weights.  Operator's Name (Optional inclusion by District):  (16) SIGNATURES:  Purchaser or Authorized Representative Date	***************************************		401.14/	-14-	MECHANICAL DAMAGE		
Use Region 6 actual taper rule. Logs over 40'.  YES NO  (7) Weight Scale Sample  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  PROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  Separately for gross and tare weights.  Operator's Name (Optional inclusion by District):  (16) SIGNATURES:  Purchaser or Authorized Representative Date  State Forester Representative Date		_	over 40° West	side	ADD-BACK VOLUME - Deductions due to delay ☑		
YES NO  (7) Weight Scale Sample  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (9) PL Signature  (15) REMARKS:  "Mule Trains"  1. Loads are required to have load tickets for each set of bunks.  2. If truck and pup are to be weighed, weigh and process separately for gross and tare weights.  Operator's Name (Optional inclusion by District):  (16) SIGNATURES:  Purchaser or Authorized Representative Date  State Forester Representative Date	` '		1		OTHER:		
(7) Weight Scale Sample  (8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  (9) Py	Ose Negion o actual	_					
(8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)  PERFORM  IN THE STATE OF TH		_			(15) REMARKS:		
LOCATIONS (as shown on the ODF Approved Locations web-site)  Decidions w	(7) Weight Scale Sam	ple ⊔					
Operator's Name (Optional inclusion by District):  (16) SIGNATURES:  Purchaser or Authorized Representative Date  State Forester Representative Date		LING မွှ	ᄝᅵᇴᅵᅟᅟᅟᅟᅟᅟᅟᅟᅟ	Jht.			
Operator's Name (Optional inclusion by District):  (16) SIGNATURES:  Purchaser or Authorized Representative Date  State Forester Representative Date	(as shown on the ODF Appro	ved <b>2</b>	≺ar  Tu	Veiç	If truck and pup are to be weighed, weigh and process		
(16) SIGNATURES:  Purchaser or Authorized Representative Date  State Forester Representative Date	Locations web-site )	σ σ		<del> </del>			
Purchaser or Authorized Representative Date  State Forester Representative Date							
State Forester Representative Date					(10)		
State Forester Representative Date							
					Purchaser or Authorized Representative Date		
					State Forester Representative Date		
State Ferenter Penrocentative DDINT NAME					Ciato i Grocio Reprosentative Date		
					State Forester Penrogentative DDINT NAME		



# Oregon Department of Forestry EXHIBIT C - SAWMILL GRADE INSTRUCTIONS FOR EXHIBIT C Forest Grove - NWOA

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers.
- (2) Designate Third Party Scaling Organization (TPSO).

Columbia River Log Scaling & Grading Bureau P.O.Box 7002, Eugene, OR 97401

Phone: (541) 342-6007 Fax: (541) 342-2631

Email: services@crls.com

Mountain Western Log Scaling & Grading Bureau 2560 NW Medical Park Drive, OR 97471 Phone: (541) 673-5571 Fax: (541) 672-6381

Email: info@mountainwestern.com

Northwest Log Scalers Inc.

6137 NE 63rd St, Vancouver, WA, 98661

Phone: (360) 553-7212 ext. 4 Fax:(360) 553-7213

Email: info@nwlogscalers.com

Pacific Rim Log Scaling Bureau, Inc. 8288 28th Court North East, Lacey, WA 98516 Phone: (360) 528-8710 Fax: (360) 528-8718

Email: office@prlsb.com

Yamhill Log Scaling & Grading Bureau P.O.Box 709, Forest Grove, OR 97116 Phone: (503) 359-4474 Fax: (503) 359-4476

Email: <a href="mailtog@frontier.com">yamhilllog@frontier.com</a>

- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Minimum Scaling Specifications.
- (6) Westside Region 6 actual taper segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs - All Species - State Forestry Department Scaling Practices (Westside).
- (7) Weight Scale Sample Check box if sale is to be a Weight Scale Sample. All specifies for handling, scaling and processing will be attached or explained in the Remarks section item (15).
- (8) Show scaling locations only applicable to TPSO. Location name should appear as it does on the ODF Approved Scaling Location web site: https://apps.odf.oregon.gov/Divisions/management/asset\_management/scalinglocation.asp\_Locations with scaling and processing directions specific to their location should be on a separate form. Species should be identified if not capable of receiving "all" species. Check appropriate box for either: yard, truck scale, or weight. Refer to the web site listed above for the locations approval status.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number (REQUIRED).
- (12) Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section item (15).
- (13) Check yes for Paint Required and designate "Orange" for color. Non required removal volumes may sometimes require blue paint.
- (14) Special Requests. These are requests that will be applied to ODF timber sales. All boxes applicable to the timber sales designated in the Exhibit C form must be "marked". If "Other" is indicated, it must contain a description and any necessary comments.
- (15) Use this space to designate any weight scale sample instructions or any other explanations to clarify scaling, processing and/or mailing requirements. If additional scaling locations are approved, revise original or current form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as indicated.
- (16) Require purchaser to sign and date completed form in addition to State Forester Representative, sign <u>and</u> print name on the form. Signatures not required on revisions.

#### **EXHIBIT D**

#### SPECIFICATIONS FOR BRUSH AND SLASH SHOVEL PILING

#### Description of Work to be Done

Areas designated for work under the contract shall be treated according to the specifications given below:

<u>Clearing</u> - brush, logging Slash, and other debris shall be cleared from planting sites and piled in windrows or piles, so that 80 percent or more of the soil organic layer is exposed. All woody vegetation other than trees is defined as brush in this exhibit. Stumps, however, shall be placed separately, in small clumps for wildlife.

<u>In-Unit Piles</u> - shall be located at least 75 feet apart and shall be no more than 75 feet long. Piles shall be located inside the sale area designated for piling and shall be more than 50 feet from any cutting edge, standing tree, or existing road. Logs that do not meet Section 2045 Log Removal requirements, chunks larger than 12 inches diameter, and stumps shall be left scattered in the Unit for wildlife habitat away from roads and landings.

<u>Pile Construction</u> - all landing piles, and in-unit piles greater than 9 feet by 9 feet by 9 feet, shall have no smaller than a 200 square feet of polyethylene plastic sheeting or enough to cover 50% of the pile. Start the pile with good burnable material such as conifer limbs and chunks, 6 to 8 feet high, add plastic, and complete the pile with Slash on the plastic.

<u>Protective Measures</u> - shall comply with Oregon Forest Practice Rules issued per ORS 527.610 to 527.992. Examples of protective measures are: (1) waterbarring tractor trails where necessary to prevent runoff toward streams; (2) not windrowing in streams or streamways; and (3) leaving Stream Buffers along designated streams.

Work specifications may be modified or waived only upon written notice from STATE.

#### **EXHIBIT D**

#### SPECIFICATIONS FOR BRUSH AND SLASH SHOVEL PILING

#### Equipment Type, Equipment Operation, and Conduct of Work

The specifications given below are requirements for equipment type, equipment operation, and conduct of work under the contract.

<u>Shovel</u> - shall be a track-mounted machine with a ground-pressure rating of not more than  $\underline{6.8}$  PSI and a net horsepower of  $\underline{85}$  or more. The machine shall be capable of a minimum horizontal reach of  $\underline{26}$  feet and a minimum vertical reach of 16 feet.

Log Loader – shovel: Grapple with rake attachment shall be a hydraulically controlled, with a 360-degree
continuous rotation, and tooth length on rake arm shall be greater than 14 inches long, unless otherwise
approved in writing by STATE.

Equipment	Rate	Acres	Appraised Value
Log Loader	\$250 / acre	32	\$8,000

<u>Operator</u> - must be experienced in operating similar equipment on land clearing operations, be able to operate the equipment proficiently, and pile the debris on the area as directed by STATE.

<u>Support</u> - including transport, other equipment, replacements, supplies, maintenance, and repairs shall be furnished as required to complete work; and shall be furnished without cost to STATE, other than as agreed under the contract terms.

<u>Work Scheduling</u> - work shall be accomplished only during dry weather conditions, and started within 14 calendar days after completion of yarding activities on the Timber Sale Area. Operations shall provide for continual operation until contract work is completed, unless interrupted by poor weather, fire closures, or other uncontrollable circumstances. Equipment breakdowns shall be repaired without undue delay, and provision shall be made for replacement of equipment to prevent prolonged delays. Piling operation shall not be allowed when operations might damage sites or affect stream flows. Any exception to these instructions must be authorized in writing by STATE.

STATE Representative - shall provide directions for the conduct of work according to specifications.

#### **EXHIBIT E**

#### WATERBAR SPECIFICATIONS

PROFILE


# DITCHED AND OUTSLOPED 5' DIRECTION OF FLOW 8-12" ROAD GRADE

SPACING OF WATERBARS		
ROAD GRADE	DISTANCE	
< 6 %	400'	
6 - 10 %	200'	
11 - 15 %	150'	
> 15 %	100'	

#### CROSS SECTION

# DITCHED TOP OF WATERBAR ROAD GRADE BOTTOM OF WATERBAR BOTTOM OF WATERBAR BOTTOM OF WATERBAR

CONSTRUCT DITCHOUT THRU ANY EXISTING BERM. CROSS DRAINAGE GRADIENT MINIMUM 3%.



#### **EXHIBIT F**

#### SEEDING AND MULCHING

This work shall consist of preparing seedbeds and furnishing and placing required native seed, fertilizer, and straw mulch. Straw mulch shall consist of straw that is free of noxious weeds. Apply seed and fertilizer to all waste areas, and bare soils.

<u>Seeding Seasons</u>. Seeding shall be performed only from <u>March 1</u> through <u>June 15</u> and <u>August 15</u> through <u>October 31</u>. Seeding materials shall not be applied during windy weather or when the ground is excessively wet or frozen. Areas of disturbed soil shall be seeded by the end of the project period in which work was started. PURCHASER shall notify STATE within 24 hours of seeding and fertilizer application.

#### APPLICATION METHODS FOR SEED AND FERTILIZER

<u>Dry Method</u>. Mechanical seeders, seed drills, landscape seeders, cultipacker seeders, fertilizer spreaders, or other approved mechanical seeding equipment shall be used to apply the seed and fertilizer in the amounts and mixtures specified. Hand-operated seeding devices may be used when seed and fertilizer are applied in dry form.

#### APPLICATION RATES FOR SEED AND FERTILIZER

<u>Native Grass Seed</u>. Listed grass seed below shall be applied at specific broadcast rates that coincide with grass seed selected by purchaser in accordance with the table below. The seed mixture shall be approved by STATE or comprised of at least three of the following and sufficiently mixed before application:

Native Grass Species	lbs	Coverage Ft^2	Broadcast Rate Ibs/acre
Barley Meadow	1	1740	50-62.5
Bentgrass Spike	1	43560	2-2.5
Bluegrass Pine	1	21780	2-2.5
Brome Alaska	1	1980	2-2.5
Brome California	1	1740	50-62.5
Brome Columbia	1	1980	44-55
Fescue Native Red	1	2200	20-25
Fescue Roemers	1	3630	24-30
Fescue sand	1	3110	28-35
Fescue Western	1	2900	15
Hairgrass Slender	1	7260	12-15
Hairgrass Tufted	1	10890	8-10
Junegrass Prairie	1	43560	2-2.5
Lemmons Needlegrass	1	2900	30-37.5
Oatgrass California	1	1240	70-87.5
Sloughgrass American	1	4355	20-25
Wheatgrass Slender	1	2180	20
Wildrye Blue	1	2175	40-50

<u>Fertilizer</u>: Chemical analysis shall be 16-20-0 and shall be applied at the rate of 200 pounds per acre. Fertilizer shall not be applied within 100 feet of streams.

Mulching Period. Straw mulch shall be applied within 24 hours of spreading grass seed and fertilizer.

## EXHIBIT F APPLICATION RATES FOR MULCH

Place straw mulch to a reasonably uniform thickness of $1\frac{1}{2}$ to $2\frac{1}{2}$ inches. This rate requires between 2 and 3 tons of dry mulch per acre.	