



**Oregon Department of Forestry**

2600 State St Salem OR 97310

PART III: EXHIBITS

**EXHIBIT B**

**TIMBER SALE OPERATIONS PLAN**

(See page 2 for instructions)

Date Received by State: \_\_\_\_\_

(5) State Brand Information ( Complete)

(1) Contract Number: NC-341-2026-GF9A23-01

(2) Sale Name: Humbug GNA

(3) Contract Expiration Date: 10/31/2027

(4) Purchaser Name: \_\_\_\_\_

(6) State Representatives:

| <u>Name</u> | <u>Circle One</u>    | <u>Phone No.</u> | <u>Cell No.</u> | <u>Alt Phone</u> |
|-------------|----------------------|------------------|-----------------|------------------|
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |

(7) Purchaser Representatives:

| <u>Name</u> | <u>Circle One</u>    | <u>Phone No.</u> | <u>Cell No.</u> | <u>Alt Phone</u> |
|-------------|----------------------|------------------|-----------------|------------------|
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |
|             | Logging Projects All |                  |                 |                  |

(8) Name of Subcontractors and Start Dates:

| <u>Project No.</u> | <u>Subcontractor Name.</u> | <u>Start Date</u> | <u>Completion Date</u> | <u>Cell No.</u> | <u>Alt Phone</u> |
|--------------------|----------------------------|-------------------|------------------------|-----------------|------------------|
|                    |                            |                   |                        |                 |                  |
|                    |                            |                   |                        |                 |                  |
|                    |                            |                   |                        |                 |                  |
|                    |                            |                   |                        |                 |                  |

|         | <u>Subcontractor Name.</u> | <u>Start Date</u> | <u>Cell No.</u> | <u>Alt Phone</u> |
|---------|----------------------------|-------------------|-----------------|------------------|
| FELLING |                            |                   |                 |                  |
| YARDING |                            |                   |                 |                  |

(9) Comments:

---



---



---

(10) Operations Map: Attach a copy of timber sale Exhibit A or other suitable map which plainly shows the items listed on the instruction sheet.



# Oregon Department of Forestry

2600 State St Salem OR 97310

PART III: EXHIBITS

## EXHIBIT B


### INSTRUCTION SHEET FOR OPERATIONS PLAN

#### SUBMIT ONE COPY OF PLAN TO STATE

Operations shall be limited to the work shown in the plan until a revised plan or supplemental plan is submitted covering additional work. Compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act including without limitation PURCHASER'S independent obligation to avoid take of a T&E species and PURCHASER'S obligation to comply with terms and conditions of any incidental take Permit(s) that include required minimization and mitigation measures in any applicable Habitat Conservation Plan. If STATE has prepared a required Forest Practices Act (FPA) "Written Plan" for operations, PURCHASER shall comply with all provisions of the Written Plan.

#### Explanation of Item No.(from Page 1)

- (5) All sales require you to use a brand furnished by STATE. If the State brand has not been assigned when the plan is submitted, it will be furnished and assigned later. Complete drawing. If more than one brand is assigned to the sale, complete both drawings.
- (6) The contract requires you to have a designated representative available on the sale area or work location who is authorized to receive in your behalf any notice or instruction given by STATE and to take action in regard to performance under the contract. If logging and project work is widely separated, a representative is required for each.
- (7) The STATE representative will be designated when your plan is approved and is the person who will inspect and issue instructions regarding performance.
- (8) Show names of subcontractors to be used for any or all phases of the operations. If subcontractors are not Known, or are changed later, give notification to the STATE representative prior to commencement of work by subcontractor.
- (9) Show projected dates for commencement of both projects and logging. If projected dates need to be changed at a later date, notification must be given to the STATE representative by supplemental plan or otherwise, prior to commencement of such operations.
- (10) The STATE representative will furnish extra copies of Exhibit A of the contract for your use in preparing the operations map. The map shall use the following legend and show:
  1. Landing locations, approximate setting boundaries, and probable sequence of logging the settings. Number the settings in sequence.
  2. Locations of spur roads planned for construction, other than required by the timber sale contract. Provide spur road specifications
  3. Locations of proposed tractor yarding roads. Show if and how marked on the ground.
  4. Locations of temporary stream crossings.
  5. List the sequence of performing project work.
  6. Location of rock sources - attach pit development plans.






**Oregon Department of Forestry**  
**2600 State St Salem OR 97310**  
**PART III: EXHIBITS**  
**EXHIBIT B**  
**OPERATIONS PLAN**


### Completion Timeline

Indicate on the appropriate timeline below, the dates by which you plan to complete the work as required under this contract. The purpose of this section is to develop a plan that will ensure you complete the work as required, and meet the interim completion date(s) and contract expiration date. This plan is incorporated and made a part of the contract. When, in the opinion of STATE, operations are not commencing in a manner that meets the intent of this plan, you may be placed in violation of contract and your operations suspended until an amended plan is submitted and approved by STATE.

#### Projects



#### Harvest & Other Requirements



The Federal Endangered Species Act (ESA) prohibits a person from taking any federally listed threatened or endangered species. Taking under the federal ESA may include alteration of habitat. STATE's approval of this plan does not certify that PURCHASER's operation under the plan is lawful under the federal ESA or that the plan is consistent with the terms and conditions of any applicable incidental take Permit(s) including any required minimization and mitigation measures proposed in the applicable Habitat Conservation Plan. As provided in the timber sale contract, PURCHASER's must comply with all applicable state, federal, and local laws, including without limitation any Permit(s) issued thereunder.

PURCHASER's compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act.

APPROVED; Date: \_\_\_\_\_

SUBMITTED BY:  
PURCHASER

STATE OF OREGON - DEPARTMENT OF  
FORESTRY

\_\_\_\_\_  
Title \_\_\_\_\_

\_\_\_\_\_  
Title \_\_\_\_\_



**Oregon Department of Forestry**  
**EXHIBIT C - SAWMILL GRADE (WESTSIDE SCALE)**  
**SCALING INSTRUCTIONS - LOCATION APPROVAL - BRAND INFORMATION**  
**North Cascade - NWOA**

(1) ORIGINAL REGISTRATION ☐ Date \_\_\_\_\_  
REVISION NUMBER 000 ☐ Date \_\_\_\_\_  
CANCELLATION ☐ Date \_\_\_\_\_

(2) TO: \_\_\_\_\_  
(Third Party Scaling Organization)

(3) FROM: North Phone (503) 859-2151  
Cascade  
(State Forestry District)  
Address: 930 W WASHINGTON ST. SUITE 20  
STAYTON, OR 97383

(4) PURCHASER: \_\_\_\_\_  
Mailing Address: \_\_\_\_\_  
Phone Number: \_\_\_\_\_

| (5) MINIMUM SCALING SPECIFICATIONS |                    |
|------------------------------------|--------------------|
| SPECIES                            | MINIMUM NET VOLUME |
| Conifers                           | 10                 |
| Hardwoods                          | 10                 |
|                                    |                    |

\*Apply minimum volume test to whole logs over 40' Westside

(6) WESTSIDE SCALE:  
Use Region 6 actual taper rule. Logs over 40'.

(7) Weight Scale Sample ☐ YES ☒ NO


| (8) APPROVED SCALING LOCATIONS<br>(as shown on the ODF Approved Locations web-site ) | Species | Yard | Truck | Weight |
|--|---------|------|-------|--------|
|  |         |      |       |        |
|  |         |      |       |        |
|  |         |      |       |        |
|  |         |      |       |        |
|  |         |      |       |        |
|  |         |      |       |        |
|  |         |      |       |        |

(9) SALE NAME: Humbug GNA  
COUNTY: Marion

(10) STATE CONTRACT NUMBER:  
NC-341-2026-GF9A23-01

(11) STATE BRAND REGISTRATION NUMBER:  
\_\_\_\_\_

(12) STATE BRAND INFORMATION:



(13) PAINT REQUIRED: YES ☒  
COLOR: Orange

| (14) SPECIAL REQUESTS (Check applicable)                 |                                     |
|--|-------------------------------------|
| PEELABLE CULL (all species).....                         | <input checked="" type="checkbox"/> |
| <b>NO DEDUCTIONS ALLOWED FOR MECHANICAL DAMAGE</b> ..... | <input checked="" type="checkbox"/> |
| ADD-BACK VOLUME - Deductions due to delay...             | <input checked="" type="checkbox"/> |
| OTHER :  |                                     |

(15) REMARKS:  
"Mule Trains"  
1. Loads are required to have load tickets for each set of bunks.  
2. If truck and pup are to be weighed, weigh and process separately for gross and tare weights.

Operator's Name (Optional inclusion by District): \_\_\_\_\_

(16) SIGNATURES:

\_\_\_\_\_  
Purchaser or Authorized Representative Date

\_\_\_\_\_  
State Forester Representative Date

\_\_\_\_\_  
State Forester Representative PRINT NAME



**Oregon Department of Forestry**  
**EXHIBIT C - SAWMILL GRADE**  
**INSTRUCTIONS FOR EXHIBIT C**  
**North Cascade - NWOA**

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers.

- (2) Designate Third Party Scaling Organization (TPSO).

Columbia River Log Scaling & Grading Bureau  
P.O.Box 7002, Eugene, OR 97401  
Phone: (541) 342-6007 Fax: (541) 342-2631  
Email: [services@crls.com](mailto:services@crls.com)

Mountain Western Log Scaling & Grading Bureau  
2560 NW Medical Park Drive, OR 97471  
Phone: (541) 673-5571 Fax: (541) 672-6381  
Email: [info@mountainwestern.com](mailto:info@mountainwestern.com)

Northwest Log Scalpers Inc.  
6137 NE 63rd St, Vancouver, WA, 98661  
Phone: (360) 553-7212 ext. 4 Fax: (360) 553-7213  
Email: [info@nwlogscalpers.com](mailto:info@nwlogscalpers.com)

Pacific Rim Log Scaling Bureau, Inc.  
8288 28th Court North East, Lacey, WA 98516  
Phone: (360) 528-8710 Fax: (360) 528-8718  
Email: [office@prlsb.com](mailto:office@prlsb.com)

Yamhill Log Scaling & Grading Bureau  
P.O.Box 709, Forest Grove, OR 97116  
Phone: (503) 359-4474 Fax: (503) 359-4476  
Email: [yamhilllog@frontier.com](mailto:yamhilllog@frontier.com)

- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Minimum Scaling Specifications.
- (6) Westside - Region 6 actual taper segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs - All Species - State Forestry Department Scaling Practices (Westside).
- (7) Weight Scale Sample - Check box if sale is to be a Weight Scale Sample. All specifics for handling, scaling and processing will be attached or explained in the Remarks section item (15).
- (8) Show scaling locations only applicable to TPSO. Location name should appear as it does on the ODF Approved Scaling Location web site: [https://apps.odf.oregon.gov/Divisions/management/asset\\_management/scalinglocation.asp](https://apps.odf.oregon.gov/Divisions/management/asset_management/scalinglocation.asp) Locations with scaling and processing directions specific to their location should be on a separate form. Species should be identified if not capable of receiving "all" species. Check appropriate box for either: yard, truck scale, or weight. Refer to the web site listed above for the locations approval status.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number (**REQUIRED**).
- (12) Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section item (15).
- (13) Check yes for Paint Required and designate "Orange" for color. Non required removal volumes may sometimes require blue paint.
- (14) Special Requests. These are requests that will be applied to ODF timber sales. All boxes applicable to the timber sales designated in the Exhibit C form must be "marked". If "Other" is indicated, it must contain a description and any necessary comments.
- (15) Use this space to designate any weight scale sample instructions or any other explanations to clarify scaling, processing and/or mailing requirements. If additional scaling locations are approved, revise original or current form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as indicated.
- (16) Require purchaser to sign and date completed form in addition to State Forester Representative, sign and print name on the form. Signatures not required on revisions.



Oregon Department of Forestry  
**EXHIBIT C - PULP SORT**  
**PROCESSING INSTRUCTIONS - LOCATION APPROVAL**  
**BRAND INFORMATION**

North Cascade, NWOA

(1) ORIGINAL REGISTRATION ☐ Date \_\_\_\_\_  
REVISION NUMBER 000 ☐ Date \_\_\_\_\_  
CANCELLATION ☐ Date \_\_\_\_\_

(9) **SALE NAME:** Humbug GNA

COUNTY: Marion

(10) **STATE CONTRACT NUMBER:**  
NC-341-2026-GF9A23-01

(2) TO: \_\_\_\_\_  
**(Approved Pulp Processing Facility)**

(3) FROM: North Cascade Phone (503) 859-2151  
(State Forestry District)  
Address: 930 W WASHINGTON ST. SUITE 20  
STAYTON, OR 97383

(4) PURCHASER: \_\_\_\_\_

(5) Scaling Bureau (TPSO) Processing Weight receipts:

Mailing Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

(6) **STATE Definition of Approved Pulp Sort:**

- Top portion of the tree (tops).
- All logs with a diameter (Big End) greater than 8 inches marked with blue paint.

(7) **PULP FACILITY PROCESSING INSTRUCTIONS:**


- Pulp loads shall be weighed in lieu of scaling.
- One Ton = 2000 lbs (Short Ton).
- Pulp loads shall have a yellow Log Load Receipt attached.
- Gross weight and truck tare weight for each load shall be machine printed on the weight receipt.
- Weigher shall sign the weight receipt.
- Weigher shall record the Log Load Receipt number on the weight receipt.
- Weigher shall attach the Weight receipt to the Log Load Receipt and mail them weekly to the TPSO processing the Weight receipt.

(8) **TPSO PROCESSING INSTRUCTIONS**

- Submit data files daily (or each day of activity).
- Mail or deliver scale tickets weekly to ODF Headquarters in Salem.

(11) STATE BRAND REGISTRATION NUMBER: \_\_\_\_\_

(12) STATE BRAND INFORMATION: \_\_\_\_\_



(13) **REMARKS:**

"Mule Trains"

1. Loads are required to have load tickets for each set of bunks.
2. Truck and pup are to be weighed and processed separately for gross and tare weights.

Operator's Name (Optional inclusion by District):

(14) **SIGNATURES:**

Purchaser or Authorized Representative \_\_\_\_\_ Date \_\_\_\_\_

State Forester Representative \_\_\_\_\_ Date \_\_\_\_\_

State Forester Representative PRINT NAME \_\_\_\_\_

**Notify the District within one hour when branding is inadequate for quick identification, the logs are marked with orange paint, the receipts are missing, not correctly or completely filled out, and/or logs do not meet the specifications of the STATE definition of Approved Pulp Sort.**

**General Distribution: TPSO, Approved Scaling Locations and Purchaser.**



**Oregon Department of Forestry  
EXHIBIT C - PULP SORT  
INSTRUCTIONS FOR EXHIBIT C**

North Cascade, NWOA

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers.
- (2) Approved Pulp Processing Facility. Write in as written in the Approved Log Delivery Location  
[https://apps.odf.oregon.gov/Divisions/management/asset\\_management/scalinglocation.asp](https://apps.odf.oregon.gov/Divisions/management/asset_management/scalinglocation.asp)
- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Third Party Scaling Organization that will be processing the weight tickets, mailing address, and phone number.

Columbia River Log Scaling & Grading Bureau  
P.O.Box 7002, Eugene, OR 97401  
Phone: (541) 342-6007 Fax: (541) 342-2631  
Email: [services@crls.com](mailto:services@crls.com)

Pacific Rim Log Scaling Bureau, Inc.  
8288 28th Court North East, Lacey, WA 98516  
Phone: (360) 528-8710 Fax: (360) 528-8718  
Email: [office@prlsb.com](mailto:office@prlsb.com)

Mountain Western Log Scaling & Grading Bureau  
2560 NW Medical Park Drive, Roseburg, OR 97471  
Phone: (541) 673-5571 Fax: (541) 672-6381  
Email: [info@mountainwestern.com](mailto:info@mountainwestern.com)

Yamhill Log Scaling & Grading Bureau  
P.O.Box 709, Forest Grove, OR 97116  
Phone: (503) 359-4474 Fax: (503) 359-4476  
Email: [yamhilllog@frontier.com](mailto:yamhilllog@frontier.com)

Northwest Log Scalers Inc.  
6137 NE 63rd St, Vancouver, WA, 98661  
Phone: (360) 553-7212 ext. 4 Fax: (360) 553-7213  
Email: [info@nwlogscalers.com](mailto:info@nwlogscalers.com)

- (6) Big end of log is not to exceed 2 inches greater than the minimum removal specifications in the contract. Example: Minimum removal specifications 6 inches and 20 board feet, then the Big end of log not to exceed 8 inches. When conifer and hardwood removal specifications are different, use the smaller removal diameter to determine this specification.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number **(REQUIRED)**.
- (12) Show brand assigned to timber sale. One brand only, if more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (13).
- (13) Use this section to list any special instructions or the reason for any revisions in section item (1).
- (14) Require purchaser to sign and date completed form in addition to State Forester Representative, sign and print name on the form. Signatures not required on revisions.

## EXHIBIT D

### FOREST ROAD SPECIFICATIONS

| ROAD        | SUBGRADE WIDTH | SURFACED WIDTH | POINT TO POINT | STATION TO STATION | DRAINAGE  |
|-------------|----------------|----------------|----------------|--------------------|-----------|
| 4696 Paved  | 16 feet        | 12 feet        | A to B         | 0+00 to 115+01     | Crowned   |
| 4696 Agg.   | 16 feet        | 12 feet        | B to C         | 0+00 to 158+78     | Crowned   |
| 4696 Spur 1 | 16 feet        | 12 feet        | B1 to B2       | 0+00 to 3+67       | Outsloped |

Surface width shall be increased to accommodate off-tracking on horizontal curves.

CLEARING. This work shall consist of clearing, removing, and disposing of all trees, Snags, Down Timber, brush, surface objects, and protruding obstructions within the clearing limits.

Where clearing limits have not been marked, the clearing limits shall extend 10 feet back of the top of the cutslope and 10 feet out from the toe of the fill slope, or as directed by STATE. Clearing debris shall not be placed or permitted to remain in or under any road embankment sections. Clearing debris shall not be left lodged against standing trees.

GRUBBING. This work shall consist of the removal or digging out of stumps and protruding objects.

All stumps shall be completely removed within the limits of required grubbing. Stumps overhanging cut slopes shall be removed. Grubbing debris shall not be placed or permitted to remain in or under any road embankment sections. Grubbing debris shall not be left lodged against standing trees.

#### GRUBBING CLASSIFICATION.

New construction - from the top of the cut slope to the toe of the fill.

Improvements and reconstructions - 4 feet back from the shoulder of the subgrade or ditch, whichever is widest, or as marked in the field.

CLEARING AND GRUBBING DISPOSAL. Scatter in stable locations through openings in the timber outside of the cleared right-of-way, except areas where end-haul is required, side slopes exceed 50 percent and any stream channel or where material may enter the stream channel. In areas where end-haul is required, clearing and grubbing debris shall be fully contained and hauled to a designated waste area. Clearing and grubbing debris shall be left in a stable location, and not left lodged against standing trees.



## EXHIBIT D

### FOREST ROAD SPECIFICATIONS

EXCAVATION. Excavation and grading shall not be done when weather and/or ground conditions are such that damage will result to existing subgrade or cause excessive erosion.

Excavation shall conform to STATE-specified lines, grades, dimensions, and plans when provided.

Unless road plans show otherwise, all roads shall be on a balanced cross section, except when the slope is over 50, the road shall be on full bench for the width specified.

Suitable excavated material shall be used for the formation of fills, shoulders, and drainage structure backfills. Embankment materials shall be free of woody debris, brush, muck, sod, frozen material, and other deleterious materials.

Sidecast includes any road generated excess excavation material which is not essential as part of the road prism, is not compacted, and is below the roadway. Sidecast shall not be placed where it will enter a stream course. Leaving sidecast below the road is only permissible if specifically allowed in "Full Bench and End Haul Requirements" in this Exhibit.

All fills shall be machine compacted according to the "Compaction and Processing Requirements" in this Exhibit.

ROAD WIDTH LIMITATIONS. PURCHASER shall obtain advance written approval from STATE to construct the road to a greater width than specified. Extra subgrade width shall be required for:

Fill Widening. Add to each fill shoulder 1 foot for fills 3 feet to 6 feet high; 2 feet for fills over 6 feet high.

Curve Widening. Widen the inside shoulder of all curves as specified in the plans or as follows: 400 divided by the radius of the curve equals the amount of extra width.

#### DRAINAGE

Subgrade. Subgrade shall be crowned, outsloped, or insloped at 4 to 6 percent as shown on the "Forest Road Specifications" table in this Exhibit.

Ditch. Construct "V" shaped ditch 3 feet wide and to a depth of 1 foot below subgrade.

Ditchouts. Construct ditchouts to drain away from subgrade at locations marked in the field or as directed by STATE.

TURNOUTS. Increase roadbed width an additional 8 feet for both subgrade and surfacing. Length shall be at least 25 feet, or as staked on the ground, plus 25-foot approaches at each end.

Location: Intervisible but not greater than 750 feet apart and as marked in the field.

#### SLOPES

Solid Rock

Fractured Rock

Soil - side slopes 50% and over

Soil - side slopes less than 50%

#### Cut Slopes

Vertical to ¼ :1

¼:1

¾:1

1 :1

#### Fill Slopes

½:1

Top of cut slope shall be rounded.

LANDINGS. Landings shall be constructed as posted in the field, no less than 50 feet wide and no more than 70 feet wide unless otherwise approved by STATE. Surface is to be outsloped for drainage with general grade no more than 3 percent. Surface as shown in the "Road Surfacing" table in this Exhibit.

TURNAROUNDS. Increase subgrade width an additional 20 feet for a length of 20 feet at locations marked in the field.

SEASONAL WINTERIZATION. All unsurfaced roads or unfinished subgrades shall be waterbarred in accordance with the specifications in Exhibit J, and blocked from vehicular traffic prior to October 15, annually and as directed by STATE.

EXHIBIT D  
FOREST ROAD SPECIFICATIONS

GENERAL ROAD IMPROVEMENT INSTRUCTIONS:

- (1) Excavated Materials. Excavated materials shall be utilized for road construction and hauled in where necessary. Surplus excavation materials shall be hauled to the waste areas as marked in the field and/or designated on Exhibit A. Surplus excavated materials and waste materials shall be sloped and compacted for drainage. Fills shall be thoroughly compacted in accordance with this Exhibit.
- (2) Bank Slough Removal. Dig out all bank sloughs. Bank slough material shall not be pulled across existing surfacing rock but shall be placed in nearby waste areas and uniformly sloped and compacted for drainage, as directed by STATE.
- (3) Culvert Replacement, Culvert Installation, Fill Reconstruction, and Fill Removal. Existing culvert geometry shall be modified to provide for optimum drainage and culvert performance. Modifications may include, skewing the culvert and/or installing the culvert at gradients equal to or exceeding the drainage (or ditch) gradient. Where fill reconstruction or culvert replacement is specified, fills shall be excavated to natural stream course levels. All woody debris encountered during fill excavation shall be removed. Fill reconstruction backfill shall consist of select materials and may be obtained from borrow pits, as directed by STATE. Unsuitable backfill material shall be hauled to the designated waste areas as marked in the field and/or designated on Exhibit A. Backfill materials shall be hauled in where necessary and thoroughly compacted in accordance with this Exhibit.
- (4) Drainage Ditches. Restore or construct ditchlines, including ditchouts, as directed by STATE. Clean out all culvert inlets and outlets for a 10-foot radius. Re-establish or construct culvert sediment basins. Waste materials from drainage ditches and sediment basins shall not be pulled across existing surfacing rock, but shall be placed in nearby waste areas. Waste materials from drainage ditches and sediment basins shall not be pulled across existing surfacing rock but shall be placed in nearby waste areas and uniformly sloped and compacted for drainage, as directed by STATE. Damaged culvert inlets and/or outlets shall be repaired by opening them with a hydraulic jack or cutting off the culvert end to allow for free passage of water at peak flow levels.
- (5) Rock Ditch Filter. Construct rock ditch filters as directed by STATE. Excavate a one foot deep, tapered sump on the upslope side, adjacent to the rock ditch filter. Excavated material shall be hauled to the designated waste areas as marked in the field and/or designated on Exhibit A. Construct each rock ditch filter with clean drain rock (6"-4" pit-run rock) and placed at a 2:1 slope within the specified ditch. Construct the center of the rock ditch filter at least 6 inches lower than the ends, to act as a spillway for runoff and to prevent water from flowing around the filter. Space the filters so that the bottom elevation of the upper filter is the same as the top center elevation of the next filter. Rock ditch filter dimensions shall be as shown on the "Typical Rock Ditch Filter" exhibit or as directed by STATE. Locations of the filters shall be determined by STATE.
- (6) Fill Armor and Energy Dissipator Construction. Where rock is specified for fill armor, rock shall be machine placed and tamped at a 1½:1 slope, beginning at the toe of the fill. Where rock is used for an energy dissipator, rock shall be placed below the culvert outlet and embedded for a minimum of 3 feet, in accordance with Exhibit H.
- (7) Sidecast Pullback. Excavate/pullback previously sidecast materials below the road at designated locations. Developed slopes shall be pulled back to a 1½:1 slope or to natural ground contours. The beginning position for sidecast pullback shall be no greater than 20 feet vertical distance from the existing road surface, in accordance with Exhibit K. Sidecast material remaining greater than 20 feet below the road shall be tapered and sloped for drainage.
- (8) Waste areas shall be uniformly sloped and compacted for drainage.
- (9) In-stream work. Any project activity that occurs within a perennial stream channel, such as culvert replacement, shall comply with the Oregon Department of Fish and Wildlife seasonal restriction for in-stream work activities [June 1 – August 31 window] and follow a dewatering plan, unless otherwise approved by STATE.
- (10) Subgrade Preparation and Application of Surfacing Rock.
  - (a) Complete culvert installations, drainage ditches, ditchouts, fill constructions, and other specified work prior to the application of surfacing rock.

- (b) Grade out all potholes and/or washboard sections from the existing surface.
- (c) Subgrade shall be crowned, insloped, or outsloped at 4 to 6 percent.
- (d) Upon completion of above required work, apply, process, and compact surfacing rock in accordance with the specifications in the "Compaction and Processing Requirements" in this Exhibit. Final road surface shall be crowned or outsloped at 4 to 6 percent.

**The subgrade shall be approved by STATE prior to the application of rock.**

EXHIBIT D  
FOREST ROAD SPECIFICATIONS

SPECIFIC ROAD IMPROVEMENT INSTRUCTIONS

| <u>Segment</u>                 | <u>Station</u> | <u>Work Description</u>  |
|--------------------------------|----------------|--|
| A to B<br>(USFS Rd 4696 Paved) | 0+00 to 115+01 | This is the paved section of the US Rd. 4696. This contract does not require any maintenance or work on this section of road. However, This section of road is apart of the USFS Timber Sale "Short". USFS engineering plans are available from STATE upon request. Over 900cy of pavement on 4696 are subject to repair. Delays will occur with hauling and access on this segment. |
| B to C<br>(USFS Rd 4696 Agg.)  | 0+00 to 158+78 | Clean out ditches, re-establish ditchouts, and unplug culvert inlets/outlets. Remove overhanging woody debris and logs within the road prism.<br><br>Grade out and brush wide spots along the entire road system for turnout and turnaround opportunities. Improve landing areas as needed for logging activities if not identified.   |
|                                | 71+84          | Improve/construct roadside landing area.   |
|                                | 76+94          | Improve/construct roadside landing area.   |
|                                | 86+41          | Improve/construct roadside landing area.   |
|                                | 89+47          | Improve/construct roadside landing area.   |
|                                | 100+53         | Improve/construct roadside landing area.   |
|                                | 109+26         | Improve/construct roadside landing area.   |
|                                | 112+95         | Improve/construct roadside landing area.   |
|                                | 116+35         | Improve/construct roadside landing area.   |
|                                | 122+98         | Improve/construct roadside landing area.   |
|                                | 130+47         | Improve/construct roadside landing area.   |
|                                | 142+04         | Improve truck turn around area.  |
|                                | 150+44         | Improve/construct roadside landing area.   |
|                                | 153+59         | Improve/construct roadside landing area.   |
|                                | 156+97         | Improve/construct roadside landing area.   |
| B1 to B2                       | 0+00 to 3+67   | Clean out ditches, re-establish ditchouts, and unplug culvert inlets/outlets. Remove overhanging woody debris and logs within the road prism.<br><br>Grade out and brush wide spots along the entire road system for turnout and turnaround opportunities. Improve landing areas as needed for logging activities if not identified.   |
|                                | 2+51           | Improve/Construct landing area.  |
|                                | 2+51           | Reestablish dispersed camp site.   |

## EXHIBIT D

### FULL BENCH AND END-HAUL REQUIREMENTS

| Road             | Approx. Waste (yds) | CONTAINMENT<br>SIDE CAST | WASTE AREA<br>LOCATION | WASTE AREA<br>TREATMENT |
|------------------|---------------------|--------------------------|------------------------|-------------------------|
| Temp Spur Unit 3 | 250                 | 1, 2                     | 1, 3                   | 1, 2                    |

#### Full Bench and End-Haul Areas General Requirements

Sidecast includes any road generated excess excavation material which is not essential as part of the road prism, is not compacted, and is below the roadway. Material shall not be sidecast unless specified above.

When controlled blasting is required, it shall be accomplished using timing devices, delayed charges, low intensity shots, or other suitable means to contain material within the road prism.

#### Containment/Sidecast

- (1) Full: No excavated material remains below the road.
- (2) Normal/Incidental: The amount of excavated material lost over the outside edge of the road shall not exceed 1 foot in depth.
- (3) Sidecast: Material shall be spread evenly below the road so that it does not build up behind trees, snags or other debris, and shall not exceed 3 feet in depth.

Any amount of material exceeding the containment requirements shall be removed by whatever means necessary and end-hauled to a designated waste area.

#### Waste Area Location


- (1) As shown on Exhibit A and as marked in the field.
- (2) Setback from slope break shall be a minimum of 20 feet horizontal measurement.
- (3) As directed by STATE.

#### Waste Area Treatment

- (1) Deposit at waste area, spread evenly, compact, and provide adequate drainage. Fill depths greater than one foot must be compacted in 6" lifts. Seed and Mulch exposed waste material.
- (2) Pile woody debris separate from other waste material.

EXHIBIT D  
TYPICAL ROCK DITCH FILTER

SPACING BETWEEN ROCK FILTERS



ROCK DITCH FILTER




EXHIBIT E  
ROAD SURFACING

| Road Segment: USFS Rd. 4696 Paved    |                  |                |            | Point to Point  |    |     | Sta. to Sta. |        | Total Volume (cy) |
|--------------------------------------|------------------|----------------|------------|-----------------|----|-----|--------------|--------|-------------------|
| Application                          | Rock Size/Type   | Location       | Rock Depth | A               | To | B   | 0+00         | 158+78 |                   |
|                                      |                  |                |            | Volume (cy) Per |    |     | Number of    |        |                   |
| Pavement: NO ACTION NEEDED           | Pavement         | 0+00 to 115+01 | N/A        | Station         |    | 0   | Stations     | 0      | 0                 |
| Total Rock for Road Segment:         |                  |                |            |                 |    |     |              |        | 0                 |
|                                      |                  |                |            |                 |    |     |              |        |                   |
| Road Segment: USFS Rd. 4696 Graveled |                  |                |            | Point to Point  |    |     | Sta. to Sta. |        | Total Volume (cy) |
| Application                          | Rock Size/Type   | Location       | Rock Depth | B               | To | C   | 0+00         | 158+78 |                   |
|                                      |                  |                |            | Volume (cy) Per |    |     | Number of    |        |                   |
| Road Top Rock (spot rocking)         | 1.5"- 0" Crushed | 0+00 to 158+78 | Varies     | Station         |    | 1   | Stations     | 79     | 79                |
| Landing (Unit 1A)                    | Pit Run          | 71+84          | Piled      | Site            |    | 30  | Stations     | 1      | 30                |
| Landing (Unit 1B)                    | Pit Run          | 76+94          | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 1B)                    | Pit Run          | 86+41          | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 1B)                    | Pit Run          | 89+47          | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 1C)                    | Pit Run          | 100+53         | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 2)                     | Pit Run          | 109+26         | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 2)                     | Pit Run          | 112+95         | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 2)                     | Pit Run          | 116+35         | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 3A)                    | Pit Run          | 122+98         | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 3B)                    | Pit Run          | 130+47         | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Truck Turnaround                     | 1.5"- 0" Crushed | 142+04         | 3          | As needed       |    | 100 | Site         | 1      | 100               |
| Landing (Unit 4)                     | Pit Run          | 150+44         | Piled      | Site            |    | 30  | Stations     | 1      | 30                |
| Landing (Unit 4)                     | Pit Run          | 153+59         | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Landing (Unit 4)                     | Pit Run          | 156+97         | Piled      | Site            |    | 30  | Site         | 1      | 30                |
| Additional as needed landings        | Pit Run          |                | Piled      | Site            |    | 30  | Site         | 2      | 60                |
| Total Rock for Road Segment:         |                  |                |            |                 |    |     |              |        | 629               |
|                                      |                  |                |            |                 |    |     |              |        |                   |
| Road Segment: USFS Rd. 4696 Spur 1   |                  |                |            | Point to Point  |    |     | Sta. to Sta. |        | Total Volume (cy) |
| Application                          | Rock Size/Type   | Location       | Rock Depth | B1              | To | B2  | 0+00         | 3+67   |                   |
|                                      |                  |                |            | Volume (cy) Per |    |     | Number of    |        |                   |
| Road Top Rock (spot rocking)         | 1.5"- 0" Crushed | 0+00 to 3+67   | Varies     | As needed       |    | 2   | Stations     | 4      | 7                 |
| Landing (Unit 1B)                    | Pit Run          | 2+51           | Varies     | Site            |    | 30  | Site         | 1      | 30                |
| Dispersed camping repair             | reclaim/soil     | 2+51           | vaires     | Site            |    | 30  | Site         | 1      | 30                |
| Total Rock for Road Segment:         |                  |                |            |                 |    |     |              |        | 67                |

| Sizes       | 6"-0" Pit Run | Other (end haul/soil) | 1½"-0" Crushed | Total |
|-------------|---------------|-----------------------|----------------|-------|
| Rock Totals | 480cy         | 30cy                  | 187cy          | 697cy |

Roads shall be uniformly graded, shaped and approved by STATE prior to rocking.  
Only clean, uncontaminated crushed rock counts towards rock depth measurements.

## EXHIBIT E

### ROCK ACCOUNTABILITY

PURCHASER shall obtain subgrade approval from STATE prior to rocking. Rocking shall be limited to periods when weather conditions are acceptable to STATE and when sediment will not enter streams. Additional surfacing needed because of construction season or construction practice is not included in the preceding ROAD SURFACING table, and shall be furnished at PURCHASER expense.

Rock accountability shall be determined by the following methods, as directed by STATE. STATE shall be given 24 hours' notice prior to rocking.

Depth Measurement. Rock shall be spread and compacted according to the depths specified in Exhibit D. Truck measure volumes are given, but shall not limit the amount of rock spread.

Depth shall be determined in the most compacted area of the surface cross section. The depth of compacted aggregates shall not vary more than 1 inch from the depth specified in the "Road Surfacing" table in Exhibit D. The average depth for each road segment shall be the specified depth or greater. If additional rock is required because of insufficient depth, the locations and volumes to be added shall be determined by STATE.

Load Records. Notify STATE before spreading the rock and maintain a record of all rock delivered for spreading. Make the record available for STATE inspection. A report listing the amount of rock delivered weekly. However, depth measurement shall be used to determine contract compliance.

#### Grading Requirements

|                   |         |              |         |
|-------------------|---------|--------------|---------|
| <u>For 1½"-0"</u> | Passing | 2" sieve     | 100%    |
|                   | Passing | 1½" sieve    | 90-100% |
|                   | Passing | ¾" sieve     | 60-90%  |
|                   | Passing | ¼" sieve     | 30-50%  |
|                   | Passing | No. 10 sieve | 15-30%  |
|                   | Passing | No. 40 sieve | 7-15%   |



## EXHIBIT F

### COMPACTION AND PROCESSING REQUIREMENTS

Moisture Content: Compaction must take place when moisture content of the materials being compacted is favorable for effective compaction as determined by STATE.

Compaction Pass: A pass is defined as traveling a road section forward and then backward over that same section.

Subgrade. Subgrade surfaces of the road segments listed below shall be graded and compacted prior to rocking. Compaction shall be accomplished by traveling all surfaces from shoulder to shoulder until the surface is smooth and hard and visible deformation ceases. At least 3 passes shall be made over the entire width and length of the road. Compaction shall be accomplished by using one or more of the approved equipment options listed below:

Subgrade shall be crowned, outsloped, or insloped at 4 to 6 percent as specified in the "Forest Roads Specifications" table in Exhibit D.

| ROAD SEGMENT                                  | SUBGRADE COMPACTION OPTIONS |
|---|-----------------------------|
| All road segments that require rock surfacing | 1                           |

Fills. Embankments and fills shall be placed in (approximately) horizontal layers not more than 8 inches in depth. Each layer shall be separately, and thoroughly, compacted. Compaction equipment shall be operated over the entire width of each layer until visible deformation of the layers ceases. At least 3 passes shall be made over the entire width and length of each layer.

Placing individual rocks or boulders with more depth than the allowed layer thickness shall be permitted, provided the embankment will accommodate them. Such rocks and boulders shall be at least 6 inches below the subgrade. They shall be carefully distributed and the voids filled with finer material, forming a dense and compacted mass. Compaction shall be accomplished by using one or more of the approved equipment options listed below:

| ROAD SEGMENT      | FILLS COMPACTION OPTIONS |
|-------------------|--------------------------|
| All road segments | 1, 2, 3, & 4             |

Crushed Rock. The rock shall be uniformly mixed and spread in layers on the approved roadbed. Each layer of crushed rock shall be moistened or dried to uniform moisture content suitable for maximum compaction and compacted in layers not to exceed 6 inches in depth. When more than 1 layer is required, each shall be shaped, compacted, and approved by STATE before the succeeding layer is placed. Any irregularities or depressions that develop during compaction of the top layer shall be corrected by loosening the material at these places and adding or removing material until the surface is smooth and uniform. Each layer shall be compacted with a minimum of 3 passes over the entire width and length of the road until the surface is smooth and hard and visible deformation ceases. Compaction shall be accomplished by using one or more of the approved equipment options listed below:

Rock shall be compacted and processed during the same project period it is spread, unless otherwise approved in writing by STATE.

Rock shall be crowned, outsloped, or insloped at 4 to 6 percent as specified in the "Forest Roads Specifications" table in Exhibit D.

## EXHIBIT F

### COMPACTION AND PROCESSING REQUIREMENTS

| ROAD SEGMENT                              | CRUSHED COMPACTION OPTIONS |
|---|----------------------------|
| All road segments requiring crushed rock. | 1                          |

Pit-Run Rock. The rock shall be uniformly mixed and spread in layers on the approved roadbed. Each layer of pit-run rock shall be moistened or dried to uniform moisture content suitable for maximum compaction and compacted in layers not to exceed 8 inches in depth. When more than 1 layer is required, each shall be shaped and compacted before the succeeding layer is placed. Any irregularities or depressions that develop during compaction of the top layer shall be corrected by loosening the material at these places and adding or removing material until the surface is smooth and uniform. Each layer shall be compacted with a minimum of 3 passes over the entire width and length of the road.

| ROAD SEGMENT                              | PIT RUN COMPACTION OPTIONS |
|---|----------------------------|
| All road segments requiring crushed rock. | 1, 4, 5                    |

### COMPACTION EQUIPMENT OPTIONS

- (1) Vibratory Rollers. The drum shall have a smooth surface, a diameter not less than 48 inches, a width not less than 58 inches, and a turning radius of 15 feet or less. (Vibration frequency shall be regulated in steps to 1400, 1500, and 1600 VPM, corresponding to engine speeds of 1575, 1690, and 1800 RPM. The centrifugal force developed shall be 7 tons at 1600 VPM. It shall be activated by a power unit of not less than 25 horsepower.) The vibratory roller shall be self-propelled and operated at speeds ranging from 0.9 miles to 1.8 miles per hour, as directed by STATE.
- (2) Tampingfoot Compactors. Tampingfoot compactors shall exert a minimum pressure of 250 pounds per square inch on the ground area in contact with the tamping feet. The compactor shall cover a minimum width of 60 inches per pass and weigh a minimum of 16,000 pounds.
- (3) Vibratory Hand-Operated or Backhoe-Mounted Tamper. Vibratory hand-held or hydraulic tampers shall be used for compaction of backfill materials around culverts (and/or bridge approach embankment materials around abutments). The tamper shoe dimensions shall be a minimum of 10" X 13" and capable of a centrifugal force of 2,250 pounds.
- (4) Dozer. A dozer/track-type tractor weighing a minimum of 45,000 pounds as directed by STATE shall be operated (over the pit-run or jaw-run rock) so that the entire surface comes in contact with the tracks.
- (5) As approved by STATE.

EXHIBIT G  
CULVERT SPECIFICATIONS

All culvert materials shall be furnished and installed by PURCHASER, unless otherwise specified in the Contract.

Culverts shall be constructed of corrugated aluminized (type 2).

Aluminized (type 2) steel culverts shall meet the requirements of AASHTO M-36-03.

Culverts shall be located according to the alignment and grade as shown on the Plan and Profile, and/or as staked in the field, or as specified in special instructions.

The STATE Representative shall determine final culvert locations and stake the locations in the field prior to installation.

Cross drain culverts on road grades more than 3 percent shall be skewed at least 30 degrees from perpendicular to the road centerline, except that cross drain culverts at the low point of dips in roads shall not be skewed.

Cross drain culverts shall be installed at a slope steeper than the incoming ditch grade, but not less than 3 percent or greater than 10 percent.

The foundation and trench walls for all culverts shall be free from logs, stumps, limbs, stones, and other objects which would dent or damage the culvert. The culvert trench shall be excavated 3 culvert diameters wide to permit compaction and working on each side of the culvert. Tamping shall be done in 6-inch lifts, 1 culvert diameter each side of the culvert. Bedrock shall be excavated as required to provide a uniform foundation for the full length of the culvert.

A bedding of crushed rock as specified shall be placed to provide a wide band of support and to transmit the load from above evenly over the entire length of the culvert for stream crossing culverts.

Backfill shall consist of, crushed rock, or clean job-excavated soil free of stumps, limbs, rocks, or other objects which would damage the culvert.

Transporting of the culvert shall be done carefully. Dragging or allowing free fall from trucks or into trenches shall not be permitted.

Minimum height of cover over top of culvert to subgrade when road is to be rockered shall be as follows: 12" for culverts 18" to 36". Minimum vertical cover for other designs shall be as specified by STATE.

Lengths of individual culvert sections shall be not less than 10 feet, unless otherwise provided for in special instructions.

The ends of each culvert shall be free of logs and debris which would restrict the free flow of water.

The intake end of relief culverts shall be provided with a sediment catching basin 3 feet in diameter at the bottom.

The outlet ends of any culvert which would allow water to erode embankment soil shall be provided with an energy dissipator, or other approved slope protection device. Construct lead-off ditches away from culvert outlets where the slope gradients restrict the free flow of water.

All culverts scheduled for replacement shall become property of the PURCHASER and be removed from STATE land and hauled to an approved refuse site in the same project period in which replacement occurred.

The intake ends of culverts in fills less than 3 feet to the top of the culvert shall be marked by driving steel posts

EXHIBIT G  
CULVERT SPECIFICATIONS [continued]

within 6 inches of the downgrade side. Posts shall be painted with a rust-resistant paint and be a minimum of 5 feet long, with the spade driven 2 feet into the ground.

A manufacturer's certification that the product was manufactured, tested, and supplied in accordance with this specification shall be furnished to STATE upon request.

Following are the minimum standard gauges for steel culvert and coupling bands. Some culverts may require different gauges and may be found in the culvert listing.

| <u>Dia.</u> | <u>Steel Culvert</u> | <u>Thickness</u> |               | <u>Band Gauges</u> | <u>Band Widths (")</u> |                |
|-------------|----------------------|------------------|---------------|--------------------|------------------------|----------------|
|             | <u>Gauge</u>         | <u>Uncoated</u>  | <u>Coated</u> |                    | <u>Annular</u>         | <u>Helical</u> |
| 18-36       | 16                   | (0.0598")        | (0.064")      | 16                 | 12                     | 12             |
| 42-54       | 14                   | (0.0747")        | (0.079")      | 16                 | 12                     | 12             |
| 60-84       | 12                   | (0.1046")        | (0.109")      | 16                 | 24                     | 24             |
| 90-120      | 12                   | (0.1046")        | (0.109")      | 16                 | 26                     | 26             |

CULVERT LIST

NONE PLANNED FOR HUMBUG GNA UNLESS DAMAGED

Final cut and fill slope configurations.

Once observed by STATE, erosion control measures shall be applied to the graded slopes. Variations to these specifications shall not be allowed unless approved in writing by STATE.

EXHIBIT H  
TYPICAL EMBEDDED ENERGY DISSIPATOR





EXHIBIT I  
SIDEHILL EMBANKMENT FILL CONSTRUCTION SPECIFICATIONS

All temporary earth slopes shall comply with OR-OSHA requirements. Areas to receive structural fill that have a slope greater than  $2\frac{1}{2} : 1$  (40%) shall have horizontal benches and key ways cut into the fill areas prior to placing the new fills. All fill material shall be placed and compacted as fill 2 feet beyond  $1.5H : 1V$  slope and then be trimmed back to a  $1.5H : 1V$  slope so that compacted fill is exposed on the face of the slope (see detail below).




STATE shall be contacted to inspect the prepared bench configuration prior to new fill material placement. STATE shall be contacted to inspect the final cut and fill slope configurations.

Once observed by STATE, erosion control measures shall be applied to the graded slopes. Variations to these specifications shall not be allowed unless approved in writing by STATE.

# EXHIBIT J WATERBAR SPECIFICATIONS

## PROFILE


### DITCHED AND OUTSLOPED




| SPACING OF WATERBARS |          |
|----------------------|----------|
| ROAD GRADE           | DISTANCE |
| < 6 %                | 400'     |
| 6 - 10 %             | 200'     |
| 11 - 15 %            | 150'     |
| > 15 %               | 100'     |

## CROSS SECTION

### DITCHED




### OUTSLOPED



CONSTRUCT DITCHOUT THRU ANY EXISTING BERM.  
CROSS DRAINAGE GRADIENT MINIMUM 3%.

## PLAN VIEW

### DITCHED



### OUTSLOPED




EXHIBIT K  
TEMP ROAD DECOMMISSION SPECIFICATIONS

PURCHASER shall vacate at the following location: Temp Road Unit 3. Specific objectives for this project include:

- (a) Fill removal and stream channel development.
  - (b) Culvert removal.
  - (c) Restoration of natural contours by outslowing of the road prism.
  - (d) Sidecast pullback.
  - (e) Minimize disturbance of existing vegetation.
- 
- (1) Tree Removal. Cut or remove all trees necessary to access the project area and to facilitate vacating operations, as directed by STATE. Timber shall NOT be removed as designated timber, unless located within posted timber sale boundaries or right-of-way boundaries.
  - (2) Fill Removal and Stream Channel Development. Remove fills to the natural stream course level(s). Stream channel(s) shall be excavated/developed to specified widths. Developed stream banks shall be sloped at natural contours or no steeper than 1 ½:1, as directed by STATE.
  - (3) Culvert Removal. Remove drainage structures and culverts. Removed culverts shall be hauled to an approved refuse site off of STATE land.
  - (4) Outslope Road. Outslope road to restore natural contours or establish a minimum of 10 percent slope for drainage at designated locations. If the road grade exceeds 10 percent, outslope of the road shall be 2 percent greater than the road grade.
  - (5) Sidecast Pullback. Excavate/pullback previously sidecast materials below the road at designated locations. Developed slopes shall be pulled back to a 1½:1 slope or to natural ground contours. The beginning position for sidecast pullback shall be no greater than 20 feet vertical distance from the existing road surface, in accordance with Exhibit I. Sidecast material remaining greater than 20 feet below the road shall be tapered and sloped for drainage.
  - (6) Use of Excavated Materials.
    - (A) Fill Excavation and Sidecast Pullback. Excavated materials shall be placed on the interior (cut) side of the road, and utilized to restore the cut slope to natural contours, or to a minimum 10 percent outsloped surface for drainage. Any excess material will be hauled to a designated waste area, as directed by STATE.
    - (B) Woody Debris. Shall be placed on the surface of pullback/fill material.
    - (C) Block Roads. Use excavated material from fill removals to block roads from vehicle access, as directed by STATE.
  - (7) Erosion Control. Erosion control shall be completed in a progressive manner. Grass seed and straw mulch shall be applied for every 500 feet of road vacated, prior to continuing work.
  - (8) Construct Waterbars as directed by STATE. Construct waterbars according to the specifications in Exhibit J.




EXHIBIT K  
TEMP ROAD DECOMMISSION SPECIFICATIONS

- (9) Equipment. A minimum 1½ cubic-yard, track mounted excavator shall be used for all excavation, culvert removal, streambed preparation, road blocking, and waterbarring, unless otherwise approved in writing by STATE.
- (10) Dry Conditions. All work shall be performed during dry conditions acceptable to STATE.
- (11) Support, including transport, other equipment, replacements, supplies, maintenance, and repairs, shall be furnished as required to complete the project and shall be furnished without cost to STATE, other than as agreed under the contract terms.

## EXHIBIT K

### TYPICAL CROSS SECTION VIEW OF ROAD DECOMMISSION SIDECAST PULLBACK

#### TYPICAL CROSS SECTION VIEW OF ROAD VACATING SIDECAST PULLBACK



## EXHIBIT K

### TYPICAL CROSS SECTION VIEW OF SIDECAST PULLBACK AND ROAD REALIGNMENT




EXHIBIT L  
WATERSHED REGULATIONS

PURCHASER shall take precautions necessary to protect the watershed from damage and to prevent pollution to the water supply. Precautions shall include, but not be limited to, the following regulations.

Laws, Rules, and Regulations. Comply with Oregon laws and with the rules and regulations of the Oregon State Board of Health relative to protection of watersheds and sanitation of public water supply.

Debris in Streams. Prevent, insofar as possible, logs, chunks, and other debris, resulting from logging and road building Operations, from being deposited in streams. If such material should become deposited in streams, immediately remove the material to restore normal stream flow, using necessary care to prevent unnecessary damage to the stream channel and banks.

General Sanitary Conditions. Do not create any conditions which may permit breeding of flies or mosquitoes. Machinery, equipment, soil, and fuel storage shall not be located near streams. Waste oil shall be removed from the watershed. Camping shall not be permitted.

Personnel. Persons with a history of typhoid fever, amoebic dysentery, or infectious hepatitis shall not be employed on the watershed. All personnel shall be required to use the privies. PURCHASER shall verbally instruct all personnel employed on the watershed in the required sanitary precautions to be observed and shall give each such person a copy of these regulations.

## EXHIBIT M

### SPECIFICATIONS FOR BRUSH AND SLASH SHOVEL PILING

#### Description of Work to be Done

Areas designated for ground-based logging work under the contract shall be treated according to the specifications given below:

Clearing - Brush, logging Slash, and other debris shall be cleared from planting sites and piled in windrows or piles, so that 80 percent or more of the soil organic layer is exposed. All woody vegetation other than trees is defined as brush in this exhibit.

Piles - shall be located at least 75 feet apart and shall be no more than 75 feet long. Piles shall be located inside the project area designated for piling and shall be more than 75 feet from any edge or standing conifer tree. Piles shall be built to a height of 3 to 4 feet and then covered to prevent water from reaching the Slash. Additional woody debris shall be piled on top of the covered piles to complete the piling, as directed by STATE. Logs and chunks which are suitable for firewood shall be piled separately from Slash, near roads and Landings and alongside the road in locations designated by STATE.

Conifer Trees - shall be saved, unless otherwise directed by STATE.

Skid Trails - shall be ripped to a depth of 20 inches.

Protective Measures - shall comply with Oregon Forest Practice Rules issued per ORS 527.610 to 527.992. Examples of protective measures are: (1) waterbarring tractor trails where necessary to prevent runoff toward streams; (2) not windrowing in streams or streamways; and (3) leaving Stream Buffers along designated streams.

Work specifications may be modified or waived only upon written notice from STATE.

EXHIBIT M  
SPECIFICATIONS FOR BRUSH AND SLASH SHOVEL PILING

Equipment Type, Equipment Operation, and Conduct of Work

The specifications given below are requirements for equipment type, equipment operation, and conduct of work under the contract.

Shovel - shall be a track-mounted machine with a ground-pressure rating of not more than 6.8 PSI and a net horsepower of 85 or more. The machine shall be capable of a minimum horizontal reach of 26 feet and a minimum vertical reach of 16 feet.

- Excavator-shovel: Bucket shall be a hydraulically controlled, 4- to 5-foot wide, "clamshell-style bucket with rake arms," with a 360-degree continuous rotation, and tooth length on rake arm shall be greater than 14 inches long, unless otherwise approved in writing by STATE. "Clamshell-style bucket with rake arms" shall be hydraulically controlled to operate bucket in a horizontal position (**fixed position: positive control**) for piling Slash.
- Log Loader – shovel: Bucket shall be a hydraulically controlled, 4- to 5-foot wide, "clamshell-style bucket with rake arms," with a 360-degree continuous rotation, and tooth length on rake arm shall be greater than 14 inches long, unless otherwise approved in writing by STATE. "Clamshell-style bucket with rake arms" shall be hydraulically controlled to operate bucket in a vertical position (**free swinging**) for piling Slash.

Operator - must be experienced in operating similar equipment on land clearing operations, be able to operate the equipment proficiently, and pile the debris on the area as directed by STATE.

Support - including transport, other equipment, replacements, supplies, maintenance, and repairs shall be furnished as required to complete work; and shall be furnished without cost to STATE, other than as agreed under the contract terms.

Work Scheduling - work shall be accomplished only during dry weather conditions, and started within 14 calendar days after completion of yarding activities on (Units 1, 2, 3, & 4). Operations shall provide for continual operation until contract work is completed, unless interrupted by poor weather, fire closures, or other uncontrollable circumstances. Equipment breakdowns shall be repaired without undue delay, and provision shall be made for replacement of equipment to prevent prolonged delays. Piling operation shall not be allowed when operations might damage sites or affect stream flows. Any exception to these instructions must be authorized in writing by STATE.

STATE Representative - shall provide directions for the conduct of work according to specifications.