



Oregon Department of Forestry

2600 State St Salem OR 97310

PART III: EXHIBITS

EXHIBIT B

TIMBER SALE OPERATIONS PLAN

(See page 2 for instructions)

Date Received by State: _____

(5) State Brand Information (Complete)

(1) Contract Number: TL-341-2027-W01152-01

(2) Sale Name: Cronin Too

(3) Contract Expiration Date: 10/31/2030

(4) Purchaser Name: _____

(6) State Representatives:

<u>Name</u>	<u>Circle One</u>	<u>Phone No.</u>	<u>Cell No.</u>	<u>Alt Phone</u>
	Logging Projects All			
	Logging Projects All			
	Logging Projects All			
	Logging Projects All			

(7) Purchaser Representatives:

<u>Name</u>	<u>Circle One</u>	<u>Phone No.</u>	<u>Cell No.</u>	<u>Alt Phone</u>
	Logging Projects All			
	Logging Projects All			
	Logging Projects All			
	Logging Projects All			
	Logging Projects All			
	Logging Projects All			
	Logging Projects All			

(8) Name of Subcontractors and Start Dates:

<u>Project No.</u>	<u>Subcontractor Name.</u>	<u>Start Date</u>	<u>Completion Date</u>	<u>Cell No.</u>	<u>Alt Phone</u>

	<u>Subcontractor Name.</u>	<u>Start Date</u>	<u>Cell No.</u>	<u>Alt Phone</u>
FELLING				
YARDING				

(9) Comments:

(10) Operations Map: Attach a copy of timber sale Exhibit A or other suitable map which plainly shows the items listed on the instruction sheet.



Oregon Department of Forestry

2600 State St Salem OR 97310

PART III: EXHIBITS

EXHIBIT B


INSTRUCTION SHEET FOR OPERATIONS PLAN

SUBMIT ONE COPY OF PLAN TO STATE

Operations shall be limited to the work shown in the plan until a revised plan or supplemental plan is submitted covering additional work. Compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act including without limitation PURCHASER'S independent obligation to avoid take of a T&E species and PURCHASER'S obligation to comply with terms and conditions of any incidental take Permit(s) that include required minimization and mitigation measures in any applicable Habitat Conservation Plan. If STATE has prepared a required Forest Practices Act (FPA) "Written Plan" for operations, PURCHASER shall comply with all provisions of the Written Plan.

Explanation of Item No.(from Page 1)

- (5) All sales require you to use a brand furnished by STATE. If the State brand has not been assigned when the plan is submitted, it will be furnished and assigned later. Complete drawing. If more than one brand is assigned to the sale, complete both drawings.
- (6) The contract requires you to have a designated representative available on the sale area or work location who is authorized to receive in your behalf any notice or instruction given by STATE and to take action in regard to performance under the contract. If logging and project work is widely separated, a representative is required for each.
- (7) The STATE representative will be designated when your plan is approved and is the person who will inspect and issue instructions regarding performance.
- (8) Show names of subcontractors to be used for any or all phases of the operations. If subcontractors are not Known, or are changed later, give notification to the STATE representative prior to commencement of work by subcontractor.
- (9) Show projected dates for commencement of both projects and logging. If projected dates need to be changed at a later date, notification must be given to the STATE representative by supplemental plan or otherwise, prior to commencement of such operations.
- (10) The STATE representative will furnish extra copies of Exhibit A of the contract for your use in preparing the operations map. The map shall use the following legend and show:
 1. Landing locations, approximate setting boundaries, and probable sequence of logging the settings. Number the settings in sequence.
 2. Locations of spur roads planned for construction, other than required by the timber sale contract. Provide spur road specifications
 3. Locations of proposed tractor yarding roads. Show if and how marked on the ground.
 4. Locations of temporary stream crossings.
 5. List the sequence of performing project work.
 6. Location of rock sources - attach pit development plans.






Oregon Department of Forestry
2600 State St Salem OR 97310
PART III: EXHIBITS
EXHIBIT B
OPERATIONS PLAN


Completion Timeline

Indicate on the appropriate timeline below, the dates by which you plan to complete the work as required under this contract. The purpose of this section is to develop a plan that will ensure you complete the work as required, and meet the interim completion date(s) and contract expiration date. This plan is incorporated and made a part of the contract. When, in the opinion of STATE, operations are not commencing in a manner that meets the intent of this plan, you may be placed in violation of contract and your operations suspended until an amended plan is submitted and approved by STATE.

Projects



Harvest & Other Requirements



The Federal Endangered Species Act (ESA) prohibits a person from taking any federally listed threatened or endangered species. Taking under the federal ESA may include alteration of habitat. STATE's approval of this plan does not certify that PURCHASER's operation under the plan is lawful under the federal ESA or that the plan is consistent with the terms and conditions of any applicable incidental take Permit(s) including any required minimization and mitigation measures proposed in the applicable Habitat Conservation Plan. As provided in the timber sale contract, PURCHASER's must comply with all applicable state, federal, and local laws, including without limitation any Permit(s) issued thereunder.

PURCHASER's compliance with this plan is not in lieu of compliance with any federal requirements related to the federal Endangered Species Act.

APPROVED; Date: _____

SUBMITTED BY:
PURCHASER

STATE OF OREGON - DEPARTMENT OF
FORESTRY

Title _____

Title _____



Oregon Department of Forestry
EXHIBIT C - SAWMILL GRADE (WESTSIDE SCALE)
SCALING INSTRUCTIONS - LOCATION APPROVAL - BRAND INFORMATION
Astoria - NWOA

(1) ORIGINAL REGISTRATION ☐ Date _____
REVISION NUMBER 000 ☐ Date _____
CANCELLATION ☐ Date _____

(2) TO: _____
(Third Party Scaling Organization)

(3) FROM: Astoria Phone (503) 325-5451
(State Forestry District)
Address: 92219 HWY 202
ASTORIA, OR 97103

(4) PURCHASER: _____
Mailing Address: _____
Phone Number: _____

(5) MINIMUM SCALING SPECIFICATIONS	
SPECIES	MINIMUM NET VOLUME
Conifers	10
Hardwoods	10

*Apply minimum volume test to whole logs over 40' Westside

(6) WESTSIDE SCALE:
Use Region 6 actual taper rule. Logs over 40'.


(8) APPROVED SCALING LOCATIONS (as shown on the ODF Approved Locations web-site)	YES NO		Species	Yard	Truck	Weight
	☐	☒				

(9) **SALE NAME:** Cronin Too
COUNTY: Clatsop

(10) **STATE CONTRACT NUMBER:**
TL-341-2027-W01152-01

(11) **STATE BRAND REGISTRATION NUMBER:**

(12) **STATE BRAND INFORMATION:**



(13) **PAINT REQUIRED:** YES ☒
COLOR: Orange

(14) SPECIAL REQUESTS (Check applicable)	
PEELABLE CULL (all species).....	☒
NO DEDUCTIONS ALLOWED FOR MECHANICAL DAMAGE	☒
ADD-BACK VOLUME - Deductions due to delay...	☒
OTHER :	

(15) **REMARKS:**
"Mule Trains"
1. Loads are required to have load tickets for each set of bunks.
2. If truck and pup are to be weighed, weigh and process separately for gross and tare weights.

Operator's Name (Optional inclusion by District): _____

(16) **SIGNATURES:**

Purchaser or Authorized Representative Date

State Forester Representative Date

State Forester Representative PRINT NAME

Notify the District within one hour when branding or painting is inadequate for quick identification, the receipts are missing, not correctly or completely filled out, and/or when logs presented for scaling are impossible to scale accurately.
General Distribution: TPSO, Approved Scaling Locations and Purchaser.



Oregon Department of Forestry
EXHIBIT C - SAWMILL GRADE
INSTRUCTIONS FOR EXHIBIT C
Astoria - NWOA

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers.

- (2) Designate Third Party Scaling Organization (TPSO).

Columbia River Log Scaling & Grading Bureau
P.O.Box 7002, Eugene, OR 97401
Phone: (541) 342-6007 Fax: (541) 342-2631
Email: services@crls.com

Pacific Rim Log Scaling Bureau, Inc.
8288 28th Court North East, Lacey, WA 98516
Phone: (360) 528-8710 Fax: (360) 528-8718
Email: office@prlsb.com

Mountain Western Log Scaling & Grading Bureau
2560 NW Medical Park Drive, OR 97471
Phone: (541) 673-5571 Fax: (541) 672-6381
Email: info@mountainwestern.com

Yamhill Log Scaling & Grading Bureau
P.O.Box 709, Forest Grove, OR 97116
Phone: (503) 359-4474 Fax: (503) 359-4476
Email: yamhilllog@frontier.com

Northwest Log Scalpers Inc.
6137 NE 63rd St, Vancouver, WA, 98661
Phone: (360) 553-7212 ext. 4 Fax: (360) 553-7213
Email: info@nwlogscalpers.com

- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Minimum Scaling Specifications.
- (6) Westside - Region 6 actual taper segment scale. Check Yes or No. Special Service Rules on file with TPSO. See: Segment Scaling and Grading of Long Logs - All Species - State Forestry Department Scaling Practices (Westside).
- (7) Weight Scale Sample - Check box if sale is to be a Weight Scale Sample. All specifics for handling, scaling and processing will be attached or explained in the Remarks section item (15).
- (8) Show scaling locations only applicable to TPSO. Location name should appear as it does on the ODF Approved Scaling Location web site: https://apps.odf.oregon.gov/Divisions/management/asset_management/scalinglocation.asp Locations with scaling and processing directions specific to their location should be on a separate form. Species should be identified if not capable of receiving "all" species. Check appropriate box for either: yard, truck scale, or weight. Refer to the web site listed above for the locations approval status.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number (**REQUIRED**).
- (12) Show brand assigned to timber sale. One brand only. If more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section item (15).
- (13) Check yes for Paint Required and designate "Orange" for color. Non required removal volumes may sometimes require blue paint.
- (14) Special Requests. These are requests that will be applied to ODF timber sales. All boxes applicable to the timber sales designated in the Exhibit C form must be "marked". If "Other" is indicated, it must contain a description and any necessary comments.
- (15) Use this space to designate any weight scale sample instructions or any other explanations to clarify scaling, processing and/or mailing requirements. If additional scaling locations are approved, revise original or current form showing all (old and new) locations. Check REVISION box at top of form and explain under remarks. Route as indicated.
- (16) Require purchaser to sign and date completed form in addition to State Forester Representative, sign and print name on the form. Signatures not required on revisions.



**Oregon Department of Forestry
EXHIBIT C - PULP SORT
PROCESSING INSTRUCTIONS - LOCATION APPROVAL
BRAND INFORMATION**

Astoria NWOA

(1) ORIGINAL REGISTRATION ☐ Date _____
REVISION NUMBER 000 ☐ Date _____
CANCELLATION ☐ Date _____

(9) **SALE NAME:** Cronin Too

COUNTY: Clatsop


(2) TO: _____
(Approved Pulp Processing Facility)

(10) **STATE CONTRACT NUMBER:**
TL-341-2027-W01152-01

(3) FROM: Astoria Phone (503) 325-5451
(State Forestry District)
Address: 92219 HWY 202
ASTORIA ,OR 97103

(11) STATE BRAND REGISTRATION NUMBER: _____

(12) STATE BRAND INFORMATION: _____



(4) PURCHASER: _____

(5) Scaling Bureau (TPSO) Processing Weight receipts: _____

Mailing Address: _____

Phone Number: _____

(13) REMARKS:

"Mule Trains"

1. Loads are required to have load tickets for each set of bunks.
2. Truck and pup are to be weighed and processed separately for gross and tare weights.

Operator's Name (Optional inclusion by District): _____

(14) SIGNATURES:

Purchaser or Authorized Representative Date

State Forester Representative Date

State Forester Representative PRINT NAME

(6) STATE Definition of Approved Pulp Sort:

- Top portion of the tree (tops).
- All logs with a diameter (Big End) greater than 8 inches marked with blue paint.

(7) PULP FACILITY PROCESSING INSTRUCTIONS:

- Pulp loads shall be weighed in lieu of scaling.
- One Ton = 2000 lbs (Short Ton).
- Pulp loads shall have a yellow Log Load Receipt attached.
- Gross weight and truck tare weight for each load shall be machine printed on the weight receipt.
- Weigher shall sign the weight receipt.
- Weigher shall record the Log Load Receipt number on the weight receipt.
- Weigher shall attach the Weight receipt to the Log Load Receipt and mail them weekly to the TPSO processing the Weight receipt.

(8) TPSO PROCESSING INSTRUCTIONS

- Submit data files daily (or each day of activity).
- Mail or deliver scale tickets weekly to ODF Headquarters in Salem.

Notify the District within one hour when branding is inadequate for quick identification, the logs are marked with orange paint, the receipts are missing, not correctly or completely filled out, and/or logs do not meet the specifications of the STATE definition of Approved Pulp Sort.

General Distribution: TPSO, Approved Scaling Locations and Purchaser.



**Oregon Department of Forestry
EXHIBIT C - PULP SORT
INSTRUCTIONS FOR EXHIBIT C**

Astoria, NWOA

- (1) Check appropriate box. REVISION NUMBER requires comments. CANCELLATION requires logging and hauling to be complete, recall branding hammers.
- (2) Approved Pulp Processing Facility. Write in as written in the Approved Log Delivery Location
https://apps.odf.oregon.gov/Divisions/management/asset_management/scalinglocation.asp
- (3) State District office, address and phone.
- (4) Enter Purchaser's business name, address, and phone number as it appears on the Contract.
- (5) Third Party Scaling Organization that will be processing the weight tickets, mailing address, and phone number.

Columbia River Log Scaling & Grading Bureau
P.O.Box 7002, Eugene, OR 97401
Phone: (541) 342-6007 Fax: (541) 342-2631
Email: services@crls.com

Pacific Rim Log Scaling Bureau, Inc.
8288 28th Court North East, Lacey, WA 98516
Phone: (360) 528-8710 Fax: (360) 528-8718
Email: office@prlsb.com

Mountain Western Log Scaling & Grading Bureau
2560 NW Medical Park Drive, Roseburg, OR 97471
Phone: (541) 673-5571 Fax: (541) 672-6381
Email: info@mountainwestern.com

Yamhill Log Scaling & Grading Bureau
P.O.Box 709, Forest Grove, OR 97116
Phone: (503) 359-4474 Fax: (503) 359-4476
Email: yamhilllog@frontier.com

Northwest Log Scalers Inc.
6137 NE 63rd St, Vancouver, WA, 98661
Phone: (360) 553-7212 ext. 4 Fax: (360) 553-7213
Email: info@nwlogscalers.com

- (6) Big end of log is not to exceed 2 inches greater than the minimum removal specifications in the contract. Example: Minimum removal specifications 6 inches and 20 board feet, then the Big end of log not to exceed 8 inches. When conifer and hardwood removal specifications are different, use the smaller removal diameter to determine this specification.
- (9) Enter sale name and county.
- (10) Enter sale Contract number.
- (11) Enter Oregon's State Brand Registry Number **(REQUIRED)**.
- (12) Show brand assigned to timber sale. One brand only, if more than one brand is assigned to the sale: (1) make a separate form for each brand and (2) on each form, explain and show other brand(s) in the Remarks section Item (13).
- (13) Use this section to list any special instructions or the reason for any revisions in section item (1).
- (14) Require purchaser to sign and date completed form in addition to State Forester Representative, sign and print name on the form. Signatures not required on revisions.

EXHIBIT D
FOREST ROAD SPECIFICATIONS

SUBGRADE WIDTH	SURFACED WIDTH	POINT TO POINT	STATION TO STATION	DRAINAGE
16 feet	12 feet	1A to 1B	0+00 to 6+20	Crowned/Ditch
16 feet	12 feet	1C to 1D	0+00 to 24+00	Crowned/Ditch
16 feet	12 feet	1E to 1F	0+00 to 8+80	Crowned/Ditch
16 feet	12 feet	1G to 1H	0+00 to 6+00	Crowned/Ditch
16 feet	12 feet	1I to 1J	0+00 to 1+80	Crowned/Ditch
16 feet	12 feet	1K to 1L	0+00 to 1+80	Crowned/Ditch
16 feet	12 feet	2A to 2B	0+00 to 1+00	Crowned/Ditch
16 feet	12 feet	2C to 2D	0+00 to 1+90	Crowned/Ditch
16 feet	12 feet	2E to 2F	0+00 to 7+60	Crowned/Ditch
16 feet	12 feet	2G to 2H	0+00 to 3+60	Crowned/Ditch
N/A	N/A	3A	N/A	Outslope
14 feet	N/A	3B to 3C	0+00 to 10+60	Crowned/Ditch
16 feet	12 feet	3D to 3E	0+00 to 6+60	Crowned/Ditch
16 feet	12 feet	3F to 3G	0+00 to 6+40	Crowned/Ditch
16 feet	12 feet	3H to 3I	0+00 to 11+70	Crowned/Ditch
16 feet	12 feet	3J to 3K	0+00 to 2+00	Crowned/Ditch
16 feet	12 feet	I1 to I2	0+00 to 326+55	Crowned/Ditch
16 feet	12 feet	I3 to I4	0+00 to 197+95	Crowned/Ditch
16 feet	12 feet	I5 to I6	0+00 to 271+20	Crowned/Ditch
16 feet	12 feet	I7 to I8	0+00 to 117+90	Crowned/Ditch
16 feet	12 feet	I9 to I10	0+00 to 8+80	Crowned/Ditch
16 feet	12 feet	I11 to I12	0+00 to 143+20	Crowned/Ditch
16 feet	12 feet	I13 to I14	0+00 to 16+40	Crowned/Ditch

CLEARING. This work shall consist of clearing, removing, and disposing of all trees, Snags, Down Timber, brush, surface objects, and protruding obstructions within the clearing limits.

All danger trees, leaners, and Snags outside the clearing limits which could fall and hit the road shall be felled.

CLEARING CLASSIFICATION.

New Construction - Where clearing limits have not been marked, the clearing limits shall extend 10 feet back of the top of the cutslope and 10 feet out from the toe of the fill slope, or as directed by STATE.

Improvement - Where clearing limits have not been marked, the clearing limits shall extend 5 feet back of the top of the cutslope and 10 feet out from the toe of the fill slope, or as directed by STATE.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

Waste Areas – Within flagged or posted limits.

GRUBBING. This work shall consist of the removal or digging out of stumps and protruding objects.

All stumps shall be completely removed within the limits of required grubbing. Stumps overhanging cut slopes shall be removed. Grubbing debris shall not be placed or permitted to remain in or under any road embankment sections.

GRUBBING CLASSIFICATION.

New construction - from the top of the cut slope to the toe of the fill.

Improvements and reconstructions - 4 feet back from the shoulder of the subgrade or ditch, whichever is widest, or as marked in the field.

Waste areas – all stumps and debris within clearing limits.

CLEARING AND GRUBBING DISPOSAL. Clearing and grubbing debris shall not be placed or permitted to remain in or under any road embankment sections. Clearing and grubbing debris shall be left in a stable location, and not left lodged against standing trees. Clearing and grubbing debris may be scattered through openings in the timber outside of the cleared right-of-way, except for the following areas where debris shall be fully contained and hauled to a designated waste area:

- Where end-haul is required
- On side slopes exceeding 50 percent
- On unstable areas
- In any stream channel (Type F, N or D) or where material may enter the stream channel.
- Clearing debris from 2A to 2B, 2C to 2D, 2E to 2F, 2G to 2H, 3B to 3C, 3J to 3K, I5 to I6, I7 to I8 and I9 to I10 and all Waste Areas shall be end hauled, piled and burned onsite or in a location approved by STATE with Project No. 4.
- Stumps and debris shall not be placed below a landing. Material shall be end hauled or piled and scattered in a stable location outside of the working area of the landing.

Clearing, grubbing, and associated disposal shall be completed prior to subgrade approval.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

EXCAVATION. Excavation and grading shall not be done when weather and/or ground conditions are such that damage will result to existing subgrade or cause excessive erosion.

Excavation shall conform to STATE-specified lines, grades, dimensions, and plans when provided. Plans are provided between points 1A to 1B, 1G to 1H, 1I to 1J, 2C to 2D, 2G to 2H, 3B to 3C, 3F to 3G, and 3H to 3I.

Unless road plans show otherwise, all roads shall be on a balanced cross section, except when the slope is over 50 percent, the road shall be on full bench for the width specified.

Suitable excavated material shall be used for the formation of fills, shoulders, and drainage structure backfills. Embankment materials shall be free of woody debris, brush, muck, sod, frozen material, and other deleterious materials.

Sidecast includes any road generated excess excavation material which is not essential as part of the road prism, is not compacted, and is below the roadway. Sidecast shall not be placed where it will enter a stream course. Leaving sidecast below the road is only permissible if specifically allowed in "Full Bench and End Haul Requirements" in this Exhibit.

All fills shall be machine compacted according to the "Compaction and Processing Requirements" in this Exhibit.

ROAD WIDTH LIMITATIONS. PURCHASER shall obtain advance written approval from STATE to construct the road to a greater width than specified. Extra subgrade width shall be required for:

Fill Widening. Add to each fill shoulder 1 foot for fills 3 feet to 6 feet high; 2 feet for fills over 6 feet high.

Curve Widening. Widen the inside shoulder of all curves as specified in the plans or as follows: 400 divided by the radius of the curve equals the amount of extra width.

DRAINAGE

Subgrade. Subgrade shall be crowned, outsloped, or insloped at 4 to 6 percent as shown on the "Forest Road Specifications" table in this Exhibit.

Ditch. Construct V shaped ditch 3 feet wide and to a depth of 1 foot below subgrade.

Ditchouts. Construct ditchouts to drain away from subgrade at locations marked in the field or as directed by STATE.

TURNOUTS. Increase roadbed width an additional 8 feet for both subgrade and surfacing. Length shall be at least 50 feet, or as staked on the ground, plus 25-foot approaches at each end.

Location: Intervisible but not greater than 750 feet apart and as marked in the field.

SLOPES

Solid Rock

Fractured Rock

Soil - side slopes 50% and over

Soil - side slopes less than 50%

Cut Slopes

Vertical to $\frac{1}{4}$:1

$\frac{1}{2}$:1

$\frac{3}{4}$:1

1 :1

Fill Slopes

1½:1

1½:1

Top of cut slope shall be rounded.

LANDINGS. Landings shall be constructed as posted in the field, no less than 50 feet wide and no more than 70 feet wide unless otherwise specified in specific instructions, or as approved by STATE. Surface is to be crowned for drainage with general grade no more than 3 percent. Surface as shown in the "Road Surfacing" table in this Exhibit.

TURNAROUNDS. Increase subgrade width an additional 20 feet for a length of 20 feet at locations marked in the field.

SEASONAL WINTERIZATION. All unsurfaced roads or unfinished subgrades shall be waterbarred in accordance with the specifications in Exhibit H and blocked from vehicular traffic prior to October 1, annually and as directed by STATE.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

GENERAL ROAD CONSTRUCTION INSTRUCTIONS:

- (1) Timber Removal. Remove all trees within posted Right-of-Way Boundary or individually marked with an orange "C", as specified in Section 2210, Designated Timber. Unposted road shall have all trees removed to meet the clearing limits in accordance with Exhibit D CLEARING CLASSIFICATION.
- (2) Excavated Materials. Excavated materials shall be utilized for road construction and hauled in where necessary. Surplus excavation materials shall be hauled to the waste areas as marked in the field and/or designated on Exhibit A or used for fill on other road segments. Surplus excavated materials and waste materials shall be sloped and compacted for drainage. Fills shall be thoroughly compacted in accordance with this Exhibit.
- (3) Drainage Ditches. Construct ditchlines, including ditchouts, as directed by STATE. Cut slopes of ditchlines and ditchouts shall not exceed a 1:1 slope. Construct culvert sediment basins. Waste materials from drainage ditches and sediment basins shall be placed in nearby waste areas and uniformly sloped and compacted for drainage, as directed by STATE.
- (4) Culvert Installation. Culverts in live streams shall be installed with the inlet and outlet on grade with the stream bottom, unless otherwise specified in writing. Fill construction backfill shall consist of select materials and may be obtained from borrow pits, as directed by STATE. Backfill materials shall be hauled in where necessary and thoroughly compacted in accordance with this Exhibit. STATE may require the use of crushed rock for culvert bedding.
- (5) Fill Armor and Energy Dissipator Construction. Where rock is specified for fill armor, rock shall be machine placed and tamped at a 1½:1 slope, beginning at the toe of the fill. Where rock is used for an energy dissipator, rock shall be placed below the culvert outlet and embedded for a minimum of 3 feet, in accordance with Exhibit G.
- (6) Equipment. All excavation and riprap placement shall be performed using a minimum 1½ cubic-yard, track-mounted excavator.
- (7) Controlled Blasting. Drilling and shooting operations are anticipated on road segments 1I to 1J, 2A to 2B, 2C to 2D, 2E to 2F Station 3+00 to 4+00, and 2G to 2H. Controlled blasting techniques shall be utilized for any blasting operations, and shall be accomplished using timing devices, delayed charges, low intensity shots, or other suitable means to contain material within the road prism.
- (8) Hydraulic Rock Hammer. Use of an on-site hydraulic rock hammer may be required for the breaking of rock strata encountered during construction and improvement activities. Rock hammers shall be utilized in accordance with manufacturer recommendations. Material shall be contained within the road prism and measures taken to contain material such as establishment of temporary berms, or barriers. Material shall be end hauled to approved waste area locations, utilized on-site for road and landing construction, pit-run, riprap, or road fill for other project areas.
- (9) Waste Area Construction and Improvement. Develop waste areas to accommodate waste materials from new road construction and road improvement. This includes scattering and piling woody debris and stumps and/or end hauling and burning to create room and leveling the access roads for dump truck access. Amount of material in waste areas shall not exceed allowable limits as specified in FULL BENCH AND END HAUL of Exhibit D.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

(10) Subgrade Preparation and Application of Surfacing Rock.

- (a) Complete culvert installations, drainage ditches, ditchouts, fill construction, and other specified work prior to the application of surfacing rock.
- (b) Subgrade shall be crowned, outsloped, or insloped at 4 to 6 percent.
- (c) Upon completion of above required work, apply, process, and compact surfacing rock in accordance with specifications in the "Compaction and Processing Requirements" in this Exhibit. Final road surface shall be crowned, outsloped, or insloped at 4 to 6 percent.

SPECIFIC ROAD CONSTRUCTION INSTRUCTIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
1A to 1B	0+00	End haul waste to 1K to 1L to use as fill material for construction. Any excess waste should be hauled to designated Waste Area 1. Scatter clearing and grubbing debris in stable locations or end haul clearing and grubbing debris to designated Waste Area 1.
	1+65	Construct turnout.
	2+40	Install culvert. Install culvert marker. Install culvert energy dissipator.
	4+90	Construct turnaround.
	5+50	Construct ditchout.
	6+20	Construct landing.
1C to 1D	0+00	Road is unposted and shall be cleared and grubbed in accordance with Exhibit D CLEARING CLASSIFICATION. Begin end haul clearing and grubbing debris to designated Waste Area 1
	4+40	Install culvert. Install culvert marker.
	5+00	End of end haul clearing and grubbing debris. Begin scatter clearing and grubbing debris in stable locations.
	8+00	Construct ditchout.
	9+80	Install culvert. Install culvert marker.
	14+00	Install culvert at junction of 1E to 1F. Install culvert marker.
	15+70	Install culvert. Install culvert marker.
	19+60	Install culvert. Install culvert marker.
	20+30	Begin end haul of clearing and grubbing debris to designated Waste Area 1.
	22+00	Construct turnaround.
	24+00	Clear and grub existing 100 foot wide landing. Utilize space outside the landing to pile clearing and grubbing debris out of the road prism. End of end haul clearing and grubbing debris.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
1E to 1F		
	0+00	Road is unposted and shall be cleared and grubbed in accordance with Exhibit D CLEARING CLASSIFICATION.
	4+90	Clear existing landing. Install culvert. Install culvert marker.
	5+50 to 7+70	Excavate cutbank and widen existing road surface. End haul material to designated waste area.
	7+00	Construct turnout.
	8+80	Clear and grub existing landing. Utilize space outside the landing to pile clearing and grubbing debris out of the road prism.
1G to 1H		
	0+00	Begin end haul of clearing and grubbing debris to designated waste area.
	2+00	Install culvert. Install culvert marker. Install culvert energy dissipator.
	2+90	Begin scattering clearing and grubbing debris in stable locations.
	4+00	Install culvert. Install culvert marker.
	4+45	Construct turnaround.
	6+00	Construct landing 90 feet wide by 90 feet long.
1I to 1J		
	1+80	Drill/shoot 12 feet to construct a landing 100 feet wide by 100 feet long. Excess material used to construct landing shall be utilized as pit-run/riprap rock for Unit 1 new road construction. Clearing debris shall be end hauled prior to drilling and shooting and burned as part of Project No. 4.
1K to 1L		
	1+80	Construct landing.
2A to 2B		
	1+00	Drill/shoot 7 feet to road level to construct a landing 90 feet wide by 90 feet long. Excess material used to construct landing shall be utilized as pit-run/riprap rock for Unit 2 new road construction. Clearing debris shall be end hauled prior to drilling and shooting and burned as part of Project No. 4.
2C to 2D		
	1+00	Construct ditchout.
	1+90	Drill/shoot 10 feet to construct a landing. Excess material used to construct landing shall be utilized as pit-run/riprap rock for Unit 2 new road construction. Clearing debris shall be end hauled prior to drilling and shooting and burned as part of Project No. 4.
2E to 2F		
	0+00	STATE will issue instructions for a waste area and road and landing widening outside posted right-of-way. Clearing debris shall be end hauled and burned as part of Project No. 4. Utilize the clearing area for waste material generated from new road construction and improvement to designated waste area.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
2E to 2F	3+00	Drill/shoot 13 feet to construct a landing 70 feet wide and 100 feet long. Landing will incorporate existing road and up to 10 feet of opposite road shoulder. Clearing debris shall be end hauled prior to drilling and shooting and burned as part of Project No. 4. Maintain existing road grade to 2F and taper landing as needed. Excess material used to construct landing shall be utilized as pit-run/riprap rock for Unit 2 new road construction. Begin daylighting existing cutbank and utilize material to construct 2F.
	7+60	End daylighting existing cutbank. Utilize excess material to construct a landing 50 feet wide by 70 feet long.
2G to 2H	0+00	End haul all clearing and grubbing debris to designated waste area.
	0+20	Construct ditchout.
	1+40	Begin landing construction. Drill/shoot 18 feet to existing road level to construct a landing 100 feet wide by 100 feet long. Excess material used to construct landing shall be utilized as pit-run/riprap rock for Unit 2 new road construction. Clearing debris shall be end hauled prior to drilling and shooting and burned as part of Project No. 4.
	2+60	Begin filling existing landing.
	3+20	End landing construction.
	3+60	End filling existing landing.
3A	N/A	Construct landing. Construct ditch across junction.
3B to 3C	0+00	Begin cutslope rounding and utilize material for road construction. End haul all clearing and grubbing debris to designated Waste Area 5.
	2+60	End cutslope rounding.
	1+65	Construct turnout.
	2+30	Install culvert. Install culvert marker.
	4+50	Install culvert. Install culvert marker.
	6+70	Install culvert. Install culvert marker. Begin cutslope rounding and utilize material for road construction.
	8+70	End cutslope rounding.
	8+85	Construct turnaround.
	10+60	Construct landing.
3D to 3E	2+80	Construct a roadside landing 70 feet wide by 50 feet long.
	3+50	Install culvert. Install culvert marker. Install culvert energy dissipator.
	6+60	Construct waterbar at end of road.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
3F to 3G	0+00 to 1+40	Utilize end haul material as fill from I5 to I6 (Sta. 237+80 to 239+50) to construct junction. Begin fill armoring
	1+40	End of fill armoring.
	1+80	Install culvert. Install culvert marker. Begin cutslope rounding and utilize material for road construction.
	2+20	Construct a roadside landing 60 feet wide by 60 feet long.
	3+70	Begin fill armoring
	3+90	Install culvert. Install culvert marker.
	4+60	End of fill armoring.
	5+00	End cutslope rounding.
	6+40	Construct a landing 60 feet wide by 60 feet long.
3H to 3I	0+00	Begin cutslope rounding and utilize material for road construction.
	4+00	Install culvert Install culvert marker.
	8+30	Construct turnout.
	9+00	Install culvert Install culvert marker.
	10+10	Construct turnaround.
	10+40	End cutslope rounding.
	11+70	Construct a landing 70 feet wide by 70 feet long.
3J to 3K		
	0+00	Reconstruct both junctions. End haul all clearing and grubbing debris and old waste material to designated Waste Area 5.

EXHIBIT D
FOREST ROAD SPECIFICATIONS

GENERAL ROAD IMPROVEMENT, SURFACE ROCK REPLACEMENT, AND ROAD MAINTENANCE INSTRUCTIONS:

- (1) Timber Removal. Remove all trees within posted Right-of-Way Boundary or individually marked with an orange "C", as specified in Section 2210, Designated Timber.
- (2) Excavated Materials. Excavated materials shall be utilized for road and fill construction and hauled in where necessary. Surplus excavation materials shall be hauled to the waste areas as marked in the field and/or designated on Exhibit A or used for fill on other road segments. Surplus excavated materials and waste materials shall be sloped and compacted for drainage. Fills shall be thoroughly compacted in accordance with this Exhibit.
- (3) Bank Slough Removal. Excavate all bank slough. Bank slough material shall not be pulled across existing surfacing rock. Excavated material shall be hauled to the designated waste areas as marked in the field and/or designated on Exhibit A.
- (4) Culvert Replacement, Culvert Installation, Fill Reconstruction, and Fill Removal. Existing culvert geometry shall be modified to provide for optimum drainage and culvert performance. Modifications may include, skewing the culvert and/or installing the culvert at gradients equal to or exceeding the drainage (or ditch) gradient. Where fill reconstruction or culvert replacement is specified, fills shall be excavated to natural stream course levels. All woody debris encountered during fill excavation shall be removed. Fill reconstruction backfill shall consist of select materials and may be obtained from borrow pits, as directed by STATE. Unsuitable backfill material shall be hauled to the designated waste areas as marked in the field and/or designated on Exhibit A. Backfill materials shall be hauled in where necessary and thoroughly compacted in accordance with this Exhibit.
- (5) Culvert Cleaning and Repairs. Remove all debris from inside all existing culverts on the road improvement segment, as directed by STATE. Damaged culvert inlets and/or outlets shall be repaired by opening them with a hydraulic jack, or cutting off the culvert end to allow for free passage of water at peak flow levels.
- (6) Drainage Ditches. Restore or construct ditchlines, including ditchouts, and remove debris from cutbanks, fill slopes and the road prism, as directed by STATE. Clean out all culvert inlets and outlets for a 10-foot radius. Re-establish or construct culvert sediment basins. Waste materials from drainage ditches and sediment basins, cutbanks, fill slopes and the road prism shall not be pulled across existing surfacing rock, but shall be placed in nearby waste areas.
- (7) Fill Armor and Energy Dissipator Construction. Where rock is specified for fill armor, rock shall be machine placed and tamped at a 1½:1 slope, beginning at the toe of the fill. Where rock is used for an energy dissipator, rock shall be placed below the culvert outlet and embedded for a minimum of 3 feet, in accordance with Exhibit G.
- (8) Sod Removal. Remove/separate sod from crushed rock surfacing as directed by STATE. Sod material shall be scattered in stable locations through openings in the timber outside of the cleared right-of-way. In areas where sod cannot be scattered in a stable location, material shall be end hauled to designated waste areas as shown on Exhibit A, or other stable locations as directed by STATE.
- (9) Equipment. All excavation and riprap placement shall be performed using a minimum 1½ cubic yard, track-mounted excavator.
- (10) Controlled Blasting. Drilling and shooting operations are anticipated on road segments 1I to 1J, 2A to 2B, 2C to 2D, 2E to 2F Station 3+00 to 4+00, and 2G to 2H. Controlled blasting techniques shall be utilized for any blasting operations, and shall be accomplished using timing devices, delayed charges, low intensity shots, or other suitable means to contain material within the road prism.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

- (11) Hydraulic Rock Hammer. Use of an on-site hydraulic rock hammer may be required for the breaking of rock strata encountered during construction and improvement activities. Rock hammers shall be utilized in accordance with manufacturer recommendations. Material shall be contained within the road prism and measures taken to contain material such as establishment of temporary berms, or barriers. Material shall be end hauled to approved waste area locations, utilized on-site for road and landing construction, pit-run, riprap, or road fill for other project areas.
- (12) Waste Area Construction and Improvement. Develop waste areas to accommodate waste materials from new road construction and road improvement. This includes scattering and piling woody debris and stumps and/or end hauling and burning to create room and leveling the access roads for dump truck access. Amount of material in waste areas shall not exceed allowable limits as specified in FULL BENCH AND END HAUL of Exhibit D.
- (13) Subgrade Preparation and Application of Surfacing Rock.
- (a) Complete culvert installations, drainage ditches, fill reconstruction, ditchouts, and other specified work prior to the application of new surfacing rock.
 - (b) Cut out all potholes and/or washboard sections from the existing surfacing.
 - (c) Apply required patching and leveling rock, as directed by STATE.
 - (d) Process (grade and mix) the existing surface and added base rock. Provide for a crown, outslope, or inslope of 4 to 6 percent, and compact in accordance to the "Compaction and Processing Requirements" in this Exhibit.
 - (e) Upon completion of above required work, apply, process, and compact surfacing rock in accordance to this Exhibit.
 - (f) Spot grading and grade, shape, and ditch: Includes items (a), (b), and (c) above. Provide for a crown, outslope, or inslope of 4 to 6 percent. Compaction is not required unless specified in specific instructions.

SPECIFIC SALE ACCESS ROAD IMPROVEMENT, SURFACE ROCK REPLACEMENT, AND ROAD MAINTENANCE INSTRUCTIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
I1 to I2		
	0+00	Begin spot grading.
	166+85	Clear debris from road prism.
	179+60	End spot grading. Begin three inch lift of 1½"-0" of crushed rock.
	272+05	Begin ditch reestablishment.
	282+90	End ditch reestablishment.
	297+35	Begin ditch reestablishment.
	298+90	Install culvert marker
	303+50	End ditch reestablishment. Begin ditch construction.
	326+55	End three inch lift of 1½"-0" crushed rock. End ditch construction.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
I3 to I4	0+00 to 108+15	Reestablish drainage where needed, end haul material to designated Waste Area 2, as directed by STATE.
	108+15 to 197+95	Continue reestablish drainage as needed, scatter material in stable locations, as directed by STATE.
I5 to I6	0+00	Begin grade, shape, and compaction.
	19+20	Excavate contaminated surfacing and contaminated subgrade. End-haul to waste area designated by STATE. Excavate ditches so that bottom of ditch is 1 foot deeper than subgrade and end-haul to waste area designated by STATE. Apply and compact 44 cubic yards of 4"-0" crushed rock for subgrade reinforcement and cap with 22 cubic yards of 1 ½"-0" crushed rock.
	30+00	Excavate contaminated surfacing and contaminated subgrade. End-haul to waste area designated by STATE. Excavate ditches so that bottom of ditch is 1 foot deeper than subgrade and end-haul to waste area designated by STATE. Apply and compact 44 cubic yards of 4"-0" crushed rock for subgrade reinforcement and cap with 22 cubic yards of 1 ½"-0" crushed rock.
	40+20	Excavate contaminated surfacing and contaminated subgrade. End-haul to waste area designated by STATE. Excavate ditches so that bottom of ditch is 1 foot deeper than subgrade and end-haul to waste area designated by STATE. Apply and compact 44 cubic yards of 4"-0" crushed rock for subgrade reinforcement and cap with 22 cubic yards of 1 ½"-0" crushed rock.
	48+00	End grade, shape, and compaction. Begin spot grading and compaction of applied surface rock locations only.
	122+00	Remove blowdown from road and ditch.
	179+60	End spot grading and compaction of applied surface rock locations only. Begin grade, shape, and compaction.
	194+10	Begin slough removal and end-haul to waste area designated by STATE.
	200+00	End slough removal and end-haul to waste area designated by STATE.
	225+00 to 271+20	Property line. Begin four inch lift of 4"-0" of crushed rock. Begin sod removal, ditch reestablishment, and debris removal from road prism. Utilize rock hammering as needed to widen road to specified widths and to construct ditches for positive drainage. Remove all debris and vegetation from cutslopes and banks, remove all back slough, restore and reestablish cutslopes including rounding and removal of overhanging and undermined material as necessary. Suitable rock generated may be used for dissipator and landing rock. STATE will determine areas where waste materials and woody debris may be scattered in openings and stable areas. Remaining materials shall be end hauled to Waste Area 5. Woody debris to be end hauled shall be separated and disposed of at waste area by burning in accordance with Project No. 4.
	230+00	Clean culvert inlet and outlet. Install culvert marker.
	233+60	Install culvert marker.
	236+80	Utilize usable material generated from road widening and ditch reestablishment to widen and construct turnout.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
I5 to I6		
	237+80	Install culvert marker. Begin road realignment. Utilize rock hammer as needed to widen road approximately 12 feet into rock bank to straighten curve and align with junction of 3B to 3C. Clear and round finished cutslopes of overhanging, undermined, and loose debris. End haul useable material for construction of junction 3E to 3F and landing on 3D to 3E (Sta. 2+80), waste materials shall be hauled to Waste Area 5. Woody debris shall be separated and disposed of at Waste Area 5 by burning in accordance with Project No. 4.
	238+10	Remove existing culvert. Backfill with useable material generated from realignment.
	239+50	End road realignment.
	241+20	Utilize usable material generated from road widening and ditch reestablishment to widen and construct turnout.
	242+30	Install culvert marker.
	243+60	Install new culvert. Install culvert marker.
	246+00	Install new culvert. Install culvert marker.
	248+90	Install new culvert. Install culvert marker. Install energy dissipator.
	256+50	Install culvert marker.
	257+30	Install new culvert. Install culvert marker. Install energy dissipator.
	262+50	Install new culvert. Install culvert marker.
	268+10	Construct drivable ditch to keep access to stockpile site.
	269+20	Install new culvert. Install culvert marker.
	271+20	End four inch lift of 4"-0" of crushed rock. End sod removal, ditch reestablishment, and debris removal from road prism
I7 to I8		
	0+00	Begin sod removal, ditch reestablishment, and debris removal from road prism. STATE will determine areas where ditch reestablishment is necessary to reopen drainage and locations where waste materials and woody debris may be scattered in openings and stable areas. Minimize disturbance to existing re-prod outside of work area. Remaining materials shall be end hauled to a waste area designated by STATE. Woody debris shall be separated and disposed of at waste areas by burning in accordance with Project No. 4.
	63+25	End sod removal. Continue ditch reestablishment, and debris removal from road prism.
	76+80	Property line. Begin three inch lift of 1½"-0" of crushed rock.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
17 to 18		
	87+20 to 115+10	Begin sod removal, ditch reestablishment, and debris removal from road prism. Utilize rock hammering as needed to widen road to specified widths and to construct ditches for positive drainage. Remove all debris and vegetation from cutslopes and banks, remove all bank slough, restore and reestablish cutslopes including rounding and removal of overhanging and undermined material as necessary. Suitable rock generated may be used for dissipator and landing rock. STATE will determine areas where waste materials and woody debris may be scattered in openings and stable areas. Remaining materials shall be end hauled to Waste Area 5. Woody debris to be end hauled shall be separated and disposed of at waste area by burning in accordance with Project No. 4.
	93+55	Clean culvert and install culvert marker.
	98+55	Widen catch basin of existing culvert utilizing rock hammer. Install culvert marker.
	98+85	Construct turnaround.
	102+25	Begin widening road approximately 6 feet. Construct turnaround.
	103+35	Begin widening road approximately 6 feet into rock bank. Use a combination of inslope, outslope, or construct ditch to establish drainage. STATE will issue instructions for completion of drainage work. Utilize suitable rock material from road widening and drilling and shooting from other project areas to armor banks where constructed drainage features will outlet.
	105+30	End widening road approximately 6 feet into rock bank.
	106+20	Install culvert Install culvert marker. Install energy dissipator.
	107+00	Upon removal of debris, bank slough, and cutslope restoration, establish positive drainage through spring area using a combination of inslope, outslope, ditch construction, widening or deepening of ditch, or construction of drivable dip. STATE will issue instructions for completion of drainage work. Utilize suitable rock material from road widening or drilling and shooting from other project areas to armor banks where constructed drainage features will outlet or to buttress undermined cutslopes.
	109+60	Begin widening road approximately 12 feet into rock bank. Use a combination of inslope, outslope, or construct ditch to establish drainage. STATE will issue instructions for completion of drainage work. Utilize suitable rock material from road widening and drilling and shooting from other project areas to armor banks where constructed drainage features will outlet.
	113+10	End widening road approximately 12 feet into rock bank to widen road.
	115+10	Install culvert. Install culvert marker. Install energy dissipator. End ditch reestablishment.
19 to 110		
	0+00	Begin sod removal.
	1+45	Improve existing landing utilizing material from 2C to 2D to expand and level to a minimum 50 foot width.

EXHIBIT D

FOREST ROAD SPECIFICATIONS

<u>Segment</u>	<u>Station</u>	<u>Work Description</u>
I9 to I10	8+80	End sod removal. Improve existing landing utilizing material from 2C to 2D to expand and level to a minimum 70 foot width. STATE will issue instructions for a waste area and road and landing widening. Clearing debris shall be end hauled and burned as part of Project No. 4. Utilize the clearing area for waste material generated from new road construction and improvement to designated waste area.
I11 to I12		
	0+00 to 143+20	Remove debris within road prism and reestablish drainage where needed, as directed by STATE.
	70+10	Begin two inch lift of 1½"-0" crushed rock.
	143+20	End two inch lift of 1½"-0" crushed rock.
I13 to I14		
	0+00 to 16+40	Remove debris within road prism and reestablish drainage where needed, as directed by STATE.
	11+80	Property line. Install culvert marker.
	16+40	Clear and open waste area. Woody debris shall be burned with Project No. 4.

EXHIBIT D

FULL BENCH AND END-HAUL REQUIREMENTS

POINT TO POINT	STA. TO STA.	CONTAINMENT - SIDECAST
1A to 1B	0+00 to 6+20	1
1C to 1D	0+00 to 5+00 and 20+30 to 24+00	1
1E to 1F	5+50 to 7+70	2
1G to 1H	0+00 to 2+90	1
2E to 2F	0+00 to 7+60	1
2G to 2H	0+00 to 3+60	1
3B to 3C	0+30 to 5+40	1
3F to 3G	2+50 to 4+00	1
3J to 3K	0+00 to 2+00	1
I3 to I4	0+00 to 108+15	1
I5 to I6	19+20, 30+00, 40+20, 194+10 to 200+00, and 225+00 to 271+20	1
I7 to I8	87+20 to 115+10	1

Full Bench and End-Haul Areas General Requirements

Sidecast includes any road generated excess excavation material which is not essential as part of the road prism, is not compacted, and is below the roadway. Material shall not be sidecast unless specified above.

Clearing and grubbing debris shall be end-hauled.

When controlled blasting is required, it shall be accomplished using timing devices, delayed charges, low intensity shots, or other suitable means to contain material within the road prism.

Containment/Sidecast

- (1) Full: No excavated material remains below the road.
- (2) Normal/Incidental: The amount of excavated material lost over the outside edge of the road shall not exceed 1 foot in depth.
- (3) Sidecast: Material shall be spread evenly below the road so that it does not build up behind trees, snags or other debris, and shall not exceed 3 feet in depth.

Any amount of material exceeding the containment requirements shall be removed by whatever means necessary and end-hauled to a designated waste area.

EXHIBIT D

FULL BENCH AND END-HAUL REQUIREMENTS

WASTE AREAS

Waste Area Location

WASTE AREA NUMBER	MAXIMUM ALLOWABLE YARDAGE	BURNING REUIRED UNDER PROJECT NO.4
1	N/A	N
2	N/A	N
3	2,500	Y
4	1,000	Y
5	N/A	Y
6	N/A	Y

- As shown on Exhibit A and as marked in the field.
- Setback from slope break shall be a minimum of 20 feet horizontal measurement.
- Fill material for new road and landing construction.
- Useable rock material for landing rock, dissipators, and fill armor.


Waste Area Treatment

- Clear and grub within flagged or marked areas, level and prepare for use.
- Pile and burn all clearing and grubbing debris from waste area development including existing material and end hauled debris as specified in Exhibit J and as required with Project No. 4, as directed by STATE.
- At waste areas that do not require disposal by burning under Exhibit J and Project No. 4, pile woody debris separate from other waste material, as directed by STATE.
- Deposit at waste area, spread evenly, compact, and provide adequate drainage. STATE will provide instructions and mark toe of fill for waste area locations.
- If material hauled to waste areas reaches maximum allowable yardage under the waste area table, material shall be hauled to the next nearest waste area. Load records shall be kept by PURCHASER for volumes hauled and provided to STATE. Measurements will be used by STATE to account for volumes hauled and placed in waste areas.
- STATE may issue instructions to haul waste materials and useable rock material to separate waste area locations. Useable rock material shall be placed separate from waste materials in a location accessible for future loading and hauling.
- Mulch and seed all waste areas in accordance with Exhibit I.

EXHIBIT D

TYPICAL ROCK DITCH FILTER

SPACING BETWEEN ROCK FILTERS



ROCK DITCH FILTER




EXHIBIT D

ROAD SURFACING

ROAD SEGMENT: 1A to 1B				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	1A to 1B		0+00 to 6+20		
				Volume (CY) Per		Number of		
Junction Rock	1 1/2"-0" crushed	N/A	N/A	junctions	11	junctions	1	11
Base Rock	4"-0" crushed	0+00 to 6+20	8	station	50	stations	6.2	310
Turnouts	4"-0" crushed	1+65	N/A	turnout	22	turnouts	1	22
Culvert Energy Dissipator	24"-6" riprap	2+40	N/A	dissipator	11	dissipators	1	11
Turnarounds	4"-0" crushed	4+90	N/A	turnaround	33	turnarounds	1	33
Landings	6"-0" pit-run	6+20	N/A	landing	110	landings	1	110
Total Rock for Road Segment:			1A to 1B					497
ROAD SEGMENT: 1C to 1D				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	1C to 1D		0+00 to 24+00		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 24+00	8	station	50	stations	24.00	1,200
Junction Rock	1 1/2"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Traction Rock	1 1/2"-0" crushed	0+00 to 5+40, 8+90 to 14+40, 16+00 to 23+00	2	station	13	stations	17.90	233
Subgrade Reconstruction	4"-0" crushed	1+30, 4+40, 8+00, 8+90, 9+80, 15+00, 17+00, 19+00, 22+00	N/A	load	11	loads	9	99
Turnouts	4"-0" crushed	5+40, 12+50	N/A	turnout	22	turnouts	2	44
Turnarounds	4"-0" crushed	12+50, 22+00	N/A	turnaround	33	turnarounds	2	66
Landings	6"-0" pit-run	24+00	N/A	landing	110	landings	1	110
Total Rock for Road Segment:			1C to 1D					1,763
ROAD SEGMENT: 1E to 1F				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	1E to 1F		0+00 to 8+80		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 8+80	8	station	50	stations	8.80	440
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Turnouts	4"-0" crushed	2+40, 4+90	N/A	turnout	22	turnouts	2	44
Turnarounds	4"-0" crushed	7+00	N/A	turnaround	33	turnarounds	1	33
Landings	6"-0" pit-run	8+80	N/A	landing	77	landings	1	77
Total Rock for Road Segment:			1E to 1F					605

EXHIBIT D

ROAD SURFACING

ROAD SEGMENT: 1G to 1H				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	1G to 1H		0+00 to 6+00		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 6+00	8	station	50	stations	6.00	300
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Traction Rock	1 1/2"-0" crushed	1+40 to 5+00	2	station	13	stations	3.6	47
Culvert Energy Dissipator	24"-6" riprap	2+00	N/A	dissipator	11	dissipators	1	11
Turnarounds	4"-0" crushed	4+45	N/A	turnaround	33	turnarounds	1	33
Landings	6"-0" pit-run	6+00	N/A	landing	77	landings	1	77
Total Rock for Road Segment:			1G to 1H					479
ROAD SEGMENT: 1I to 1J				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	1I to 1J		0+00 to 1+80		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 1+80	8	station	50	stations	1.80	90
Turnarounds	4"-0" crushed	0+15	N/A	turnaround	33	turnarounds	1	33
Landings	6"-0" pit-run	1+80	N/A	landing	110	landings	1	110
Total Rock for Road Segment:			1I to 1J					233
ROAD SEGMENT: 1K to 1L				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	1K to 1L		0+00 to 1+80		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 1+80	8	station	50	stations	1.80	90
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Landings	6"-0" pit-run	1+80	N/A	landing	110	landings	1	110
Total Rock for Road Segment:			1K to 1L					211
ROAD SEGMENT: 2A to 2B				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	2A to 2B		0+00 to 1+00		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 1+00	8	station	50	stations	1.00	50
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Landings	6"-0" pit-run	1+00	N/A	landing	110	landings	1	110
Total Rock for Road Segment:			2A to 2B					171

EXHIBIT D

ROAD SURFACING

ROAD SEGMENT: 2C to 2D				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	2C to 2D		0+00 to 1+90		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 1+90	8	station	50	stations	1.90	95
Junction Rock	1 1/2"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Traction Rock	1 1/2"-0" crushed	0+00 to 1+00	2	station	13	stations	1.00	13
Landings	6"-0" pit-run	1+90	N/A	landing	77	landings	1	77
Total Rock for Road Segment:			2C to 2D					196
ROAD SEGMENT: 2E to 2F				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	2E to 2F		0+00 to 7+60		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	4+00 to 7+60	8	station	50	stations	3.60	180
Junction Rock	4"-0" crushed	3+00	N/A	junctions	11	junctions	1	11
Traction Rock	1 1/2"-0" crushed	4+00 to 7+60	2	station	13	stations	3.60	47
Landings	6"-0" pit-run	3+00, 7+60	N/A	landing	77	landings	2	154
Total Rock for Road Segment:			2E to 2F					392
ROAD SEGMENT: 2G to 2H				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	2G to 2H		0+00 to 3+60		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 3+60	8	station	50	stations	3.60	180
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Landings	6"-0" pit-run	3+60	N/A	landing	110	landings	1	110
Total Rock for Road Segment:			2G to 2H					301
ROAD SEGMENT: 3A				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	3A		N/A		
				Volume (CY) Per		Number Of		
Junction Rock	1 1/2"-0" crushed	N/A	N/A	junctions	11	junctions	1	11
Landings	6"-0" pit-run	N/A	N/A	landing	110	landings	1	110
Total Rock for Road Segment:			3A					121
ROAD SEGMENT: 3B to 3C				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	3B to 3C		0+00 to 10+60		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 1+00	8	station	50	stations	1.00	50
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Total Rock for Road Segment:			3B to 3C					61

EXHIBIT D

ROAD SURFACING

ROAD SEGMENT: 3D to 3E				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	3D to 3E		0+00 to 6+60		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 6+60	8	station	50	stations	6.6 0	330
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Traction Rock	1 1/2"-0" crushed	0+00 to 6+60	2	station	13	stations	6.6 0	86
Landings	6"-0" pit-run	2+80	N/A	landing	110	landings	1	110
Culvert Energy Dissipator	24"-6" riprap	3+50	N/A	dissipator	11	dissipators	1	11
Total Rock for Road Segment:			3D to 3E					548
ROAD SEGMENT: 3F to 3G				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	3F to 3G		0+00 to 6+40		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 6+40	8	station	50	stations	6.4 0	320
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Fill Armoring	24"-6" riprap	0+00 to 1+40, 3+70 to 4+60	N/A	load	11	loads	20	220
Traction Rock	1 1/2"-0" crushed	1+00 to 5+70	2	station	13	stations	4.7 0	61
Landings	6"-0" pit-run	2+20, 6+40	N/A	landing	110	landings	2	220
Total Rock for Road Segment:			3F to 3G					832
ROAD SEGMENT: 3H to 3I				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	3H to 3I		0+00 to 11+70		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 11+70	8	station	50	stations	11. 70	585
Junction Rock	4"-0" crushed	0+00	N/A	junctions	11	junctions	1	11
Turnouts	4"-0" crushed	8+30	N/A	turnout	22	turnouts	2	44
Turnarounds	4"-0" crushed	10+10	N/A	turnaround	33	turnarounds	1	33
Traction Rock	1 1/2"-0" crushed	6+50 to 10+50	2	station	13	stations	4	52
Turnouts	1 1/2"-0" crushed	8+60	2	turnout	22	turnouts	1	22
Landings	6"-0" pit-run	11+70	N/A	landing	110	landings	1	110
Total Rock for Road Segment:			3H to 3I					857
ROAD SEGMENT: 3J to 3K				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	3J to 3K		0+00 to 2+00		
				Volume (CY) Per		Number Of		
Base Rock	4"-0" crushed	0+00 to 2+00	8	station	50	stations	2.0 0	100
Junction Rock	4"-0" crushed	0+00, 2+00	N/A	junctions	11	junctions	2	22
Total Rock for Road Segment:			3J to 3K					122

EXHIBIT D

ROAD SURFACING

ROAD SEGMENT: I1 to I2				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	I1 to I2		0+00 to 326+55		
				Volume (CY) Per		Number Of		
Surface Leveling Rock	1 1/2"-0" crushed		N/A	load	11	loads	3	33
Surfacing	1 1/2"-0" crushed	179+60 to 326+55	3	station	19	stations	146.95	2,792
Turnouts	1 1/2"-0" crushed	214+50, 220+35, 230+25, 238+00, 256+85, 270+35, 286+70, 290+00, 294+10, 297+35	N/A	turnout	11	turnouts	10	110
Junctions	1 1/2"-0" crushed	203+60, 228+45, 233+75, 247+90 (2), 265+35 (3), 296+25	N/A	load	11	loads	9	99
Total Rock for Road Segment:			I1 to I2					3,034
ROAD SEGMENT: I3 to I4				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	I3 to I4		0+00 to 197+95		
				Volume (CY) Per		Number Of		
Surface Leveling Rock	1 1/2"-0" crushed		N/A	load	11	loads	55	605
Total Rock for Road Segment:			I3 to I4					605
ROAD SEGMENT: I5 to I6				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	I5 to I6		0+00 to 271+20		
				Volume (CY) Per		Number Of		
Surface Leveling Rock	1 1/2"-0" crushed		N/A	load	11	loads	21	231
Surface Leveling Rock	4"-0" crushed	225+00 to 271+20	N/A	load	11	loads	15	165
Subgrade Base Reconstruction	4"-0" crushed	19+20, 30+00, 40+20	N/A	location	44	locations	3	132
Subgrade Surface Reconstruction	1 1/2"-0" crushed	19+20, 30+00, 40+20	N/A	location	22	locations	3	66
Surfacing	4"-0" crushed	225+00 to 271+20	4	station	25	stations	46.2	1,155
Base Rock	4"-0" crushed	237+80 to 239+50	8	station	50	stations	1.7	85
Turnouts	4"-0" crushed	230+00, 236+80, 241+20	N/A	turnout	22	turnouts	3	66

EXHIBIT D

ROAD SURFACING

ROAD SEGMENT: I5 to I6 Cont.				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	I5 to I6		0+00 to 271+20		
				Volume (CY) Per		Number Of		
Culvert Bedding and Backfill	3/4"-0" crushed	243+60 (3), 246+00 (4), 248+90 (3), 257+30 (4), 262+50 (5), 269+20 (3)	N/A	load	11	loads	22	242
Culvert Energy Dissipator	24"-6" riprap	248+90, 257+30	N/A	dissipator	11	dissipators	2	22
Total Rock for Road Segment:			I5 to I6					2,164
ROAD SEGMENT: I7 to I8				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	I7 to I8		0+00 to 117+90		
				Volume (CY) Per		Number Of		
Surface Leveling Rock	1 1/2"-0" crushed		N/A	load	11	loads	25	275
Junctions	1 1/2"-0" crushed	0+00	N/A	load	11	loads	2	22
Surfacing	1 1/2"-0" crushed	76+80 to 117+90	3	station	19	stations	41.1	781
Turnouts	1 1/2"-0" crushed	85+80, 98+85, 102+25	N/A	turnout	22	turnouts	3	66
Turnaround	1 1/2"-0" crushed	98+85, 102+25	N/A	turnaround	22	turnaround	2	44
Culvert Bedding and Backfill	3/4"-0" crushed	106+20, 115+10	N/A	culvert	44	culverts	2	88
Culvert Energy Dissipator	24"-6" riprap	106+20, 115+10	N/A	dissipator	11	dissipators	2	22
Total Rock for Road Segment:			I7 to I8					1,298
ROAD SEGMENT: I9 to I10				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	I9 to I10		0+00 to 8+80		
				Volume (CY) Per		Number Of		
Junctions	1 1/2"-0" crushed	0+00	N/A	load	11	loads	2	22
Surfacing	1 1/2"-0" crushed	0+00 to 8+80	2	station	13	stations	8.8	114
Landings	6"-0" pit-run	1+45 (18), 8+80 (9)	N/A	load	11	loads	27	297
Total Rock for Road Segment:			I9 to I10					433
ROAD SEGMENT: I11 to I12				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size and Type	Location	Depth of Rock (inches)	I11 to I12		0+00 to 143+20		
				Volume (CY) Per		Number of		
Subgrade Leveling Rock	1 1/2"-0" crushed		N/A	load	11	loads	25	275
Surfacing	1 1/2"-0" crushed	70+10 to 143+20	2	station	13	stations	73.1	950
Total Rock for Road Segment:			I11 to I12					1,225

EXHIBIT D

ROAD SURFACING

ROAD SEGMENT: I13 to I14				POINT TO POINT		Sta. to Sta.		TOTAL VOLUME (CY)
Application	Rock Size And Type	Location	Depth of Rock (inches)	I13 to I14		0+00 to 16+40		
				Volume (CY) Per		Number Of		
Subgrade Leveling Rock	1 1/2"-0" crushed		N/A	load	11	loads	6	66
Total Rock for Road Segment:			I13 to I14					66

ROCK SOURCES	4"-0"	1½"-0"	¾"-0"	24"-6"	6"-0"
Lost Lake Stockpiles	2,870	2,131	0	0	0
Sterling Ridge Quarry – Crushing for Project 1 and 2	3,792	5,013	0	0	0
Sterling Ridge Quarry – Crushing Stockpiles for Project 3	2,000	2,000			
Quartz Creek Stockpiles	0	0	330	0	0
Round About Quarry	0	0	0	0	220
Onsite Sources	0	0	0	297	1,592

ROCK TOTALS (CY)	4"-0"	1½"-0"	¾"-0"	24"-6"	6"-0"
20,245	8,662	9,144	330	297	1,812

Roads shall be uniformly graded, shaped and approved by STATE prior to rocking.

EXHIBIT D

ROCK ACCOUNTABILITY

PURCHASER shall obtain subgrade approval from STATE prior to rocking. Rocking shall be limited to periods when weather conditions are acceptable to STATE and when sediment will not enter streams. Additional surfacing needed because of construction season or construction practice is not included in the preceding ROAD SURFACING table, and shall be furnished at PURCHASER expense.

Rock accountability shall be determined by the following methods, as directed by STATE. STATE shall be given 24 hours' notice prior to rocking.

Rock Checking. All rock spreading shall be done only when a STATE representative is present. STATE shall issue a receipt for each load delivered, and rock shall be measured without allowance for shrinkage or shakedown during hauling. Total truck measure volume for each road segment shall be as shown on Exhibit D. Deliver at least 500 cubic yards per 8-hour shift, unless otherwise approved by STATE. A penalty of \$10 for each 10 cubic yards which are not delivered during a single shift shall be billed, and payment shall be required prior to final acceptance of the project by STATE.

Depth Measurement. Rock shall be spread and compacted according to the depths specified in Exhibit D. Truck measure volumes are given, but shall not limit the amount of rock spread.

Depth shall be determined in the most compacted area of the surface cross section. The depth of compacted aggregates shall not vary more than 1 inch from the depth specified in the "Road Surfacing" table in Exhibit D. The average depth for each road segment shall be the specified depth or greater. If additional rock is required because of insufficient depth, the locations and volumes to be added shall be determined by STATE.

Load Records. Notify STATE before spreading the rock and maintain a record of all rock delivered for spreading. Make the record available for STATE inspection. A report listing the amount of rock delivered the prior month must be submitted no later than the 15th of each month.

COMPACTION AND PROCESSING REQUIREMENTS

Moisture Content: Compaction must take place when moisture content of the materials being compacted is favorable for effective compaction as determined by STATE.

Compaction Pass: A pass is defined as traveling a road section forward and then backward over that same section.

Subgrade. Subgrade surfaces of the road segments listed below shall be graded and compacted. Compaction shall be accomplished by traveling all surfaces from shoulder to shoulder until the surface is smooth and hard and visible deformation ceases. At least 3 passes shall be made over the entire width and length of the road. Compaction shall be accomplished by using one or more of the approved equipment options listed below:

Subgrade shall be crowned, outsloped, or insloped at 4 to 6 percent as specified in the "Forest Roads Specifications" table in Exhibit D.

ROAD SEGMENT	SUBGRADE COMPACTION OPTIONS
All road segments.	1

Fills. Embankments and fills shall be placed in (approximately) horizontal layers not more than 8 inches in depth. Each layer shall be separately, and thoroughly, compacted. Compaction equipment shall be operated over the entire width of each layer until visible deformation of the layers ceases. At least 3 passes shall be made over the entire width and length of each layer.

Placing individual rocks or boulders with more depth than the allowed layer thickness shall be permitted, provided the embankment will accommodate them. Such rocks and boulders shall be at least 6 inches below the subgrade. They shall be carefully distributed and the voids filled with finer material, forming a dense and compacted mass. Compaction shall be accomplished by using one or more of the approved equipment options listed below:

ROAD SEGMENT	FILLS COMPACTION OPTIONS
All road segments.	1 or 2

Crushed Rock. The rock shall be uniformly mixed and spread in layers on the approved roadbed. Each layer of crushed rock shall be moistened or dried to uniform moisture content suitable for maximum compaction and compacted in layers not to exceed 6 inches in depth. When more than 1 layer is required, each shall be shaped, compacted, and approved by STATE before the succeeding layer is placed. Any irregularities or depressions that develop during compaction of the top layer shall be corrected by loosening the material at these places and adding or removing material until the surface is smooth and uniform. Each layer shall be compacted with a minimum of 3 passes over the entire width and length of the road until the surface is smooth and hard and visible deformation ceases. Compaction shall be accomplished by using one or more of the approved equipment options listed below:

Rock shall be compacted and processed during the same project period it is spread, unless otherwise approved in writing by STATE.

Rock shall be crowned, outsloped, or insloped at 4 to 6 percent as specified in the "Forest Roads Specifications" table in Exhibit D.

EXHIBIT D

COMPACTION AND PROCESSING REQUIREMENTS

ROAD SEGMENT	CRUSHED COMPACTION OPTIONS
All road segments requiring crushed rock.	1

Pit-Run Rock. The rock shall be uniformly mixed and spread in layers on the approved roadbed. Each layer of pit-run rock shall be moistened or dried to uniform moisture content suitable for maximum compaction and compacted in layers not to exceed 8 inches in depth. When more than 1 layer is required, each shall be shaped and compacted before the succeeding layer is placed. Any irregularities or depressions that develop during compaction of the top layer shall be corrected by loosening the material at these places and adding or removing material until the surface is smooth and uniform. Each layer shall be compacted with a minimum of 3 passes over the entire width and length of the road. Compaction shall be accomplished by using one or more of the approved equipment options listed below:)

Rock shall be crowned, outsloped, or insloped at 4 to 6 percent as specified in the "Forest Roads Specifications" table in Exhibit D.

ROAD SEGMENT	PIT-RUN COMPACTION OPTIONS
All road segments requiring pit-run rock.	1 or 4

EXHIBIT D

COMPACTION EQUIPMENT OPTIONS

- (1) Vibratory Rollers. The drum shall have a smooth surface, a diameter not less than 48 inches, a width not less than 58 inches, and a turning radius of 15 feet or less. Vibration frequency shall be regulated in steps to 1400, 1500, and 1600 VPM, corresponding to engine speeds of 1575, 1690, and 1800 RPM. The centrifugal force developed shall be 7 tons at 1600 VPM. It shall be activated by a power unit of not less than 25 horsepower. The vibratory roller shall be self-propelled and operated at speeds ranging from 0.9 miles to 1.8 miles per hour, as directed by STATE.
- (2) Rubber-Tired Skidders. A rubber-tired skidder weighing a minimum of 20,000 pounds shall be operated over the fill layers so that the entire layered surface comes in contact with the tires. Skidders with oversized tires (high flotation) are not acceptable for compaction.
- (3) Vibratory Hand-Operated or Backhoe-Mounted Tamper. Vibratory hand-held or hydraulic tampers shall be used for compaction of backfill materials around culverts and/or bridge approach embankment materials around abutments. The tamper shoe dimensions shall be a minimum of 10" X 13" and capable of a centrifugal force of 2,250 pounds.
- (4) Dozer. A dozer/track-type tractor weighing a minimum of 45,000 pounds as directed by STATE shall be operated over the pit-run rock so that the entire surface comes in contact with the tracks.

EXHIBIT E
CULVERT SPECIFICATIONS

All culvert materials shall be furnished and installed by PURCHASER, unless otherwise specified in the Contract.

Culverts 36 inches in diameter and smaller shall be constructed of corrugated polyethylene, unless otherwise specified in the Contract. Culverts larger than 36 inches in diameter shall be constructed of corrugated aluminized Type 2 steel, unless otherwise specified in the Contract. Polyethylene culverts shall be double-walled and meet the requirements of AASHTO M-294-11, Type S, or ASTM F2648. Aluminized (Type 2) steel culverts shall meet the requirements of AASHTO M-36-03¹."

Polyethylene joints shall be made with split couplings, corrugated to engage the culvert corrugations, and shall engage a minimum of 4 corrugations, 2 on each side of the culvert joint.

Culverts shall be located according to the alignment and grade as shown on the Plan and Profile, and/or as staked in the field, or as specified in special instructions.

The STATE Representative shall determine final culvert locations and stake the locations in the field prior to installation.

Culverts in live streams shall be installed with the inlet and outlet on grade with the stream bottom, unless otherwise specified in writing.

Cross Drain Culverts

Cross drain culverts on road grades in excess of 3 percent shall be skewed at least 30 degrees from perpendicular to the road centerline, except that cross drain culverts at the low point of dips in roads shall not be skewed. Cross drains shall be skewed to fit the required culvert length to the road prism.

Cross drain culverts shall be installed at a slope steeper than the incoming ditch grade, but not less than 3 percent or greater than 10 percent.

Disconnect Culverts

The culvert inlet shall be located as close to the channel that it is disconnecting, while the culvert outlet shall be located as far from the channel as possible; discharge culvert outflow on the forest floor, allowing for filtration before the water enters the disconnected channel.

The foundation and trench walls for all culverts shall be free from logs, stumps, limbs, stones, and other objects which would dent or damage the culvert. The culvert trench shall be excavated 3 culvert diameters wide to permit compaction and working on each side of the culvert. Tamping shall be done in 6-inch lifts, 1 culvert diameter each side of the culvert. Bedrock shall be excavated as required to provide a uniform foundation for the full length of the culvert.

A bedding of crushed rock as specified shall be placed to provide a wide band of support and to transmit the load from above evenly over the entire length of the culvert for all culverts on road improvement segments.

Backfill shall consist of crushed rock on improvement segments and job-excavated soil free of stumps, limbs, rocks, or other objects which would damage the culvert on new construction segments.

Transporting of the culvert shall be done carefully. Dragging or allowing free fall from trucks or into trenches shall not be permitted.

Minimum height of cover over top of culvert to subgrade when road is to be rockered shall be as follows: 12" for culverts 18" to 36" and 18" for culverts 42" to 96" add 6" for roads which will not be rockered. Minimum vertical cover for other designs shall be as specified by STATE.

EXHIBIT E

CULVERT SPECIFICATIONS

Lengths of individual culvert sections shall be not less than 10 feet, unless otherwise provided for in special instructions. The shortest culvert section length shall be placed at the inlet end.

The ends of each culvert shall be free of logs and debris which would restrict the free flow of water.

The intake end of cross drain and disconnect culverts shall be provided with a sediment catching basin 3 feet in diameter at the bottom. The outlet end of any culvert which would allow water to erode embankment soil shall be provided with an energy dissipator, half round, or other approved slope protection device. Construct lead-off ditches away from culvert outlets where the slope gradients restrict the free flow of water.

Culverts 24 inches in diameter or larger shall have 1:1 step beveled inlets.

Compaction by tamping utilizing a Vibratory Hand-Operated or Backhoe-Mounted Tamper is required for all culverts.

All culverts scheduled for replacement shall become property of the PURCHASER and be removed from STATE land and hauled to an approved refuse site in the same project period in which replacement occurred. Damaged culvert inlets and/or outlets shall be repaired by opening them with a hydraulic jack, or cutting off the culvert end to allow for free passage of water at peak flow levels.

The intake ends of culverts in fills less than 3 feet to the top of the culvert shall be marked by driving white fiberglass posts within 6 inches of the downgrade side. Posts shall be a minimum of 6 feet long and 2½ inches wide, with the spade driven 2 feet into the ground. Install a culvert marker at each existing culvert that is missing a marker that could be reached by a grader blade.

Energy Dissipators shall be installed within 72 hours of culvert installation, unless otherwise approved in writing by STATE. Steel posts used with half round installation shall be painted with rust preventative paint.

A manufacturer's certification that the product was manufactured, tested, and supplied in accordance with this specification shall be furnished to STATE upon request.

Following are the minimum standard gauges for steel culvert and coupling bands. Some culverts may require different gauges and may be found in the culvert listing.

<u>Dia.</u>	<u>Steel Culvert</u>	<u>Thickness</u>		<u>Band Gauges</u>	<u>Band Widths (")</u>	
	<u>Gauge</u>	<u>Uncoated</u>	<u>Coated</u>		<u>Annular</u>	<u>Helical</u>
18-36	16	(0.0598")	(0.064")	16	12	12
42-54	14	(0.0747")	(0.079")	16	12	12
60-84	12	(0.1046")	(0.109")	16	24	24
90-120	12	(0.1046")	(0.109")	16	26	26

Culverts larger than 60" in diameter shall have 3" x 1" corrugations.

EXHIBIT E
CULVERT LIST

CULVERT NO.	DIAMETER (Inches)	LENGTH (Feet)	MATERIAL TYPE	GAUGE	ROAD SEGMENT POINT TO POINT	STATION
1	18	30	CPP	N/A	1A to 1B	2+40
2	18	30	CPP	N/A	1C to 1D	4+40
3	18	40	CPP	N/A	1C to 1D	9+80
4	18	30	CPP	N/A	1C to 1D	14+00
5	18	30	CPP	N/A	1C to 1D	15+70
6	18	30	CPP	N/A	1C to 1D	19+60
7	18	40	CPP	N/A	1E to 1F	4+90
8	18	30	CPP	N/A	1G to 1H	2+00
9	18	30	CPP	N/A	1G to 1H	4+00
10	18	30	CPP	N/A	3B to 3C	2+30
11	18	30	CPP	N/A	3B to 3C	4+50
12	18	30	CPP	N/A	3B to 3C	6+70
13	18	30	CPP	N/A	3D to 3E	3+50
14	18	30	CPP	N/A	3F to 3G	1+80
15	24	40	CPP	N/A	3F to 3G	3+90
16	18	30	CPP	N/A	3H to 3I	4+00
17	18	30	CPP	N/A	3H to 3I	9+00
18	18	30	ACSP	N/A	I5 to I6	243+60
19	18	40	ACSP	N/A	I5 to I6	246+00
20	18	30	ACSP	N/A	I5 to I6	248+90
21	18	40	ACSP	N/A	I5 to I6	257+30
22	18	50	ACSP	N/A	I5 to I6	262+50
23	18	30	CPP	N/A	I5 to I6	269+20
24	18	40	CPP	N/A	I7 to I8	106+20
25	18	40	ACSP	N/A	I7 to I8	115+10

TOTAL LENGTHS BY DIAMETER		
CPP 18 INCH	CPP 24 INCH	ACSP 18 INCH
570	40	230

ACSP = Aluminized, CPP = Polyethylene

EXHIBIT F

ROCK QUARRY DEVELOPMENT AND USE

1. PURCHASER shall prepare a written development plan for the quarry area. The plan shall be submitted to STATE for approval prior to conducting any operation in quarry area. The plan shall include, but not be limited to:
 - (a) Location of benches and roads to benches.
 - (b) Disposal site for woody debris, overburden and reject material.
 - (c) Time lines for rock quarry use.
 - (d) Erosion Control measures.
2. PURCHASER shall schedule and coordinate quarry and stockpile usage with other existing or planned activity requiring quarry or stockpile usage. PURCHASER shall notify STATE 5 days prior to the start of quarry development activities.
3. At the Sterling Ridge Quarry, fall all timber within the posted right-of-way boundary and remove all merchantable timber. Non-merchantable timber shall be removed as pulp or decked in a location approved by STATE. All woody debris, including stumps and Slash shall be hauled to the designated disposal areas, piled and disposed of by burning as directed by STATE.
4. Overburden shall be removed for a distance of 20 feet beyond the developed rock source. All overburden and reject material shall be hauled to the designated waste area as directed by STATE.
5. Construct new quarry access road to access the rock source from the quarry floor as identified in the exhibit.
6. PURCHASER shall conduct the operations relative to the disposal of waste material in such manner that sediment, rock, or debris shall not be washed, conveyed, or otherwise deposited in any stream.
7. PURCHASER shall obtain a FPA Burn Permit prior to debris disposal for the Sterling Ridge Quarry.
8. The STATE shall be notified 24 hours prior to the beginning of blasting operations. Working days shall be defined as Monday through Friday, 7:30 a.m. to 3 p.m.
9. PURCHASER shall identify a Blaster in Charge (BIC) for all blasting operations. The BIC will be qualified by experience to oversee all phases of the blasting operations. The BIC shall provide direct supervision at all times when blasting and explosives handling activities are occurring on STATE LANDS.
10. Controlled blasting techniques shall be utilized for any blasting operations, and shall be accomplished using timing devices, delayed charges, low intensity shots, or other suitable means to contain as much material as possible within the quarry development area. Each shot shall also have a "tattle-tale" end cap so that it is known if all charges were detonated. The PURCHASER shall detonate or remove all non-detonated explosives from STATE LANDS. PURCHASER shall maintain a comprehensive blasting log that contains all pertinent data for all blasting operations. The blasting log shall be submitted to the STATE after the completion of all blasting activity. The blasting log is intended for STATE record keeping purposes only.
11. Benches shall be maintained/constructed at intervals of 40 feet or less in height and shall be a minimum of 20 feet in width. Any gravel or talus slopes shall be left with a working face at an angle of 60 percent or less. There shall be a minimum of one bench with an access road to it. Said bench shall be easily accessible with tractors.


EXHIBIT F

ROCK QUARRY DEVELOPMENT AND USE

12. Quarry face shall be developed in a uniform manner. All quarry backslopes shall be left in a stable condition.
13. Oversized material that is produced or encountered during development shall be broken down and utilized for crushing.
14. The quarry site shall be left in a condition free from overburden and debris. Access roads to the quarry, and the quarry floor, shall be cleared at the termination of use. Unused shot rock material that is produced shall be piled in the vicinity of the rock pit as directed by STATE. Dirt, overburden, and reject material shall be hauled to designated waste area.
15. The quarry floor shall be developed to provide for drainage away from the quarry. All quarry and stockpile site drainage ditches shall be maintained. Ditches, culverts, waterbars and other direct conveyances of water from the quarry or stockpile site(s) shall be constructed to drain to the forest floor in locations that will provide filtration. Quarry access roads shall be cleared and blocked upon completion of quarry use as directed by STATE.
16. Proper winterization and storm-water control measures such as waterbarring, drainage, utilization of filter bales, mulching and/or blocking access shall be constructed and maintained to protect the watershed and Project Work, as directed by STATE.

EXHIBIT F

ROCK QUARRY DEVELOPMENT AND USE



CRUSHED ROCK SPECIFICATIONS

Materials. The material shall be fragments of rock crushed to the required size. The material shall be free from vegetation and lumps of clay. STATE may require screening and/or rejecting of materials utilized for production of crushed rock for the purpose of removing excess fine material. Excess fines are present, when greater than 5 percent of a total rock sample weight, passes a #200 sieve. Rock crushing shall be limited to periods when weather conditions are acceptable to STATE.

Quality and Grading Requirements. The base material shall be rock. River gravel shall not be used. Crushed rock shall meet the grading requirements that follow:

Hardness - Aggregate Hardness - Test Method AASHTO T 96: 30% Maximum

Durability – Test Method ODOT TM 208

Passing No. 20 Sieve: 30% Maximum

For the purpose of crushing rock specified under the projects in Section 2610, "Project Work," PURCHASER shall utilize a three-stage rock crusher, or equivalent, unless otherwise approved by STATE.

The rock crusher shall be calibrated to produce rock as specified in this exhibit. Prior to the commencement of production crushing, PURCHASER shall sample, test, and provide rock test results meeting STATE specifications. STATE may then sample and test crushed rock for approval to proceed. PURCHASER shall take one sample of each 2,000 cubic yards of crushed rock material produced thereafter, using approved AASHTO sampling procedures. PURCHASER shall submit samples to a certified laboratory or shall perform testing for gradation requirements using AASHTO T 11 and AASHTO T 27 testing procedures. Prior to testing, each sample shall be split, making one-half of the sample, with proper identification, available for testing by STATE. Each sample and the results of PURCHASER testing shall be made available to STATE within 24 hours of sampling. Any rock crushed prior to STATE approval to proceed shall not be credited to the required rock quantity. Any subsequent rock tests not meeting STATE specifications shall be reason for rejection of that portion of crushed rock produced after that test and shall not be credited to the required rock quantity. STATE may sample the crushed rock at any time during the operation. Results of STATE's tests shall prevail over all other test results.

CRUSHED ROCK SPECIFICATIONS

Grading Requirements

<u>For 1½"-0"</u>	Passing	2" sieve	100%
	Passing	1½" sieve	90-100%
	Passing	¾" sieve	60-90%
	Passing	¼" sieve	30-50%
	Passing	No. 10 sieve	15-30%
	Passing	No. 40 sieve	7-15%
<u>For 4"-0"</u>	Passing	5" sieve	100%
	Passing	4" sieve	90-100%
	Passing	2" sieve	60-90%
	Passing	¾" sieve	35-60%
	Passing	¼" sieve	15-35%
	Passing	No. 10 sieve	0-20%


JAW-RUN, PIT-RUN, AND RIPRAP ROCK SPECIFICATIONS

<u>For 6"-0 Jaw-Run</u>	Passing	6" sieve	100%
	Passing	3" sieve	45-65%
	Passing	¼" sieve	0-10%
<u>For Pit-Run</u>	Passing	10" sieve	100%
	Passing	6" sieve	60-85%
	Passing	3" sieve	30-50%
	Passing	¼" sieve	0-10%

For 24"-6" Riprap A minimum of 50 percent of the material shall measure a minimum of 24 inches, measured in one dimension. Material shall be clean, well graded, and free of 2"-0" fines.

Control of gradation shall be by visual inspection by STATE.

EXHIBIT G
TYPICAL EMBEDDED ENERGY DISSIPATOR




Dissipator shall be installed prior to the installation of the culvert, unless approved by STATE.

EXHIBIT H

WATERBAR SPECIFICATIONS

PROFILE


DITCHED AND OUTSLOPED




SPACING OF WATERBARS	
ROAD GRADE	DISTANCE
< 6 %	400'
6 - 10 %	200'
11 - 15 %	150'
> 15 %	100'

CROSS SECTION

DITCHED




OUTSLOPED



CONSTRUCT DITCHOUT THRU ANY EXISTING BERM.
CROSS DRAINAGE GRADIENT MINIMUM 3%.

PLAN VIEW

DITCHED



OUTSLOPED




EXHIBIT I

SEEDING AND MULCHING

This work shall consist of preparing seedbeds and furnishing and placing required seed, and straw mulch. Straw mulch shall consist of straw that is free of noxious weeds. Apply seed, and straw mulch to all waste areas.

Seeding Seasons. Seeding shall be performed only from March 1 through June 15 and August 15 through October 31. Seeding materials shall not be applied during windy weather or when the ground is excessively wet or frozen. Areas of disturbed soil shall be seeded by the end of the project period in which work was started. CONTRACTOR shall notify STATE within 24 hours of seeding application.

APPLICATION METHODS FOR SEED

Dry Method. Mechanical seeders, seed drills, landscape seeders, cultipacker seeders, or other approved mechanical seeding equipment shall be used to apply the seed in the amounts and mixtures specified. Hand-operated seeding devices may be used when seed is applied in dry form.

APPLICATION RATES FOR SEED

Any mixture of the native seed species listed below shall be applied at the recommended rates shown in the table. At least 50% of the mixture shall include species recommended for Erosion control.

NATIVE SPECIES	Coverage ft ² /lb	Broadcast Rate lbs/acre	Recommended for Erosion Control
Barley – Meadow	1,740	50-62.5	Yes
Bentgrass – Spike	43,560	2-2.5	
Brome – California	1,740	50-62.5	Yes
Fescue – Native Red	2,200	20-25	
Fescue – Sand	3,110	28-35	Yes
Hairgrass – Slender	7,260	12-15	Yes
Hairgrass – Tufted	10,890	8-10	
Junegrass – Prairie	43,560	2-2.5	Yes
Wheatgrass – Slender	2,180	20	Yes
Wildrye Blue	2,175	40-50	

Mulching Period. Straw mulch shall be applied within 24 hours of spreading grass seed.

APPLICATION RATES FOR MULCH

Place weed free straw mulch to a reasonably uniform thickness of 1½ to 2½ inches. This rate requires between 2 and 3 tons of dry mulch per acre.

Application Locations:

Location
All Waste Areas

EXHIBIT J

CLEARING DEBRIS PILING AND BURNING SPECIFICATIONS

GENERAL SLASH PILE BURNING INSTRUCTIONS:

Conduct slash pile burning as specified in this Exhibit, for portions of Projects 1, 2, 3, and 4. Material shall be end hauled to waste areas as shown on Exhibit A, or at other locations approved by STATE.

SLASH PILE BURNING REQUIREMENTS:

Reduce slash, stumps, and woody debris by burning. Burning shall be performed in accordance with STATE issued burning permits.

FPA BURN PERMIT

PURCHASER shall obtain an FPA Burn Permit prior to debris disposal. A map will be submitted with specific burning locations approved by STATE.

MONITORING

Operator will monitor burned piles after completion of burning to ensure no potential control issues are present or foreseeable. Periodic checks on burned piles will be conducted within the first day or two after burning and continue periodic intervals as dictated by observed conditions on burned piles and weather forecasts dictate, and in accordance with FPA Burn Permit requirements.

EQUIPMENT

All burning shall be performed using a minimum 1½ cubic yard, track-mounted excavator. Fire suppression equipment shall be provided in accordance with FPA Burn Permit requirements.

CLEAN-UP and DEBRIS MULCHING:

Debris resulting from the Slash Pile Burning operation shall be scattered as to not block, ditches, water courses, culvert inlets/outlets, and sediment catch basins. Debris shall be mulched or scattered. Large debris, 3 inches or larger in diameter, shall be mulched or cut into lengths 3 feet or less to facilitate rapid decay, unless otherwise approved by STATE. Dirt and debris shall be removed from roots of stumps prior to burning. Upon completion of burning all areas shall be uniformly sloped and compacted for drainage. Any residual debris within a road prism or landing will be end hauled to a waste area or scattered in a location approved by STATE.

CULVERT AND ROAD MARKER DAMAGES:

Culvert and road markers damaged, or any portion of a marker damaged from PURCHASER activities shall be replaced.

SPECIFIC SLASH PILE BURNING INSTRUCTIONS:

- Project No. 1 All clearing and grubbing debris from 2A to 2B, 2C to 2D, 2E to 2F, and 2G to 2H, shall be end hauled, piled, and burned at Waste Area 4, or at a location approved by STATE. 3B to 3C, and 3J to 3K shall be end hauled, piled, and burned at Waste Area 5 in conjuncture with Project No. 4.
- Project No. 2 All clearing and grubbing debris from I7 to I8 and I9 to I10, shall be end hauled, piled, and burned at Waste Area 4, or at a location approved by STATE. I5 to I6 shall be end hauled, piled, and burned at Waste Area 5 in conjuncture with Project No. 4.
- Project No. 3 All piling and burning for Sterling Ridge Quarry shall be in accordance with Exhibit F.
- Project No. 4 Clear, grub, pile, and burn all woody debris within the Right-of-Way posted boundary. All existing and new stumps and woody debris within or hauled to waste area site shall be broken up, piled, and burned. All residual material after burning shall be scattered in a stable location, as directed by STATE.



OREGON DEPARTMENT of FISH and WILDLIFE

FISH SCREENING PROGRAM

SMALL PUMP SCREEN SELF CERTIFICATION

The Oregon Water Resources Department in coordination and cooperation with the Oregon Department of Fish and Wildlife includes screen requirements on pumps to protect fish as a condition of many surface water and/or reservoir water right permits. This is done in accordance with ORS 537.153.

The Oregon Department of Fish and Wildlife does not usually inspect small pump screens at **pumped diversions less than 225 gpm** (gallons per minute), but furnishes the following fish screening criteria information to the water right permit holder:

Screen material open area must be at least 27% of the total wetted screen area.

Perforated plate: Openings shall not exceed 3/32 or 0.0938 inches (2.38 mm).

Mesh/Woven wire screen: Square openings shall not exceed 3/32 or 0.0938 inches (2.38 mm) in the narrow direction, e.g., 3/32 inch x 3/32 inch open mesh.

Profile bar screen/Wedge wire: Openings shall not exceed 0.0689 inches (1.75 mm) in the narrow direction.

Screen area must be large enough not to cause fish impact. Wetted screen area depends on the water flow rate and the water approach velocity. **Approach velocity** is the water velocity perpendicular to and approximately three inches in front of any part of the screen face.

An Active pump screen is a self-cleaning screen that has a proven cleaning system. The **screen approach velocity for active pump screens** shall not exceed 0.4 fps (feet per second) or 0.12 mps (meters per second). The wetted screen area in square feet is calculated by dividing the maximum water flow rate in cubic feet per second (1 cfs = 449 gpm) by 0.4 fps.

A Passive pump screen is a screen that has no cleaning system other than periodic manual cleaning. **Screen approach velocity for passive pump screens** shall not exceed 0.2 fps or 0.06 mps. The wetted screen area in square feet is calculated by dividing the maximum water flow rate by 0.2 fps.

For further information on fish screening please contact:

Oregon Department of Fish and Wildlife, Statewide Fish Screening Coordinator: 503.947.6229

Oregon Department of Fish and Wildlife, Screening Program Administrative Specialist:

503.947.6224

As evidence of having met fish screen installation requirements, please sign the certification and send to: **Oregon Water Resources Department, Water Rights Section, 725 Summer Street NE, Suite A, Salem, OR 97301-1271.**

Certification: I certify that my small pumped diversion of less than 225 gpm meets fish screening criteria, and that I will maintain it to comply with regulatory criteria. I also understand that should fish screening standards change, I may be required to modify my installation to meet applicable standards.

Applicant Signature: _____ Date: ____/____/____ WRD File #: _____

Printed Name and Address: _____

Phone: (____) _____ Fax: (____) _____